บทคัดย่อ

(Abstract)

เมื่อนำรังไข่ของแมวที่ฉีดค้วย eCG และกลุ่มควบคุมมาเก็บไข่สามารถเก็บได้ 20.1 ± 19.2 ใบ/ตัว และ 7.1 ± 8.3 ใบ/รังไข่ ไข่ที่เก็บจากรังไข่ของแมวที่ฉีดค้วย eCG และกลุ่มควบคุมเมื่อนำมา เลี้ยงในหลอดแก้วมีอัตราการสุก 62.7 ± 4.6 และ 37.6 ± 10.7% จากการนำไข่สุกมากระตุ้นด้วย 7%Et-OH + CHX-CD หรือ CHX-CD เพียงอย่างเดียว ได้ตัวอ่อนเจริญถึงระยะบลาสโตซีส 12.9 และ 16.4% ตามลำดับ จากนั้นใช้เซลล์ไฟโบรบลาสจากใบหูและเซลล์แกรนูโลซาเป็นเซลล์ดันแบบในการโคลนนิ่งและทดสอบกระตุ้นการแบ่งตัวด้วยน้ำยา 2 ชนิด จากการทดลองพบว่า กระตุ้นด้วย 7%Et-OH + CHX-CD ได้ตัวอ่อนเจริญถึงระยะมอรูลาและบลาสโตซีสสูงกว่าที่กระตุ้น ด้วย CHX-CD อย่างเดียวในเซลล์ดันแบบทั้ง 2 ชนิด แต่ไม่มีความแตกต่างทางสถิติ จากการทดลอง สามารถสรุปได้ว่าอัตราการสุกของไข่ที่เก็บจากรังไข่แมวที่ฉีดด้วย eCG สูงกว่าที่เก็บจากรังไข่กลุ่ม ควบคุม การเจริญเติบโตในหลอดแก้วจึงระยะมอรูลาและบลาสโตซีสจากการโคลนนิ่งด้วยเซลล์ ไฟโบรบลาสจากใบหูและเซลล์แกรนูโลซาในกลุ่มที่กระตุ้นด้วย 7%Et-OH + CHX-CD มีค่าสูงกว่า กลุ่มที่กระตุ้นด้วย CHX-CD อย่างเดียว

Abstract

The average number of cat oocytes collected from ovaries of eCG stimulated donor and control group was 20.1 ± 19.2 oocytes/queen and 7.1 ± 8.3 oocytes/ovary. The *in vitro* maturation rate of cat oocytes collected from ovaries of eCG stimulated donor and control group was 62.7 ± 4.6 and 37.6 ± 10.7%. The parthenogenetic embryos developed to blastocyst stage of matured oocytes treated with 7%Et-OH + CHX-CD and CHX-CD was 12.9 and 16.4% respectively. The ear fibroblasts and granulosa cells were used as donor cells for cloning and testing with 2 activation treatments. It was found that the treatment with 7%Et-OH + CHX-CD gave higher morulae and blastocysts rate than those with CHX-CD alone in both donor cell types, but there were not significantly different. In conclusion, the maturation rate of oocytes from eCG treated was higher than control. The *in vitro* development to morula and blastocyst stage of reconstructed embryos with ear fibroblasts and granulosa cells treated with 7%Et-OH + CHX-CD was higher than CHX-CD alone.