



Talanta 58 (2002) 1293-1300

2 - 11 - 27

www.elsevier.com/locate/talanta

## Reverse flow injection spectrophotometric determination of iron(III) using norfloxacin

Teraboon Pojanagaroon<sup>a</sup>, Surasak Watanesk<sup>a</sup>, Vichitr Rattanaphani<sup>b</sup>, Saisunee Liawrungrath<sup>a,\*</sup>

Department of Chemistry, Water Research Center (WRC), Faculty of Science, Chiang Mai University, Chiang Mai 50202, Thailand
School of Chemistry, Institute of Science, Suranaree University of Technology, Nakhonratchasima 30000, Thailand

Received 23 March 2002; received in revised form 25 April 2002; accepted 27 April 2002

## Abstract

A reversed flow injection colorimetric procedure for determining iron(III) at the  $\mu g$  level was proposed. It is based on the reaction between iron(III) with norfloxacin (NRF) in 0.07 mol 1<sup>-1</sup> ammonium sulfate solution, resulting in an intense yellow complex with a suitable absorption at 435 nm. Optimum conditions for determining iron(III) were investigated by univariate method. The method involved injection of a 150  $\mu$ l of 0.04% w/v colorimetric reagent solution into a merged streams of sample and/or standard solution containing iron(III) and 0.07 mol 1<sup>-1</sup> ammonium sulfate in sulfuric acid (pH 3.5) solution which was then passed through a single bead string reactor. Subsequently the absorbance as peak height was monitored at 435 nm. Beer's law obeyed over the range of 0.2–1.4  $\mu$ g ml<sup>-1</sup> iron(III). The method has been applied to the determination of total iron in water samples digested with HNO<sub>3</sub>-H<sub>2</sub>O<sub>2</sub> (1:9 v/v). Detection limit (3 $\sigma$ ) was 0.01  $\mu$ g ml<sup>-1</sup> the sample through of 86 h<sup>-1</sup> and the coefficient of variation of 1.77% (n = 12) for 1  $\mu$ g ml<sup>-1</sup> Fe(III) were achieved with the recovery of the spiked Fe(III) of 92.6–99.8%.

© 2002 Elsevier Science B.V. All rights reserved.

Keywords: Iron(III); Reverse flow injection spectrophotometric; Norfloxacin (NRF)