

รายการอ้างอิง

- ชาคริต ปานแป้น. (2564). การปรับปรุงคุณภาพกำลังไฟฟ้าสำหรับระบบรางไฟฟ้าโดยใช้การควบคุมกระแสแบบปรับตัว. **วิทยานิพนธ์ปริญญาดุษฎีบัณฑิต สาขาวิชาวิศวกรรมไฟฟ้า สำนักวิชาวิศวกรรมศาสตร์ มหาวิทยาลัยเทคโนโลยีสุรนารี.**
- ฐานันตร์ ตรงใจ. (2564). การกำจัดฮาร์มอนิกในระบบรางไฟฟ้ากระแสสลับ. **วิทยานิพนธ์ปริญญามหาบัณฑิต สาขาวิชาวิศวกรรมไฟฟ้า สำนักวิชาวิศวกรรมศาสตร์ มหาวิทยาลัยเทคโนโลยีสุรนารี.**
- ทศพร ฌรณกุลฤทธิ์ (2557). การออกแบบตัวควบคุมฟuzzyแบบปรับตัวสำหรับวงจรกรองกำลังแอกทีฟแบบขนานในระบบสามเฟสสมดุล. **วิทยานิพนธ์ปริญญาดุษฎีบัณฑิต สาขาวิชาวิศวกรรมไฟฟ้า สำนักวิชาวิศวกรรมศาสตร์ มหาวิทยาลัยเทคโนโลยีสุรนารี.**
- ภักดี สวัสดิ์นะที. (2556). การสร้างชุดขับเคลื่อนมอเตอร์เหนี่ยวนำสามเฟสด้วยวิธีการควบคุมแบบเวกเตอร์ทางอ้อมวิทยานิพนธ์ปริญญามหาบัณฑิต สาขาวิชาวิศวกรรมไฟฟ้า สำนักวิชาวิศวกรรมศาสตร์ มหาวิทยาลัยเทคโนโลยีสุรนารี.
- Akagi, H., Kanazawa, Y., & Nabae, A. (1984). Instantaneous reactive power compensators comprising switching devices without energy storage components. *IEEE Transactions on industry applications*, (3), 625-630.
- Akagi, H., Kanazawa, Y., & Nabae, A. (1984). Instantaneous reactive power compensators comprising switching devices without energy storage components. **IEEE Transactions on industry applications**, (3), 625-630.
- Annamalaichamy, A., David, P. W., Balachandran, P. K., & Colak, I. (2024). Performance evaluation of PI and FLC controller for shunt active power filters. **Electrical Engineering**, 1-18.
- Aredes, M., Hafner, J., & Heumann, K. (1997). Three-phase four-wire shunt active filter control strategies. *IEEE transactions on power electronics*, 12(2), 311-318.

- Barros, J., & Perez, E. (2003). An adaptive method for determining the reference compensating current in single-phase shunt active power filters. **IEEE Transactions on Power Delivery**, 18(4), 1578-1580.
- Bellatreche, H., Bounekhla, M., & Tlemçani, A. (2016, November). Using fuzzy logic and hysteresis current control to reduce harmonics in three level NPC shunt active power filter. In **2016 8th International Conference on Modelling, Identification and Control (ICMIC)** (pp. 5-9). IEEE.
- Benchaita, L., & Saadate, S. (1999). A comparison of voltage source and current source shunt active filter by simulation and experimentation. **IEEE transactions on power systems**, 14(2), 642-647.
- Budhrani, A. H., Bhayani, K. J., & Pathak, A. R. (2018). Design parameters of shunt active filter for harmonics current mitigation.
- Chaoui, A., Gaubert, J. P., Krim, F., & Champenois, G. (2007). PI controlled three-phase shunt active power filter for power quality improvement. **Electric power components and systems**, 35(12), 1331-1344.
- Choudhury, S., Acharya, D. P., & Nayak, N. (2021, October). A comprehensive survey on active power filters: classifications, issues and future trends. In **2021 International Conference in Advances in Power, Signal, and Information Technology (APSIT)** (pp. 1-6). IEEE.
- Ch-P. Huang, Ch-J Wu, Y-S. Chuang, and others (2006). Loading Characteristics Analysis of Specially Connected Transformers Using Various Power Factor Definitions. **IEEE Transactions on Power Delivery**. 21(3): 1406-1413
- Cirrincione, M., Pucci, M., Vitale, G., & Miraoui, A. (2009). Current harmonic compensation by a single-phase shunt active power filter controlled by adaptive neural filtering. **IEEE Transactions on Industrial Electronics**, 56(8), 3128-3143.
- Colak, I., Bayindir, R., Kaplan, O., & Tas, F. (2010, December). DC bus voltage regulation of an active power filter using a fuzzy logic controller. In **2010 Ninth International Conference on Machine Learning and Applications** (pp. 692-696). IEEE.

- Costa, B. L. G., Bacon, V. D., da Silva, S. A. O., & Angélico, B. A. (2017). Tuning of a PI-MR controller based on differential evolution metaheuristic applied to the current control loop of a shunt-APF. **IEEE transactions on industrial electronics**, 64(6), 4751-4761.
- H.-L. Jou, J.-C. Wu, H.-Y. Chu (1994). New Single-phase Active Power Filter. **IEE Proc.-Electr. Power**. 141(3): 129-134
- Han, B. (2009, July). Single-phase active power filter using FFT with harmonic phase-delay compensation. In **2009 IEEE Power & Energy Society General Meeting** (pp. 1-6). IEEE.
- He, Z., Zheng, Z., & Hu, H. (2016). Power quality in high-speed railway systems. **International Journal of Rail Transportation**, 4(2), 71-97.
- Hsu, C. Y., & Wu, H. Y. (1995, June). A new single-phase active power filter with reduced energy storage capacitor. In **Proceedings of PESC'95-Power Electronics Specialist Conference** (Vol. 1, pp. 202-208). IEEE.
- Hu, H., He, Z., & Gao, S. (2014). Passive filter design for China high-speed railway with considering harmonic resonance and characteristic harmonics. **IEEE Transactions on Power Delivery**, 30(1), 505-514.
- Huang, S. R., & Chen, B. N. (2002). Harmonic study of the Le Blanc transformer for Taiwan railway's electrification system. **IEEE Transactions on Power Delivery**, 17(2), 495-499.
- Ingram, D. M., & Round, S. D. (1997, May). A novel digital hysteresis current controller for an active power filter. In **Proceedings of Second International Conference on Power Electronics and Drive Systems** (Vol. 2, pp. 744-749). IEEE.
- Izhar, M., Hadzer, C. M., Syafrudin, M., Taib, S., & Idris, S. (2004, November). Performance for passive and active power filter in reducing harmonics in the distribution system. In **PECon 2004. Proceedings. National Power and Energy Conference, 2004.** (pp. 104-108). IEEE.

- Janpong, S., Narongrit, T., Puangpool, M., & Suthikarnnarunai, N. (2019, October). DC-bus voltage control for single-phase active power filter using neural network. In **2019 International Conference on Power, Energy and Innovations (ICPEI)** (pp. 60-63). IEEE.
- Jiang, W., Ding, X., Ni, Y., Wang, J., Wang, L., & Ma, W. (2017). An improved deadbeat control for a three-phase three-line active power filter with current-tracking error compensation. **IEEE transactions on power electronics**, 33(3), 2061-2072.
- Keerthi, N., Pandian, A., & Dhanasekaran, R. (2020, December). A Comprehensive Study on Shunt Active Power Filters for Grid-Tied wind systems. In **IOP Conference Series: Materials Science and Engineering** (Vol. 993, No. 1, p. 012085). IOP Publishing.
- Kumar, M. J., & Varalakshmi, K. (2022). PV-based shunt active power filter for improving power quality in accordance with the PQ theory. **International Journal for Modern Trends in Science and Technology**.
- Li, Z., Ren, M., Chen, Z., Liu, G., & Feng, D. (2022). A bi-sliding mode PI control of DC-link voltage of three-phase three-wire shunt active power filter. **IEEE Journal of Emerging and Selected Topics in Power Electronics**, 10(6), 7581-7588.
- Luo, A., Wu, C., Shen, J., Shuai, Z., & Ma, F. (2011). Railway static power conditioners for high-speed train traction power supply systems using three-phase V/V transformers. **IEEE Transactions on Power Electronics**, 26(10), 2844-2856.
- M.El-Habrouk and M.K.Darwish (2001). Design and implementation of a modified Fourier analysis harmonic current computation technique for power active filters using DSPs. **IEE Proc.-Electr.** 148(1): 21-28
- Mamdani, E. H. (1974, December). Application of fuzzy algorithms for control of simple dynamic plant. In **Proceedings of the institution of electrical engineers** (Vol. 121, No. 12, pp. 1585-1588). IEE.
- Martins, A., Vale, S., Sobrado, V., & Carvalho, A. (2014, October). Comparison of current control methods for grid-connected low-power single-phase converters.

In **IECON 2014-40th Annual Conference of the IEEE Industrial Electronics Society** (pp. 4211-4217). IEEE.

Narongrit, T., Areerak, K. L., & Areerak, K. N. (2010, February). Design of an active power filter using genetic algorithm technique. In **Proceedings of the 9th WSEAS international conference on Artificial intelligence, knowledge engineering and data bases** (pp. 46-50).

Narongrit, T., Santiprapan, P., & Janpong, S. (2018, April). A synchronous detection with fourier analysis for single-phase shunt active power filters. In **2018 5th International Conference on Electric Power and Energy Conversion Systems (EPECS)** (pp. 1-6). IEEE.

P.-C. Tan, P Loh and D. Holmes (2004). A robust multilevel hybrid compensation system for 25-kv electrified railway applications. **IEEE Transactions on Power Electronics**. 19(4): 1043-1051

Padungsin, M., Narongrit, T., & Areerak, K. (2018, April). The Comparison Study of Harmonic Detection Algorithms for Single-Phase Power Systems. In **2018 5th International Conference on Electric Power and Energy Conversion Systems (EPECS)** (pp. 1-6). IEEE.

Panchbhai, A., Prajapati, N., & Parmar, S. (2017, March). Comparative study of reference current generation for shunt active power filter. In **2017 International Conference on Power and Embedded Drive Control (ICPEDC)** (pp. 381-386). IEEE.

Panpean, C., Areerak, K., Areerak, K., Udomsuk, S., & Santiprapan, P. (2019, July). The Harmonic Detection for Co-Phase Railway System in Distorted Voltage Source Condition. In **2019 16th International Conference on Electrical Engineering/Electronics, Computer, Telecommunications and Information Technology (ECTI-CON)** (pp. 545-548). IEEE.

Panpean, C., Areerak, K., Santiprapan, P., Areerak, K., & Shen Yeoh, S. (2021). Harmonic mitigation in electric railway systems using improved model predictive control. **Energies**, 14(7), 2012.

- Pichan, M., Seyyedhosseini, M., & Hafezi, H. (2022). A new DeadBeat-based direct power control of shunt active power filter with digital implementation delay compensation. **IEEE Access**, 10, 72866-72878.
- Pinto, J. G., Exposto, B., Monteiro, V., Monteiro, L. F., Couto, C., & Afonso, J. L. (2012, October). Comparison of current-source and voltage-source Shunt Active Power Filters for harmonic compensation and reactive power control. In **IECON 2012-38th Annual Conference on IEEE Industrial Electronics Society** (pp. 5161-5166). IEEE.
- Rasul, M. J., Khang, H. V., & Kolhe, M. (2017, August). Harmonic mitigation of a grid-connected photovoltaic system using shunt active filter. In **2017 20th International Conference on Electrical Machines and Systems (ICEMS)** (pp. 1-5). IEEE.
- S. Fukuda and T.Yoda (2001). A Novel Current-Tracking Method for Active Filters Based on a Sinusoidal Internal Model. **IEEE Transactions on industrial applications**. 37(3): 888– 895.
- Santiprapan, P., & Areerak, K. L. (2010, June). Performance improvement of harmonic detection using synchronous reference frame method. In **2010 International Conference on Advances in Energy Engineering** (pp. 52-55). IEEE.
- Senini, S., & Wolfs, P. J. (2000). Hybrid active filter for harmonically unbalanced three phase three wire railway traction loads. **IEEE Transactions on Power Electronics**, 15(4), 702-710.
- Shu, Z., Xie, S., & Li, Q. (2010). Single-phase back-to-back converter for active power balancing, reactive power compensation, and harmonic filtering in traction power system. **IEEE Transactions on Power Electronics**, 26(2), 334-343.
- Singh, B., Al-Haddad, K., Chandra, A., ANURADHA, & Kothari, D. P. (1998). Three-phase compensator for load balancing and reactive power compensation in three-phase, four-wire electric power distribution systems. **Electric machines and power systems**, 26(1), 27-37.

- Sun, Z., Jiang, X., Zhu, D., & Zhang, G. (2004). A novel active power quality compensator topology for electrified railway. **IEEE Transactions on power electronics**, 19(4), 1036-1042.
- T.-H. Chen (1994). Comparison of Scott and Leblanc transformers for supplying unbalanced electric railway demands. **Electric Power Systems Research**. 12: 235-240
- Takagi, T., & Sugeno, M. (1985). Fuzzy identification of systems and its applications to modeling and control. **IEEE transactions on systems, man, and cybernetics**, (1), 116-132.
- Takeda, M., Ikeda, K., Teramoto, A., & Aritsuka, T. (1988, April). Harmonic current and reactive power compensation with an active filter. In **PESC'88 Record., 19th Annual IEEE Power Electronics Specialists Conference** (pp. 1174-1179). IEEE.
- Tali, M., Essadki, A., & Nasser, T. (2016, November). Harmonic detection methods of Shunt Active Power Filter under unbalanced loads. In **2016 International Renewable and Sustainable Energy Conference (IRSEC)** (pp. 1017-1023). IEEE.
- Thomas, T., Haddad, K., Joos, G., & Jaafari, A. (1998). Design and performance of active power filters. **IEEE Industry Applications Magazine**, 4(5), 38-46.
- Tiyarachakun, S., Areerak, K., & Areerak, K. (2014). Instantaneous power theory with Fourier and optimal predictive controller design for shunt active power filter. **Modelling and Simulation in Engineering**, 2014(1), 381760.
- Trongjai, T., Narongrit, T., & Areerak, K. L. (2018). The Comparison of Shunt Active Power Filter Structure for the Harmonic Elimination in AC-Electric Railway Systems. **SWU Engineering Journal**, 13(2), 38-51.
- Trongjai, T., Narongrit, T., & Areerak, K. L. (2020). Design of a Shunt Active Power Filter for Harmonic Elimination in Electric Railway Systems. **UBU Engineering Journal**, 13(1), 29-41.
- Umadevi, A., Lakshminarasimman, L., & Sakthivel, A. (2023). Optimal design of shunt active power filter for mitigation of interharmonics in grid tied photovoltaic system. **Electric Power Systems Research**, 220, 109232.

- V. Khadkikar, M. Singh, A. Chandra and B. Singh (2010). Implementation of Single-phase Synchronous dq Reference Frame Controller for Shunt Active Filter under Distorted Voltage Condition. **PEDES Power Electronics**.
- Wakileh, G. J. (2019). **Power systems harmonics: fundamentals, analysis and filter design**. Springer Nature.
- Waosungnern, S., Narongrit, T., & Areerak, K. (2021). Design of a Shunt Active Power Filter for Single-Phase Power Systems. **Journal of Engineering and Digital Technology (JEDT)**, 9(1), 27-36.
- Wu, D., Che, Y., & Cheng, K. W. E. (2009, May). Design and performance of a shunt active power filter for three-phase four-wire system. In **2009 3rd International Conference on Power Electronics Systems and Applications (PESA)** (pp. 1-4). IEEE.
- Wu, L., & Mingli, W. (2017). Single-phase cascaded H-bridge multi-level active power filter based on direct current control in AC electric railway application. **IET Power Electronics**, 10(6), 637-645.
- Xi, Z. Q., Zhang, J., Xiong, W. W., & Qi, L. (2012, March). Research on DC-side voltage fuzzy control method of shunt active power filter. In **2012 Asia-Pacific Power and Energy Engineering Conference** (pp. 1-4). IEEE.
- Zadeh, L. A. (1965). Fuzzy sets. **Information and Control**.
- Zainuri, M. A. A. M., Radzi, M. A. M., Soh, A. C., Mariun, N., & Rahim, N. A. (2016). DC-link capacitor voltage control for single-phase shunt active power filter with step size error cancellation in self-charging algorithm. **IET Power Electronics**, 9(2), 323-335.
- Zala, J., Desai, M., Bhayani, K., & Budhvani, A. (2019). Sinusoidal pulse width modulation switching technique based single phase inverter. **Journal of Power Electronics & Power Systems**, 9(1).
- Zaro, F. (2023). **Shunt Active Power Filter for Power Quality Improvement of Renewable Energy Systems: A Case Study**.

- Zhou, J., Yuan, Y., & Dong, H. (2020). Adaptive DC-link voltage control for shunt active power filters based on model predictive control. **IEEE Access**, 8, 208348-208357.
- Zouidi, A., Fnaiech, F., & Al-Haddad, K. (2006, July). Voltage source inverter based three-phase shunt active power filter: Topology, Modeling and control strategies. In **2006 IEEE International Symposium on Industrial Electronics** (Vol. 2, pp. 785-790). IEEE.