จุฑามาศ เพียซ้าย : การตอบสนองของทานตะวันต่อสภาพแวดล้อมและธาตุอาหารบาง ชนิด (RESPONSES OF SUNFLOWER TO ENVIRONMENTS AND CERTAIN PLANT NUTRIENTS) อาจารย์ที่ปรึกษา : ศาสตราจารย์ ดร. ไพศาล เหล่าสุวรรณ, 102 หน้า.

การตอบสนองของทานตะวันต่อสภาพแวดล้อมและธาตุอาหารพืชได้ศึกษาจาก 2 การ ทดลอง การทดลองแรกศึกษาความเสถียรของทานตะวันพันธุ์สังเคราะห์และพันธุ์ลูกผสม โดยทำ การทดสอบทานตะวัน 12 พันธุ์ประกอบด้วยพันธุ์สังเคราะห์ 10 พันธุ์ และพันธุ์ลูกผสม 2 พันธุ์ ใน 7 สภาพแวดล้อม ที่จังหวัดนครราชสีมา วางแผนการทดลองแบบ Randomized complete block design และวิเคราะห์ความเสถียรของพันธุ์ 3 วิธี วิธีแรกใช้ค่าเฉลี่ยของแต่ละพันธุ์ในแต่ละสภาพแวดล้อม และก่าสัมประสิทธิ์ความปรวนแปร (CV) พบว่า ทานตะวันพันธุ์ลูกผสมแปซิฟิก 44 และพันธุ์ สังเคราะห์ LOC (Low Oil Cross) เป็นพันธุ์ที่มีความเสถียรในลักษณะผลผลิต วิธีที่สองใช้วิธีรีเกรส ชันของค่าเฉลี่ยแต่ละพันธุ์บนค่าเฉลี่ยสภาพแวดล้อม พบว่า ทานตะวันพันธุ์ ถูกษณะผลผลิต และสำหรับวิธีที่สามใช้วิธีรีเกรสชันของค่าเฉลี่ยแต่ละพันธุ์ LOC มีความเสถียรใน ลักษณะผลผลิต และสำหรับวิธีที่สามใช้วิธีรีเกรสชันของค่าเฉลี่ยแต่ละพันธุ์ LOC เป็นพันธุ์ที่มีความ เสถียรในลักษณะผลผลิต การวิเคราะห์ความเสถียรโดยใช้วิธีที่สองและสามให้ผลการวิเคราะห์ เหมือนกัน และจากผลการทดลองที่ได้สามารถลัดเลือกพันธุ์ที่สามารถปลูกในสภาพแวดล้อมที่ด่า ได้ คือ พันธุ์ MOC (Medium Oil Cross) ที่มีก่าความเสถียรด่ำ (b<1.00)

การทดลองที่สองทำการศึกษาการตอบสนองของทานตะวันต่อธาตุอาหารพืช โดย ทำการศึกษาการขาดธาตุอาหารพืช 8 ธาตุ ประกอบด้วย ธาตุในโตรเจน ฟอสฟอรัส โพแทสเซียม แกลเซียม แมกนีเซียม กำมะถัน สังกะสี และโบรอน เพื่อดูการตอบสนองของทานตะวันต่อธาตุ อาหารแต่ละธาตุ จากการศึกษาโดยปลูกทดสอบในดินจากแปลงเกษตรกร อำเภอวังม่วง จังหวัด สระบุรี พบว่า ดินปลูกจากแปลงเกษตรกรมีคุณสมบัติ และธาตุอาหารที่ทานตะวันสามารถ เจริญเติบโตได้ แต่มีอัตราการเจริญเติบโตช้า ส่วนการศึกษาจากการปลูกทดสอบในทราย พบว่า ธาตุอาหารพืชแต่ละธาตุมีผลต่อการเจริญเติบโตของทานตะวัน ถ้าขาดธาตุใดธาตุหนึ่งจะทำให้ ทานตะวันเจริญเติบโตช้าลง และมีลักษณะผิดปกติ

สาขาวิชาเทคโนโลยีการผลิตพืช ปีการศึกษา 2552

ลายมือชื่อนักศึกษา	
ลายมือชื่ออาจารย์ที่ปรึกษา	

CHUTHAMARD PIASAI : RESPONSES OF SUNFLOWER TO ENVIRONMENTS AND CERTAIN PLANT NUTRIENTS. THESIS ADVISOR : PROF. PAISAN LAOSUWAN, Ph.D., 102 PP.

SUNFLOWER/ Helianthus annuus L./ STABILITY/PLANT NUTRIENTS

Two experiments were conducted to evaluate the responses of sunflowers to environments and plant nutrients. The first experiment was the study on the stability of synthetic and hybrid varieties. Twelve entries of sunflower including 10 synthetic and two hybrid varieties were tested in seven environments at Nakhon Ratchasima using a randomized complete block design. Three methods were used to analyse for stability. The first method which used the means of each entry at the individual environment and respective coefficient variations (CV) showed that hybrid variety Pacific 44 and a synthetic variety, LOC (Low Oil Cross) gave high stability for seed yield. The second method which used the regression of means of an individual entry on the means of environments showed that LOC gave high stability for seed yield. The third method which used the regression of an individual entry on environmental index and deviation of error from environmental linear showed that LOC was stable for seed yield. Therefore, the second and third methods produced similar results. The experiment suggested that in the low environments, varieties with low stability (b<1.00), such as MOC (Medium Oil Cross) may be useful.

The second experiment was the study on the responses of sunflowers to nutrients. The experiment involved the omissions of eight plant nutrients including nitrogen, phosphorus, potassium, calcium, magnesium, sulfur, zinc, and boron; and the symptoms due to deficiencies of each nutrient were observed. The experiment using soil collected from the farmer's field at Wang Muang, Saraburi showed that the soil was suitable for sunflowers. The only response due to the omissions of nutrients was the slow rate of growth. Another experiment using sand and the omission of one nutrient at a time showed that nutrients affected the sunflowers differently. Without any kind of nutrients, the growth and development of sunflowers would slow down and become abnormal.

School of Crop Production Technology

Student's Signature	
---------------------	--

Academic Year 2009

Advisor's Signature