

REFERENCES

- Adhikari, R., Bristow, K.L., Casey, P.S., Freischmidt, G., Hornbuckle, J.W., and Adhikari, B. (2016). Preformed and sprayable polymeric mulch film to improve agricultural water use efficiency. *Agricultural Water Management*, 169, 1-13. <https://doi.org/10.1016/j.agwat.2016.02.006>
- Akhtar, S., Bhowmick, A.K., De, P.P. and De, S.K. (1986). Tensile rupture of short fibre filled thermoplastic elastomer. *Journal of Materials Science*, 21(12), 4179-4184. <https://doi.org/10.1007/BF01106527>
- Akindoyo, J. O., Beg, M.D.H., Ghazali, S., and Heim, H.P. (2018). Impact modified PLA-hydroxyapatite composites – Thermo-mechanical properties. *Composites Part A*, 107, 326-333. <https://doi.org/10.1016/j.compositesa.2018.01.017>
- Akpan, E. I., Adeosun, S.O., Lawal, G.I., Balogun, S.A. and Chen, X.D. (2014). Structural Characteristics of Batch Processed Agro-Waste Fibres. *International Journal of Chemical, Nuclear, Metallurgical and Materials Engineering*, 8(3), 223-230.
- Akrami, M., Ghasemi, I., Azizi, H., Karrabi, M., and Seyedabadi, M. (2016). A new approach in compatibilization of the poly(lactic acid)/thermoplastic starch (PLA/TPS) blends. *Carbohydrate Polymers*, 144, 254-262. <https://doi.org/10.1016/j.carbpol.2016.02.035>
- Ali, M. (2023). Qualitative Analyses of Thin Film-Based Materials Validating New Structures of Atoms. *Materials Today Communications*, 36(106552), 1-28. <https://doi.org/10.1016/j.mtcomm.2023.106552>
- Alias, N. F., Ismail, H., and Ishak, K.M.K. (2021). Poly(lactic acid)/natural rubber/kenaf biocomposites production using poly(methyl methacrylate) and epoxidized natural rubber as co-compatibilizers. *Iranian Polymer Journal*, 30(7), 737-749. <https://doi.org/10.1007/s13726-021-00927-8>
- Amir-Hashim, M. Y., Roslim, R. and Rosni, M.W. (2012). Physical Properties and Surface Morphology of Natural Rubber Latex Films Intended for Seedling Bag Application. *Journal of Rubber Research*, 15(4), 243-254.

- Ansari, A.H., Jakarni, F.M., Muniandy, R. And Hassim, S. (2021). A review on the application of natural rubber as asphalt modifier. *Materials Science and Engineering*, 1075(1), 1-12. <https://doi.org/10.1088/1757-899X/1075/1/012031>
- Arrieta, M. P., Perdiguero, M., Fiori, S., Kenny, J.M., and Peponi, L. (2020). Biodegradable electrospun PLA-PHB fibers plasticized with oligomeric lactic acid. *Polymer Degradation and Stability*. 179(109226), 1-7. <https://doi.org/10.1016/j.polymdegradstab.2020.109226>
- Banthao, C., Kumpolsan, P., Baimark, Y., Wongkasemjit, S., and Pakkethati, K. (2020). Improvement the properties of poly(l-lactide) films with cellulose fiber from rice straw waste in agricultural products *International Journal of GEOMATE*, 18(70), 43-48. <https://doi.org/10.21660/2020.70.5716>
- Beniwal, P., and Toor, A.P. (2023). Advancement in tensile properties of polylactic acid composites reinforced with rice straw fibers. *Industrial Crops & Prod*, 192(116098), 1-9. <https://doi.org/10.1016/j.indcrop.2022.116098>
- Bilck, A. P., Olivato, J.B., Yamashita, F., and Pinto de Souza, J.R. (2014). Biodegradable bags for the production of plant seedlings. *Polímeros*, 24(5), 547-553. <https://doi.org/10.1590/0104-1428.1589>
- Bitinis, N., Verdejoa, R., Cassagnau, P. And Lopez-Manchadoa, M.A. (2011). Structure and properties of polylactide/natural rubber blends. *Materials Chemistry and Physics*, 129, 823-831. <https://doi.org/10.1016/j.matchemphys.2011.05.016>
- Bomfim, A. S. C., Oliveira, D.M., Benini, K.C.C., Cioffi, M.O.H., Voorwald, H.J.C., and Rodrigue, D. (2023). Effect of Spent Coffee Grounds on the Crystallinity and Viscoelastic Behavior of Polylactic Acid Composites. *Polymers*, 15(2719), 1-16. <https://doi.org/10.3390/polym15122719>
- Boonmee, C., Kositanont, C., and Leejarkpai, T. (2016). Degradation of Poly (lactic acid) under Simulated Landfill Conditions. *Environment and Natural Resources*, 14(2), 1-9.
- Brunsek, R., Kopitar, D., Schwarz, I., and Marasovic, P. (2023). Biodegradation Properties of Cellulose Fibers and PLA Biopolymer. *Polymers*, 15(3532), 1-20. <https://doi.org/10.3390/polym15173532>

- Burkov, A., Kraev, A., Grishin, M., Vesnin, R., Fomin, S., and lordanskii, A. (2021). Structural Features and Properties' Characterization of Polylactic Acid/Natural Rubber Blends with Epoxidized Soybean Oil. *Polymers*, 13(1101), 1-12. <https://doi.org/10.3390/polym13071101>
- Buys, Y.F., Aznan, A.N.A. and Anuar, H. (2017). Mechanical properties, morphology, and hydrolytic degradation behavior of polylactic acid / natural rubber blends. *Materials Science and Engineering*, 290(1), 1-8. <https://doi.org/10.1088/1757-899X/290/1/012077>
- Carruthers, T. J. B., Longstaff, B. J., Dennison, W. C., Abal, E. G., and Aioi, K. (2001). Measurement of light penetration in relation to seagrass *Global Seagrass Research Methods*, 369-292. <https://doi.org/10.1016/B978-044450891-1/50020-7>
- Casalini, T., and Perale, G. (2016). Processing of bioresorbable and other polymers for medical applications. *Durability and reliability of medical polymers*, 49-76. <https://doi.org/10.1533/9780857096517.1.49>
- Chaiwutthinan, P., Chuayjuljit, S., Srasomsub, S., and Boonmahithisud, A. (2019). Composites of poly(lactic acid)/poly(butylene adipate-co-terephthalate) blend with wood fiber and wollastonite: Physical properties, morphology, and biodegradability. *Journal of Applied Polymer Science*, 47543, 1-14. <https://doi.org/10.1002/app.47543>
- Chen, J., Zhang, T.Y., Jin, F.L. and Park, S.J. (2018). Fracture Toughness Improvement of Poly(lactic acid) Reinforced with Poly(ϵ -caprolactone) and Surface-Modified Silicon Carbide. *Advances in Materials Science and Engineering*, 2018, 1-10. <https://doi.org/10.1155/2018/6537621>
- Chen, Y., Yuan, D. And Xu, C. (2014). Dynamically vulcanized biobased polylactide/natural rubber blend material with continuous cross-linked rubber phase. *ACS Applied Materials & Interfaces*, 6(6), 3811-3816. <https://doi.org/10.1021/am5004766>
- Chuayjuljit, S., Wongwaiwattanakul, C., Chaiwutthinan, P., and Prasassarakich, P. (2016). Biodegradable Poly(Lactic Acid)/Poly(Butylene Succinate)/Wood Flour Composites: Physical and Morphological Properties. *Polymer Composites*, 38(12), 1-11. <https://doi.org/10.1002/pc.23886>

- Da Costa, J.P., Nunes, A.R., Santos, P.S.M., Girão, A.V., Duarte, A.C. and Rocha-Santos, T. (2018). Degradation of polyethylene microplastics in seawater: Insights into the environmental degradation of polymers. *Environmental Science and Health, Part A*, 53(9), 866-875. <https://doi.org/10.1080/10934529.2018.1455381>
- Da Silva, D., Kaduri, M., Poley, M., Adir, O., Krinsky, N., Shainsky-Roitman, J. And Schroeder, A. (2018). Biocompatibility, biodegradation and excretion of polylactic acid (PLA) in medical implants and theranostic systems. *Chemical Engineering Journal*, 340, 9-14. <https://doi.org/10.1016/j.cej.2018.01.010>
- Devin, T. P., Ahmadi, Z., and Taromi, F.A. (2017). Investigation on Crystallinity Behavior of the Polylactic Acid and Poly-3-hydroxybutyrate Bio-based Polymers in the Presence of the Pyromellitic Anhydride. *Journal of Applied Biotechnology Reports*, 4(3), 661-668.
- Diaz-Hernandez, J. L., Sanchez-Soto, P.J., and Serrano-Delgado, A. (2012). Biological nanostructures associated to iberulites: a SEM study. *Current Microscopy Contributions to Advances in Science and Technology*(1), 154-161.
- Ding, L., Zou, B., Shen, L., Zhao, C., Wang, Z., Guo, Y., Wang, X. And Liu, Y. (2014). A simple route for consecutive production of activated carbon and liquid compound fertilizer from rice husk. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 446, 90-96.
<https://doi.org/10.1016/j.colsurfa.2014.01.055>
- Djellali, S., Sadoun, T., Haddaoui, N., and Bergeret, A. (2015). Viscosity and viscoelasticity measurements of low density polyethylene/poly(lactic acid) blends. *Polymer Bulletin* 72, 1177–1195. <https://doi.org/10.1007/s00289-015-1331-6>
- Drobny, J. G. (2020). Introduction, *Applications of Fluoropolymer Films* (1st ed., pp. 3-38). Amsterdam: Elsevier Science. <https://doi.org/10.1016/B978-0-12-816128-9.00001-5>
- Drumright, R.E., Gruber, P.R. and Henton, D.E. (2000). Polylactic Acid Technology. *Advanced Materials*, 12(23), 1841-1846. [https://doi.org/10.1002/1521-4095\(200012\)12:23<1841::AID-ADMA1841>3.0.CO;2-E](https://doi.org/10.1002/1521-4095(200012)12:23<1841::AID-ADMA1841>3.0.CO;2-E)

- Elsawy, M.A., Kim, K.H., Park, J.W. And Deep, A. (2017). Hydrolytic degradation of polylactic acid (PLA) and its composites. *Renewable and Sustainable Energy Reviews*, 79, 1346-1352. <https://doi.org/10.1016/j.rser.2017.05.143>
- Eselini, N., Tirkes, S., Akar, A.O., and Tayfun, U. (2019). Production and characterization of poly(lactic acid)-based biocomposites filled with basalt fiber and flax fiber hybrid. *Journal of Elastomers & Plastics*, 1-16. <https://doi.org/10.1177/0095244319884716>
- ExxonMobil. (2021). Technical data sheets for Exceed XP. Retrieved from <https://www.exxonmobilchemical.com/en/resources/product-data-sheets/polyethylene/exceed-xp-performance-pe-polymers>.
- Fa, W., Wang, J., Ge, S., and Chao, C. (2020). Performance of photo-degradation and thermo-degradation of polyethylene with photo-catalysts and thermo-oxidant additives. *Polymer Bulletin*, 77, 1417-1432. <https://doi.org/10.1007/s00289-019-02813-z>
- Fabian, D. R. C., Durpekova, S., Dusankova, M., Cisar, J., Drohsler, P., Elich, O., Borkova, M., Cechmankova, J., and Sedlarik, V. (2023). Renewable Poly(Lactic Acid)Lignocellulose Biocomposites for the Enhancement of the Water Retention Capacity of the Soil. *Polymers*, 15(2243), 1-18. <https://doi.org/10.3390/polym15102243>
- Farah, S., Anderson, D. G. And Langer, R. (2016). Physical and mechanical properties of PLA, and their functions in widespread applications – A comprehensive review. *Advanced Drug Delivery Reviews*, 107, 367-392. <https://doi.org/10.1016/j.addr.2016.06.012>
- Feng, P., Jia, J., Liu, M., Peng, S., Zhao, Z. And Shuai, C. (2021). Degradation mechanisms and acceleration strategies of poly (lactic acid) scaffold for bone regeneration. *Materials & Design*, 210, 1-18. <https://doi.org/10.1016/j.matdes.2021.110066>
- Feng, Y., Hu, Y., Yin, J., Zhao, G., and Jiang, W. (2013). High Impact Poly(lactic acid)/Poly(ethylene octene) Blends Prepared by Reactive Blending. *Polymer engineering and science* 53, 389-396. <https://doi.org/10.1002/pen.23265>

- Freitas, P. A. V., Gonzalez-Martínez, C., and Chiralt, A. (2023). Using rice straw fractions to develop reinforced, active PLA-starch bilayers for meat preservation. *Food Chemistry*, 405(134990), 1-11. <https://doi.org/10.1016/j.foodchem.2022.134990>
- Garcia-Garcia, D., Carbonell-Verdu, A., Arrieta, M.P., López-Martínez, J., and Samper M.D. (2020). Improvement of PLA film ductility by plasticization with epoxidized karanja oil. *Polymer Degradation and Stability*, 179(109259), 1-35. <https://doi.org/10.1016/j.polymdegradstab.2020.109259>
- Garlotta, D. (2001). A Literature Review of Poly(Lactic Acid). *Journal of Polymers and the Environment*, 9(2), 63-84. <https://doi.org/10.1023/A:1020200822435>
- Ghatge, S., Yang, Y., Ahn, J.H., and Hur, H.G. (2020). Biodegradation of polyethylene: a brief review. *Applied Biological Chemistry*, 63(27), 1-14. <https://doi.org/10.1186/s13765-020-00511-3>
- Gironi, F. And Piemonte, V. (2011). Bioplastics and Petroleum-based Plastics: Strengths and Weaknesses. *Energy Sources, Part A: Recovery, Utilization, and Environmental Effects*, 33(21), 1949-1959. <https://doi.org/10.1080/15567030903436830>
- Gkoutselis, G., Rohrbach, S., Harjes, J., Obst, M., Brachmann, A., Horn, M.A., and Rambold, G. (2021). Microplastics accumulate fungal pathogens in terrestrial ecosystems. *Scientific Reports* 11(13214), 1-14. <https://doi.org/10.1038/s41598-021-92405-7>
- Gorga, R.E. and Cohen, R.E. (2004). Toughness enhancements in poly(methyl methacrylate) by addition of oriented multiwall carbon nanotubes. *Journal of Polymer Science Part B: Polymer Physics*, 42(14), 2690-2702. <https://doi.org/10.1002/polb.20126>
- Haase, D. L., Bouzza, K., Emerton, L., Friday, J.B., Lieberg, B., Aldrete, A. And Davis, A.S. (2021). The High Cost of the Low-Cost Polybag System: A Review of Nursery Seedling Production Systems. *Land*, 10(8), 826. <https://doi.org/10.3390/land10080826>
- Hakkarainen, M. (2002). Aliphatic Polyesters: Abiotic and Biotic Degradation and Degradation Products. *Springer*, 113-138. https://doi.org/10.1007/3-540-45734-8_4

- Hamad, K., Kaseem, M., Yang, H.W., Deri, F. And Ko, Y.G. (2015). Properties and medical applications of polylactic acid: A review. *Express Polymer Letters*, 9(5), 435-455. <https://doi.org/10.3144/expresspolymlett.2015.42>
- Hendrick, E. and Frey, M. (2014). Increasing Surface Hydrophilicity in Poly(Lactic Acid) Electrospun Fibers by Addition of PLA-b-Peg Co-Polymers. *Journal of Engineered Fibers and Fabrics*, 9(2), 153-164. <https://doi.org/10.1177/155892501400900219>
- Herculano, R.D., Tzu, L.C., Silva, C.P., Brunello, C.A., Queiroz, Á.A.A.d., Kinoshita, A. And Graeff, C.F.d.O. (2011). Nitric oxide release using natural rubber latex as matrix. *Materials Research*, 14(3), 355-359. <https://doi.org/10.1590/S1516-14392011005000055>
- Huang, Y., Zhang, C., Pan, Y., Zhou, Y., Jiang, L., and Dan, Y. (2013). Effect of NR on the hydrolytic degradation of PLA. *Polymer Degradation and Stability*, 98(5), 943-950. <https://doi.org/10.1016/j.polymdegradstab.2013.02.018>
- Hung, N. V., Maguyon-Detras, M.C., Migo, M.V., Quilloy, R., Balingbing, C., Chivenge, P., and Gummert, M. (2020). Chapter 1 Rice Straw Overview: Availability, Properties, and Management Practices. *Springer International Publishing*, 1-13. https://doi.org/10.1007/978-3-030-32373-8_1
- Janorkar, A.V., Metters, A.T. and Hirt, D.E. (2004). Modification of Poly(lactic acid) Films: Enhanced Wettability from Surface-Confined Photografting and Increased Degradation Rate Due to an Artifact of the Photografting Process. *Macromolecules*, 37(24), 9151-9159. <https://doi.org/10.1021/ma049056u>
- Jaratrotkamjorn, R., Khaokong, C., and Tanrattanakul, V. (2012). Toughness Enhancement of Poly(lactic acid) by Melt Blending with Natural Rubber. *Journal of Applied Polymer Science*, 124, 5027-5036. <https://doi.org/10.1002/app.35617>
- Jiang, L., Shen, T., Xu, P., Zhao, X., Li, X., Dong, W., Ma, P. And Chen, M. (2015). Crystallization modification of poly(lactide) by using nucleating agents and stereocomplexation. *E-Polymers*, 16(1), 1-13. <https://doi.org/10.1515/epoly-2015-0179>

- Juntuek, P., Chumsamrong, P., Ruksakulpiwat, Y., and Ruksakulpiwat, C. (2015). Effect of Vetiver Grass Fiber on Soil Burial Degradation of Natural Rubber and Polylactic Acid Composites. *International Polymer Processing*, 29(3), 379-388. <https://doi.org/10.3139/217.2836>
- Kale, G., Kijchavengkul, T., Auras, R., Rubino, M., Selke, S. E., and Singh, S. P. (2007). Compostability of bioplastic packaging materials: an overview. *Macromol Biosci*, 7(3), 255-277. <https://doi.org/10.1002/mabi.200600168>
- Kalita, N. K., Damare, N.A., Hazarika, D., Bhagabati, P., Kalamdhad, A., and Katiyar, V. (2021). Biodegradation and characterization study of compostable PLA bioplastic containing algae biomass as potential degradation accelerator. *Environmental Challenges*, 3(100067), 1-10. <https://doi.org/10.1016/j.envc.2021.100067>
- Karamanlioglu, M., and Alkan, U. (2019). Influence of time and room temperature on mechanical and thermal degradation of poly(lactic) acid. *Thermal science*, 23(1), 383-390. <https://doi.org/10.2298/TSCI181111051K>
- Karkri, M. (2017). Thermal Conductivity of Biocomposite Materials. In Sadasivuni, K.K., Cabibihan, J.J., Ponnamma, D., Al-Maadeed, M.A. and Kim, J (Ed.), *Biopolymer Composites in Electronics* (1 ed., pp. 129-153). Amsterdam: Elsevier. <https://doi.org/10.1016/B978-0-12-809261-3.00004-8>
- Kohjiya, S. And Ikeda, Y. (2014). Introduction. In Kohjiya, S. And Ikeda, Y. (Ed.), *Chemistry, manufacture and applications of natural rubber* (pp. 18-27). Cambridge: Woodhead Publishing. <https://doi.org/10.1016/B978-0-85709-683-8.50022-7>
- Kophimaia, Y., Cheenacharoenb, S., Simisterc, R., Gomezc, L.D., McQueen-Masonc, S.J., and Vuttipongchaikij., S. (2020). Straw digestibility of Thai rice accessions. *Agriculture and Natural Resources*, 54, 617-622.
- Li, Y., Qiang, Z., Chena, X., and Ren, J. (2019). Understanding thermal decomposition kinetics of flame-retardant thermoset polylactic acid. *RSC Advances*, 9, 3128-3139. <https://doi.org/10.1039/C8RA08770A>

- Lorenzoa, M. L. D., and Androsch, R. (2016). *Melting of α' - and α -Crystals of Poly(lactic acid)*. Paper presented at the AIP Conference Proceeding, Naples, Italy. <https://doi.org/10.1063/1.4949583>
- Lubos, B., Martin, S., and Jozef, D. (2014). Crystallization of Polylactic Acid Composites with Banana and Hemp Fibres by Means of DSC and XRD Methods. *Applied Mechanics and Materials*, 616, 325-332.
<https://doi.org/10.4028/www.scientific.net/AMM.616.325>
- Luo, Y., Lin, Z., & Guo, G. (2019). Biodegradation Assessment of Poly (Lactic Acid) Filled with Functionalized Titania Nanoparticles (PLA/TiO₂) under Compost Conditions. *Nanoscale Research Letters*, 14(1), 1-10.
<https://doi.org/10.1186/s11671-019-2891-4>
- Lv, S., Liu, X., Gu, J., Jiang, Y., Tan, H., and Zhang, Y. (2017). Microstructure analysis of polylactic acid-based composites during degradation in soil. *International Biodeterioration & Biodegradation*, 122, 53-60.
<https://doi.org/10.1016/j.ibiod.2017.04.017>
- Lv, S., Zhang, Y., Gu, J., and Tan, H. (2018). Soil burial-induced chemical and thermal changes in starch/poly (lactic acid) composites. *International Journal of Biological Macromolecules*, 113, 338–344.
<https://doi.org/10.1016/j.ijbiomac.2018.02.139>
- Mansoor, Z., Tchuenbou-Magaia, F., Kowalcuk, M., Adamus, G., Manning, G., Parati, M., Radecka, I., and Khan, H. (2022). Polymers Use as Mulch Films in Agriculture-A Review of History, Problems and Current Trends. *Polymers*, 14(5062), 1-29.
<https://doi.org/10.3390/polym14235062>
- Mansor, M. K., Kamal, M.M., Dayang-Habibah, A.I.H., and Yusoff, M.F.H. (2015). Biodegradable Bags Properties Evaluation for Nursery Application. *Australian Journal of Basic and Applied Sciences*, 9(8), 126-131.
- Maricilla, A. and Beltran, M. (2017). Mechanisms of Plasticizers Action. In *Handbook of Plasticizers* (3 ed., pp. 119-134): ChemTec Publishing.
- Matta, A. K., Rao, R.U., Suman, K.N.S., and Rambabu, V. (2014). Preparation and Characterization of Biodegradable PLA/PCL Polymeric Blends. *Procedia Materials Science*, 6, 1266-1270. <https://doi.org/10.1016/j.mspro.2014.07.201>

- McKeen, L. W. (2017). Environmentally Friendly Polymers. In *Permeability Properties of Plastics and Elastomers* (4 ed., pp. 305-323). Amsterdam: Elsevier Science.
<https://doi.org/10.1016/B978-0-323-50859-9.00013-0>
- Merino, D., Zych, A., and Athanassiou, A. (2022). Biodegradable and Biobased Mulch Films: Highly Stretchable PLA Composites with Different Industrial Vegetable Waste. *ACS Applied Materials & Interfaces*, 14, 46920–46931.
<https://doi.org/10.1021/acsami.2c10965>
- Ming, R., Yang, G., Li, Y., Wang, R., Zhang, H., and Shao, H. (2015). Flax Fiber-Reinforced Polylactide Stereocomplex Composites With Enhanced Heat Resistance and Mechanical Properties. *Polymer Composites*, 38(3), 472–478.
<https://doi.org/10.1002/pc.23605>
- Mohammad, N.N.B., Arsal, A., Rahmat, A.R., Abdullah Sani, N.S. and Ali Mohsin, M.E. (2016). Influence of compatibilizer on the structure properties of polylactic acid/natural rubber blends. *Polymer Science Series A*, 58(2), 177-185.
<https://doi.org/10.1134/S0965545X16020164>
- Murphy, S. H., Marsh, J.J., Kelly, C.A., Leeke, G.A., and Jenkins, M.J. (2017). Co₂ Assisted blending of poly(lactic acid) and poly(ϵ -caprolactone). *European Polymer Journal*, 88, 34-43. <https://doi.org/10.1016/j.eurpolymj.2016.12.013>
- Nagarajan, V., Mohanty, A.K. and Misra, M. (2016). Perspective on Polylactic Acid (PLA) based Sustainable Materials for Durable Applications: Focus on Toughness and Heat Resistance. *ACS Sustainable Chemistry & Engineering*, 4(6), 2899-2916.
<https://doi.org/10.1021/acssuschemeng.6b00321>
- Ndazi, B.S. and Karlsson, S. (2011). Characterization of hydrolytic degradation of polylactic acid/rice hulls composites in water at different temperatures. *Express Polymer Letters*, 5(2), 119-131.
<https://doi.org/10.3144/expresspolymlett.2011.13>
- Ning, R., Liang, J., Sun, Z., Liu, X., and Sun, W. (2020). Preparation and characterization of black biodegradable mulch films from multiple biomass materials. *Polymer Degradation and Stability*, 183(109411), 1-31.
<https://doi.org/10.1016/j.polymdegradstab.2020.109411>

- Nizamuddin, S., Hossain, N., Qureshi, S.S., Tanjung, F.A., Siddiqui, M.T.H., Baloch, H.A., Mubarak, N.M., Griffin, G, and Srinivasan, M. (2021). Experimental investigation of physicochemical, thermal, mechanical and rheological properties of polylactide/rice straw hydrochar composite. *Journal of Environmental Chemical Engineering*, 1-10. <https://doi.org/10.1016/j.jece.2021.106011>
- Nuinu, P., Samosorn, K., Srilatong, K., Tongbut, S., and Saengsuwan, S. (2013). Thermal and Mechanical Properties of Mulch Film from Poly(Lactic Acid)/Exoxidized Natural Rubber Blends Filled with Rutile TiO₂ as fillers *Advanced Materials Research*, 844, 65-68. <https://doi.org/10.4028/www.scientific.net/AMR.844.65>
- Palsikowski, P. A., Kuchnier, C.N., Pinheiro, I.F., and Morales, A.R. (2017). Biodegradation in Soil of PLA/PBAT Blends Compatibilized with Chain Extender. *Journal of Polymers and the Environment*, 26, 330-341. <https://doi.org/10.1007/s10924-017-0951-3>
- Parker, M. J. (2000). Test Methods for Physical Properties. *Comprehensive Composite Materials*, 5, 183–226. <https://doi.org/10.1016/B0-08-042993-9/00074-7>
- Pattamaprom, C., Chareonsalung, W., Teerawattananon, C., Ausopron, S., Prachayawasin, P., and Puyvelde, P.V. (2016). Improvement in impact resistance of polylactic acid by masticated and compatibilized natural rubber. *Iranian Polymer Journal*, 25(2), 169-178. <https://doi.org/10.1007/s13726-015-0411-7>
- Phattarateera, S., and Pattamaprom, C. (2019). The Viscosity Effect of Masticated Natural vs. Synthetic Isoprene Rubber on Toughening of Polylactic Acid. *International Journal of Polymer Science*, 1-9. <https://doi.org/10.1155/2019/5679871>
- Phillips, R., Jolley, K., Zhou, Y., and Smith, R. (2021). Influence of temperature and point defects on the X-ray diffraction pattern of graphite. *Carbon Trends*, 5(100124), 1-12. <https://doi.org/10.1016/j.cartre.2021.100124>
- Phonphuak, N. And Chindaprasirt, P. (2015). Types of waste, properties, and durability of pore-forming waste-based fired masonry bricks. *Eco-efficient Masonry Bricks and Blocks*, 103-127. <https://doi.org/10.1016/B978-1-78242-305-8.00006-1>

- Pongputthipat, W., Ruksakulpiwat, Y., and Chumsamrong, P. (2022). Development of biodegradable biocomposite films from poly(lactic acid), natural rubber and rice straw. *Polymer Bulletin*, 1-19. <https://doi.org/10.1007/s00289-022-04560-0>
- Pongtanayut, K., Thongpin, C. and Santawitee, O. (2013). The Effect of Rubber on Morphology, Thermal Properties and Mechanical Properties of PLA/NR and PLA/ENR Blends. *Energy Procedia*, 34, 888-897.
<https://doi.org/10.1016/j.egypro.2013.06.826>
- Rahmani, M., Khani, M.M., Rabbani, S., Mashaghi, A., Noorizadeh, F., Faridi-Majidi, R., and Ghanbari, H (2020). Development of poly (mannitol sebacate)/poly (lactic acid) nanofibrous scaffolds with potential applications in tissue engineering. *Materials Science & Engineering C*, 110626, 1-15.
<https://doi.org/10.1016/j.msec.2020.110626>
- Rasal, R.M., Janorkar, A.V. and Hirt, D.E. (2010). Poly(lactic acid) modifications. *Progress in Polymer Science*, 35, 338–356.
<https://doi.org/10.1016/j.progpolymsci.2009.12.003>
- Ren, J. (2011). *Biodegradable Poly(Lactic Acid): Synthesis, Modification, Processing and Applications* (1st ed.). Springer-Verlag, Berlin Heidelberg.
https://doi.org/10.1007/978-3-642-17596-1_1
- Rosdi, F. N. M., Salim, N., Roslan, R., Bakar, N.H.A., and Sarmin, S.N.S. (2023). Potential Red Algae Fibre Waste as a Raw Material for Biocomposite. *Journal of Advanced Research in Applied Sciences and Engineering Technology*, 30(1), 303-310.
<https://doi.org/10.37934/araset.30.1.303310>
- Rosli, N. A., Karamanlioglu, M., Kargarzadeh, H., and Ahmad, I. (2021). Comprehensive exploration of natural degradation of poly(lactic acid) blends in various degradation media: A review. *International Journal of Biological Macromolecules*, 187, 732-741. <https://doi.org/10.1016/j.ijbiomac.2021.07.196>
- Rosli, N.A., Ahmad, I., Anuar, F.H., and Abdullah, I. (2018). The contribution of eco-friendly bio-based blends on enhancing the thermal stability and biodegradability of Poly(lactic acid). *Journal of Cleaner Production*, 198, 987-995. <https://doi.org/10.1016/j.jclepro.2018.07.119>

- Sakai, E., Qiu, J. H., Murata, T., Kazushi, I., Kobayashi, J., and Takahashi, T. (2011). Degradation Characteristics of Rice Straw/Poly (Lactic Acid) Composites. *Advanced Materials Research*, 391-392, 1268-1272.
<https://doi.org/10.4028/www.scientific.net/AMR.391-392.1268>
- Salmah, H., Marliza, M. And The, P.L. (2013). Treated Coconut Shell Reinforced Unsaturated Polyester. *International Journal of Engineering and Technology*, 13(2), 94-103.
- Schliecker, G., Schmidt, C., Fuchs, S. And Kissel, T. (2003). Characterization of a homologous series of d, l -lactic acid oligomers; a mechanistic study on the degradation kinetics in vitro. *Biomaterials*, 24(21), 3835-3844.
[https://doi.org/10.1016/S0142-9612\(03\)00243-6](https://doi.org/10.1016/S0142-9612(03)00243-6)
- Silva, A. P. D., Pereira, M.D.P., Passador, F.R., and Montagna, L.S. (2020). PLA/Coffee Grounds Composites: A Study of Photodegradation and Biodegradation in Soil. *Macromolecular Symposia*, 394(2000091), 1-9.
<https://doi.org/10.1002/masy.202000091>
- Sin, L. And Bee, S. (2019). *Polylactic Acid: A Practical Guide for the Processing, Manufacturing, and Applications of PLA* (2nd ed.). LLC Chadds Ford, PA, USA: Plastic Design Library (PDL).
- Singh, G., and Arya, S. K. (2021). A review on management of rice straw by use of cleaner technologies: Abundant opportunities and expectations for Indian farming. *Journal of Cleaner Production*, 291(125278), 1-64.
<https://doi.org/10.1016/j.jclepro.2020.125278>
- Singh, G., Gupta, M.K., Chaurasiya, S., Sharma, V.S., and Pimenov, D.Y. (2021). Rice straw burning: a review on its global prevalence and the sustainable alternatives for its effective mitigation. *Environmental Science and Pollution Research*, 28(5), 32125-32155. <https://doi.org/10.1007/s11356-021-14163-3>
- Singla, R. K., Zafar, M.T., Maiti, S.N., and Ghosh, A.K. (2017). Physical blends of PLA with high vinyl acetate containing EVA and their rheological, mechanical and morphological responses. *Polymer Testing*, 63, 398-406.
<https://doi.org/10.1016/j.polymertesting.2017.08.042>

- Sirichalarmkul, A., and Kaewpirom, S. (2021). Enhanced biodegradation and processability of biodegradable package from poly(lactic acid)/poly(butylene succinate)/rice-husk green composites. *Journal of Applied Polymer Science*, 138(27), 1-14. <https://doi.org/10.1002/app.50652>
- Sookprasert, P. (2014). *Compatibilization of poly(lactic acid)/natural rubber blends using natural rubber-graft-poly(lactic acid)*. (Master's Degree). Chulalongkorn University, Bangkok.
- Sookprasert, P. And Hinchiran, N. (2017). Morphology, mechanical and thermal properties of poly(lactic acid) (PLA)/natural rubber (NR) blends compatibilized by NR-graft-PLA. *Journal of Materials Research*, 32(4), 788-800. <https://doi.org/10.1557/jmr.2017.9>
- Sriyapai, P., Chansiri, K., and Sriyapai, T. (2018). Isolation and Characterization of Polyester-Based Plastics-Degrading Bacteria from Compost Soils. *Microbiology*, 87(2), 290-300. <https://doi.org/10.1134/S0026261718020157>
- Stachowiak, T., Postawa, P., Malinska, K., Drózdz, D., and Pudełko, A. (2022). Comparison of Physical and Thermal Properties of Mulching Films Made of Different Polymeric Materials. *Materials* 15(7610), 1-13. <https://doi.org/10.3390/ma15217610>
- Suaduang, N., Ross, S., Ross, G.M., Pratumshat, S., and Mahasaranon, S. (2019). *Effect of spent coffee grounds filler on the physical and mechanical properties of poly(lactic acid) bio-composite films* Paper presented at the Materials Today: Proceeding, Thailand. <https://doi.org/10.1016/j.matpr.2019.06.260>
- Suebpongsang, P., Ekasingh, B. And Cramb, R. (2020). Commercialisation of Rice Farming in Northeast Thailand. In R. Cramb (Ed.), *White Gold: The Commercialisation of Rice Farming in the Lower Mekong Basin* (pp. 39-68). Singapore: Springer Nature. https://doi.org/10.1007/978-981-15-0998-8_2
- Suksut, B., and Deeprasertkul, C. (2011). Effect of Nucleating Agents on Physical Properties of Poly(lactic acid) and Its Blend with Natural Rubber. *Journal of Polymers and the Environment*, 19(1), 288–296. <https://doi.org/10.1007/s10924-010-0278-9>

- Taiatele, I., Dal Bosco, T.C., Faria-Tischer, P.C.S., Bilck, A.P., Yamashita, F., Bertozzi, J. Michels, R.N., and Mali, S. (2019). Abiotic Hydrolysis and Compostability of Blends Based on Cassava Starch and Biodegradable Polymers. *Journal of Polymers and the Environment*, 27(11), 2577-2587.
<https://doi.org/10.1007/s10924-019-01541-9>
- Taib, N.A.A.B., Rahman, M.R., Huda, D., Kuok, K.K., Hamdan, S., Bakri, M.K.B., Julaihi, M.R.M.B., and Khan, A. (2023). A review on poly lactic acid (PLA) as a biodegradable polymer. *Polymer Bulletin*, 80, 1179-1213.
<https://doi.org/10.1007/s00289-022-04160-y>
- Tan, Z., Yi, Y., Wang, H., Zhou, W., Yang, Y., and Wang, C. (2016). Physical and Degradable Properties of Mulching Films Prepared from Natural Fibers and Biodegradable Polymers. *Applied Sciences*, 6(147), 1-11.
<https://doi.org/10.3390/app6050147>
- Tang, Z., Zhang, C., Liu, X. And Zhu, J. (2012). The crystallization behavior and mechanical properties of polylactic acid in the presence of a crystal nucleating agent. *Journal of Applied Polymer Science*, 125(2), 1108-1115.
<https://doi.org/10.1002/app.34799>
- Teixeira, S., Eblagon, K.M., Miranda, F., Pereira, M.F.R. and Figueiredo, J.L. (2021). Towards Controlled Degradation of Poly(lactic) Acid in Technical Applications. *Carbon Research*, 7(2), 1-43. <https://doi.org/10.3390/c7020042>
- Tertyshnaya, Y. V., Karpova, S.G., Podzorova, M.V., Khvatov, A.V., and Moskovskiy, M.N. (2022). Thermal Properties and Dynamic Characteristics of Electrospun Polylactide/Natural Rubber Fibers during Disintegration in Soil. *Polymers*, 14(5), 1-16. <https://doi.org/10.3390/polym14051058>
- Tessanan, W., Chanthatayanonth, R., Yamaguchi, M., and Phinyocheep, P. (2020). Improvement of mechanical and impact performance of poly(lactic acid) by renewable modified natural rubber. *Journal of Cleaner Production*, 276(123800), 1-14. <https://doi.org/10.1016/j.jclepro.2020.123800>
- Thai Rice Exporters Association. (2022). *2017-2022 Rice Production Forecast*. Retrieved 30 November 2022, from <http://www.thairiceexporters.or.th/production.htm>.

- Tham, C.Y., Abdul Hamid, Z.A., Ahmad, Z. And Ismail, H. (2014). Surface Modification of Poly(lactic acid) (PLA) via Alkaline Hydrolysis Degradation. *Advanced Materials Research*, 970, 324-327.
<https://doi.org/10.4028/www.scientific.net/AMR.970.324>
- Thongpin, C., Klatsuwan, S., Borkchaiyapoom, P. And Thongkamwong, S. (2013). Crystallization Behavior of PLA in PLA/NR Compared with Dynamic Vulcanized PLA/NR. *Journal of Metals, Materials and Minerals*, 23(1), 53-59.
- Tisserat, B., Joshee, N., Mahapatra, A.K., Selling, G.W., and Finkenstadt, V.L. (2013). Physical and mechanical properties of extruded poly(lactic acid)-based Paulownia 122longate biocomposites. *Industrial Crops and Products*, 44, 88-96.
<http://dx.doi.org/10.1016/j.indcrop.2012.10.030>
- Van Cong, D., Hoang, T., Giang, N.V., Ha, N. T., Lam, T.D., and Sumita, M. (2012). A novel enzymatic biodegradable route for PLA/EVA blends under agricultural soil of Vietnam. *Materials Science and Engineering C*, 32(3), 558-563.
<https://doi.org/10.1016/j.msec.2011.12.012>
- Van Krevelen, D. W., and Te Nijenhuis, K. (2009). Processing Properties. *Properties of Polymers*, 799-818. <https://doi.org/10.1016/B978-0-08-054819-7.00024-8>
- Vasile, C., Stoleru, E., Darie-Nita, R. N., Dumitriu, R. P., Pamfil, D. And Tartau, L. (2019). Biocompatible Materials Based on Plasticized Poly(lactic acid), Chitosan and Rosemary Ethanolic Extract I. Effect of Chitosan on the Properties of Plasticized Poly(lactic acid) Materials. *Polymers*, 11(6), 1-28.
<https://doi.org/10.3390/polym11060941>
- Velghe, I., Buffel, B. Vandeginste, V., Thielemans, W., and Desplentere, F. (2023). Review on the Degradation of Poly(lactic acid) during Melt Processing. *Polymers* 15(2047), 1-33. <https://doi.org/10.3390/polym15092047>
- Vink, E.T.H., Rabago, K.R., Glassner, D.A. and Gruber, P.R. (2003). Applications of life cycle assessment to NatureWorks™ polylactide (PLA) production. *Polymer Degradation and Stability*, 80(3), 403-419. [https://doi.org/10.1016/S0141-3910\(02\)00372-5](https://doi.org/10.1016/S0141-3910(02)00372-5)
- Voznyak, Y., Morawiec, J., and Galeski, A. (2016). Ductility of polylactide composites reinforced with poly(butylene succinate) nanofibers. *Composites Part A: Applied*

- Science and Manufacturing, 90*, 218-224.
<https://doi.org/10.1016/j.compositesa.2016.07.011>
- Voznyak, Y., Morawiec, J., and Galeski, A. (2018). Ductility of polylactide composites reinforced with polyhydroxyalkanoates nanofibers. *AIP Conference Proceedings, 020078*, 1-5. <https://doi.org/10.1063/1.5045940>
- Wang, X., Pan, H., Jia, S., Lu, Z., Han, L., and Zhang, H. (2022). Mechanical properties, thermal behavior, miscibility and light stability of the poly(butylene adipate-co-terephthalate)/poly(propylene carbonate)/polylactide mulch films. *Polymer Bulletin, 80*, 2485–2501. <https://doi.org/10.1007/s00289-022-04173-7>
- Wufuer, R., Li, W., Wang, S., and Duo, J. (2022). Isolation and Degradation Characteristics of PBAT Film Degrading Bacteria. *International Journal of Environmental Research and Public Health, 19*(17087), 1-12.
<https://doi.org/10.3390/ijerph192417087>
- Xiao, L., Wang, B., Yang, G. And Gauthier, M. (2012). Poly(Lactic Acid)-Based Biomaterials: Synthesis, Modification and Applications. In D. N. Ghista (Ed.), *Biomedical Science, Engineering and Technology* (pp. 247-282). New York: InTech. <https://doi.org/10.5772/23927>
- Xie, H., Cui, B., Hao, S., Li, S., Jia, X., Wang, W. (2022). Exploring the macroscopic and microscopic characteristics of rice stalk for utilization in bio-composites. *Composites Science and Technology, 230*(109728), 1-8.
<https://doi.org/10.1016/j.compscitech.2022.109728>
- Xie, L., Xu, H., Niu, B., Ji, X., Chen, J., Li, Z.M., Hsiao, B.S., and Zhong, G.J. (2014). Unprecedented Access to Strong and Ductile Poly(lactic acid) by Introducing In Situ Nanofibrillar Poly(butylene succinate) for Green Packaging. *Biomacromolecules, 15*(11), 4054-4064. <https://doi.org/10.1021/bm5010993>
- Xu, C., Sun, C., Wan, H., Tan, H., Zhao, J., and Zhang, Y. (2022). Microstructure and physical properties of poly(lactic acid)/ polycaprolactone/rice straw lightweight bio-composite foams for wall insulation. *Construction and Building Materials, 354*(129216), 1-6. <https://doi.org/10.1016/j.conbuildmat.2022.129216>
- Xu, C., Yuan, D., Fu, L., and Chen, Y. (2014). Physical blend of PLA/NR with co-continuous phase structure: Preparation, rheology property, mechanical

- properties and morphology. *Polymer Testing*, 37, 94-101.
<https://doi.org/10.1016/j.polymertesting.2014.05.005>
- Yaacob, N.D., Ismail, H., and Ting, S.S. (2016). Soil Burial of Polylactic Acid/Paddy Straw Powder Biocomposite. *Bioresources*, 11(1), 1255-1269.
<https://doi.org/10.15376/biores.11.1.1255-1269>
- Yadav, S., and Kumar, P. (2023). Effect of neem leaves and stock density of earthworm (*Eisenia fetida*) on quality of rice straw vermicompost. *Advances in Environmental Research*, 12(1), 51-64.
<https://doi.org/10.12989/aer.2023.12.1.051>
- Yaisun, S., and Trongsatitkul, T. (2023). PLA-Based Hybrid Biocomposites: Effects of Fiber Type, Fiber Content, and Annealing on Thermal and Mechanical Properties. *Polymers*, 15(4106), 1-14. <https://doi.org/10.3390/polym15204106>
- Yussuf, A. A., Massoumi, I. And Hassan, A. (2010). Comparison of Polylactic Acid/Kenaf and Polylactic Acid/Rice Husk Composites: The Influence of the Natural Fibers on the Mechanical, Thermal and Biodegradability Properties. *Journal of Polymers and the Environment*, 18(3), 422-429. <https://doi.org/10.1007/s10924-010-0185-0>
- Zaaba, N.F. and Jaafar, M. (2020). A review on degradation mechanisms of polylactic acid: Hydrolytic, photodegradative, microbial, and enzymatic degradation. *Polymer Engineering and Science*, 60(9), 2061-2075.
<https://doi.org/10.1002/pen.25511>
- Zandi, A., Zanganeh, A., Hemmati, F., and Mohammadi-Roshandeh, J. (2019). Thermal and biodegradation properties of poly(lactic acid)/rice straw composites: effects of modified pulping products. *Iranian Polymer Journal*, 1-13.
<https://doi.org/10.1007/s13726-019-00709-3>
- Zhang, C., Huang, Y., Luo, C., Jiang, L., and Dan, Y. (2013). Enhanced ductility of polylactide materials: Reactive blending with pre-hot sheared natural rubber. *Journal of Polymer Research*, 20(121), 1-9. <https://doi.org/10.1007/s10965-013-0121-9>

- Zhang, Z., Cao, B., and Jiang, N. (2023). The Mechanical Properties and Degradation Behavior of 3D-Printed Cellulose Nanofiber/Polylactic Acid Composites. *Materials*, 16(6197), 1-15. <https://doi.org/10.3390/ma16186197>
- Zhang, Z., Lyu, M., Guo, P., Xu, Y., Niu, H., Zhang, S., and Zhu, G. (2023). Natural weathering behavior and photo stability improvement of poly (butylene succinate-co-butylene terephthalate)-based mulch films under two typical climatic conditions. *Environmental Technology & Innovation*, 30(103055), 1-14. <https://doi.org/10.1016/j.eti.2023.103055>
- Zhao, X., Hu, H., Wang, X., Yu, X., Zhou, W. And Peng, S. (2020). Super tough poly(lactic acid) blends: a comprehensive review. *Royal Society of Chemistry Advances*, 10(22), 13316-13368. <https://doi.org/10.1039/D0RA01801E>
- Zhao, X., Pelfrey, A., Pellicciotti, A., Koelling, K., and Vodovotz, Y. (2023). Synergistic effects of chain extenders and natural rubber on PLA thermal, rheological, mechanical and barrier properties. *Polymer*, 269(125712). <https://doi.org/10.1016/j.polymer.2023.125712>
- Zhou, Q. And Butchosa, N. (2016). Nanocellulose-based Green-Nanocomposite materials. In S. Kalia (Ed.), *Biodegradable green Composites* (1 ed., pp. 118-148). New Jersey: John Wiley & Sons. <https://doi.org/10.1002/9781118911068.ch5>
- Zhu, L., Qiu, J., Liu, W., and Sakai, E. (2019). Mechanical and thermal properties of rice Straw/PLA modified by nano Attapulgite/PLA interfacial layer. *Composites Communications*, 13, 18-21. <https://doi.org/10.1016/j.coco.2019.02.001>