

TABLE OF CONTENTS

	Page
ABSTRACT (THAI).....	I
ABSTRACT (ENGLISH)	III
ACKNOWLEDGEMENTS.....	V
TABLE OF CONTENTS.....	VI
LIST OF TABLES.....	VIII
LIST OF FIGURES.....	X
CHAPTER	
I. INTRODUCTION	1
1.1 General Background.....	1
1.2 Research objectives	5
1.3 Scope and limitation of the study	5
II. LITERATURE REVIEW.....	6
2.1 Poly(lactic acid) (PLA)	6
2.1.1 Synthesis of poly (lactic acid).....	6
2.1.2 Physical and chemical properties of PLA	7
2.1.3 The advantages and limitations of PLA.....	8
2.1.4 Crystallization of PLA.....	10
2.1.5 Degradation of PLA.....	10
2.2 Natural Rubber (NR).....	14
2.2.1 Properties of NR.....	14
2.2.2 Toughness improvement for PLA by blending with NR.....	15
2.2.3 Effect of NR on degradation of PLA	18
2.2.4 Improving the compatibility between PLA and NR.....	21
2.3 Rice Straw (RS).....	22

TABLE OF CONTENTS (Continued)

	Page
2.3.1 General Properties.....	23
2.3.2 Rice straw composites with PLA	23
2.3.3 Effect of Rice straw on degradation of PLA.....	25
2.4 Seedling bags and mulch films	27
2.4.1 Seedling bags.....	27
2.4.2 Mulch films	29
2.5 Cast Film Extrusion.....	33
III. EXPERIMENTAL.....	37
3.1 Materials	37
3.2 Preparation and characterization of PLA blended with masticated NR at different mastication times.....	37
3.2.1 Preparation of PLA/NR blends	37
3.2.2 Melt flow index.....	37
3.2.3 Tensile properties.....	38
3.3 Preparation and characterization of PLA/NR/RS biocomposite films.....	38
3.3.1 Rice straw fiber preparation	38
3.3.2 Preparation of PLA/NR/RS biocomposites.....	38
3.3.3 Biocomposite films preparation	39
3.3.4 Characterization of PLA/NR/RS biocomposite films	39
3.4 Biodegradability of neat PLA, PLA/NR blend and the PLA/NR/RS biocomposite films	40
3.4.1 Soil burial biodegradability.....	40
3.5 An application of biocomposite films as Seedling bags	42
3.6 An application of biocomposite films as mulch film.....	43

TABLE OF CONTENTS (Continued)

	Page
IV. RESULTS AND DISCUSSION	45
4.1 Effect of natural rubber's mastication time on the melt flow index and tensile properties of PLA/NR blends.....	45
4.1.1 Melt flow index (MFI).....	45
4.1.2 Tensile properties.....	46
4.2 Effect of an amount of rice straw on melt flow index, tensile properties, and morphological characteristics of PLA/NR/RS biocomposite films.....	49
4.2.1 Physical characteristics.....	49
4.2.2 Melt flow index (MFI).....	51
4.2.3 Tensile properties.....	51
4.2.4 Morphological properties.....	55
4.3 Soil burial degradation of PLA/NR/RS biocomposite films.....	56
4.3.1 Physical appearance.....	56
4.3.2 Biodegradability.....	57
4.4 Examples of Agricultural Applications of the biocomposite films.....	74
4.4.1 Seedling bags.....	74
4.4.2 Mulch films.....	92
V. CONCLUSIONS AND RECOMMENDATION	104
5.1 Conclusion.....	104
5.2 Recommendation.....	106
REFERENCES.....	107
APPENDIX.....	126
BIOGRAPHY.....	152

LIST OF TABLES

Table	Page
Table 2.1 The influence of stereochemistry and crystallinity on the mechanical properties (Garlotta, 2001).	7
Table 3.1 Formulations of PLA/NR/RS biocomposites.	39
Table 4.1 Summary of tensile properties of neat PLA and its blends with masticated NR at different mastication times.....	47
Table 4.2 The thickness and width of the neat PLA and PLA/NR blend and PLA/NR/RS biocomposite films.	50
Table 4.3 Summary of tensile properties of HDPE, neat PLA, PLA/NR blend, and PLA/NR/RS biocomposite films.	55
Table 4.4 Summary of weight loss percentage of the neat PLA, PLA/NR blend, and PLA/NR/RS biocomposite films after being buried in soil for 90 days.	59
Table 4.5 The number-average molecular weights (Mn), weight-average molecular weights (Mw), and polydispersity index (PDI) of neat PLA, PLA extracted from each film were determined before and after being buried in soil for 90 days.....	60
Table 4.6 Summary of tensile properties of neat PLA, PLA/NR blend, and PLA/NR/RS biocomposite films after being buried in soil for 90 days.....	66
Table 4.7 EDX analysis of element contents of neat PLA, PLA/NR blend, and PLA/NR/RS biocomposite films before and after in soil for 90 days.	69
Table 4.8 DSC Results of neat PLA, PLA/NR blend, and PLA/NR/RS biocomposite films before and after burial in soil for 90 days.	70

LIST OF TABLES (Continued)

Table	Page
Table 4.9 The number-average molecular weights (M_n), the weight-average molecular weights (M_w), and the polydispersity index (PDI) of neat PLA and the PLA extracted from PLA/NR blend and PLA/NR/RS biocomposite film, as well as from the films cut from seedling bags and mulch films after 3 months of chili plant growth.	83
Table 4.10 Summary of tensile properties of the film specimens cut from seedling bags produced from neat PLA, PLA/NR blend, and PLA/NR/RS biocomposite films after planting for 3 months.	86
Table 4.11 The DSC results from the first heating scan of the cast film and the samples taken from seedling bags and mulch films after growing chili plants for 3 months.	90

LIST OF FIGURES

Figure	Page
Figure 2.1 General routes of poly(lactic acid) production (Sin and Bee, 2019).....	6
Figure 2.2 The stereoisomers of L-lactic acid and D-lactic acid (Xiao, Wang, Yang, and Gauthier, 2012).....	7
Figure 2.3 Polymerization degradation routes for polylactic acid (Elsawy, Kim, Park and Deep, 2017).	12
Figure 2.4 The chemical structure of natural rubber's cis-1,4-polyisoprene (Herculano et al., 2011).....	15
Figure 2.5 Slit die for cast film (Casalini and Perale, 2016).	33
Figure 3.1 Dimensions of seedling bags.	43
Figure 3.2 Dimensions of mulch films.	44
Figure 4.1 Melt flow index (MFI) of neat PLA and its blends with masticated NR at different mastication times.	45
Figure 4.2 Stress-strain curves of neat PLA and its blends with masticated NR at different mastication times.	46
Figure 4.3 Tensile properties of neat PLA and its blends with masticated NR at different mastication times: Tensile strength (a), Young's Modulus (b), and Elongation at break (c).	48
Figure 4.4 Physical characteristics of neat PLA (a), PLA/NR blend (b), and PLA/NR/RS biocomposite films; 3 wt.% (c), 5 wt.% (d), and 10 wt.% RS (e).....	50
Figure 4.5 Melt flow index (MFI) of neat PLA, PLA/NR blend, and PLA/NR/RS biocomposites.....	51

LIST OF FIGURES (Continued)

Figure	Page
Figure 4.6 Stress-strain curve of neat PLA, PLA/NR, and PLA/NR/RS biocomposite films; machine direction (MD) (a) and transverse direction (TD) (b).....	53
Figure 4.7 Tensile properties of HDPE, neat PLA, PLA/NR blend, and PLA/NR/RS biocomposites films; Tensile strength (a), Young’s Modulus (b), and Elongation at break (c).....	54
Figure 4.8 FE-SEM micrographs at 5000x magnification of tensile fracture surface of neat PLA (a) PLA/NR blend (b), and PLA/NR/RS biocomposite films with RS concentrations of 3 wt.% (c) and 5 wt.% (d).....	56
Figure 4.9 Physical appearance of the films before and after soil burial test for 90 days.	57
Figure 4.10 Weight loss percentage of neat PLA, PLA/NR blend, and PLA/NR/RS biocomposite films after being buried in soil for 90 days.	58
Figure 4.11 Stress-strain curve of neat PLA, PLA/NR, and PLA/NR/RS biocomposite films; machine direction (MD) (a) and transverse direction (TD) (b) after being buried in soil for 90 days.....	62
Figure 4.12 Tensile strength of neat PLA, PLA/NR blend, and PLA/NR/RS biocomposites films; MD (a), TD (b) before and after soil burial test for 90 days.....	63
Figure 4.13 Elongation at break of neat PLA, PLA/NR blend, and PLA/NR/RS biocomposites films; MD (a), TD (b) before and after soil burial test for 90 days.....	64
Figure 4.14 Young’s Modulus of neat PLA, PLA/NR blend, and PLA/NR/RS biocomposites films; MD (a), TD (b) before and after soil burial test for 90 days.....	65

LIST OF FIGURES (Continued)

Figure	Page
Figure 4.15 FE-SEM micrographs at 5000x magnification of film surface of neat PLA (a) PLA/NR blend (b), and PLA/NR/RS biocomposite films at RS contents of; 3 wt.% (c), and 5 wt.% (d).....	67
Figure 4.16 FE-SEM micrographs at 5000x magnification of film surface after soil burial for 90 days of neat PLA (a) PLA/NR blend (b), and PLA/NR/RS biocomposite films at RS contents of; 3 wt.% (c), and 5 wt.% (d).....	68
Figure 4.17 DSC thermograms of neat PLA, PLA/NR blend, PLA/NR/3%RS, and PLA/NR/5%RS biocomposite films before (a) and after (b) burial in soil for 90 days.....	72
Figure 4.18 XRD patterns of neat PLA, PLA/NR blend, PLA/NR/3%RS, and PLA/NR/5%RS biocomposite films before (a) and after (b) burial in soil for 90 days.....	73
Figure 4.19 Seedling bags produced from neat PLA (a), PLA/NR blend (b), PLA/NR/3%RS (d), and PLA/NR/5%RS (e) biocomposite films.....	74
Figure 4.20 Chilli plants in seedling bags made from different types of film: (a) HDPE, (b) neat PLA, (c) PLA/NR blend, (d) PLA/NR/3%RS, and (e) PLA/NR/5%RS at 0 month. (All bags were placed in a plant pot filled with soil.).....	75
Figure 4.21 Chilli plants in seedling bag made from HDPE (a), neat PLA (b), PLA/NR blend (c), PLA/NR/3%RS (d), and PLA/NR/5%RS (e) biocomposite films at 1 month of cultivation.....	76
Figure 4.22 Chilli plants in seedling bag made from HDPE (a), neat PLA (b), PLA/NR blend (c), PLA/NR/3%RS (d), and PLA/NR/5%RS (e) biocomposite films at 2 months of cultivation.....	77

LIST OF FIGURES (Continued)

Figure	Page
Figure 4.23 Chilli plants in seedling bag made from HDPE (a), neat PLA (b), PLA/NR blend (c), PLA/NR/3%RS (d), and PLA/NR/5%RS (e) biocomposite films at 3 months of cultivation.....	78
Figure 4.24 The growth of chili plant's root from seedling bags made from HDPE (a), neat PLA (b), PLA/NR blend (c), PLA/NR/3%RS (d), and PLA/NR/5%RS (e) biocomposite films after planting for 3 months.	79
Figure 4.25 Comparison of the average dry weight and total weight of chili fruit per plant of the chili plant grown in different types of seedling bags for a period of 3 months.	80
Figure 4.26 Comparison of the stem size and height of the chili plant grown in different types of seedling bags for a period of 3 months.....	81
Figure 4.27 Weight loss percentage of seedling bags produced from neat PLA, PLA/NR blend, and PLA/NR/RS biocomposite films after planting for 3 months. .	82
Figure 4.28 Tensile properties of the film specimens cut from seedling bags produced from HDPE, neat PLA, PLA/NR blend, and PLA/NR/RS biocomposites films; Tensile strength (a), Young's Modulus (b), and Elongation at break (c) before and after chili planting for 3 months.	85
Figure 4.29 FE-SEM micrographs at 5000x magnification of the film specimens cut from seedling bags produced from neat PLA (a), PLA/NR blend (b), PLA/NR/3%RS (c) and PLA/NR/5%RS (d) biocomposite films after chili planting for 3 months.....	87
Figure 4.30 DSC thermograms of the samples taken from seedling bags after growing chili plants for a period of 3 months.....	89

LIST OF FIGURES (Continued)

Figure	Page
Figure 4.31 XRD patterns of film samples taken from seedling bags after growing chili plants for a period of 3 months.....	91
Figure 4.32 Chilli planting without mulch film (a) and with various types of mulch films: HDPE (b), neat PLA (c), PLA/NR blend (d), PLA/NR/3%RS (e), and PLA/NR/5%RS (f) biocomposite films on the first day of cultivation.	92
Figure 4.33 Chilli planting without mulch film (a, a') and with various types of mulch films: HDPE (b, b'), neat PLA (c, c'), PLA/NR blend (d, d'), PLA/NR/3%RS (e, e'), and PLA/NR/5%RS (f, f') biocomposite films at 1 month of cultivation.....	94
Figure 4.34 Chilli planting without mulch film (a, a') and with various types of mulch films: HDPE (b, b'), neat PLA (c, c'), PLA/NR blend (d, d'), PLA/NR/3%RS (e, e'), and PLA/NR/5%RS (f, f') biocomposite films at 2 months of cultivation.....	95
Figure 4.35 Chilli planting without mulch film (a, a') and with various types of mulch films: HDPE (b, b'), neat PLA (c, c'), PLA/NR blend (d, d'), PLA/NR/3%RS (e, e'), and PLA/NR/5%RS (f, f') biocomposite films at 3 months of cultivation.....	96
Figure 4.36 Comparison of the average dry weight and total weight of chili fruit of the chili plant grown in different types of mulch films for a period of 3 months.	97
Figure 4.37 Comparison of the stem size and height of the chili plant grown in different types of mulch films for a period of 3 months.....	98

LIST OF FIGURES (Continued)

Figure	Page
Figure 4.38 FE-SEM micrographs at 5000x magnification of mulch films produced from neat PLA (a), PLA/NR blend (b), PLA/NR/3%RS (c) and PLA/NR/5%RS (d) biocomposite films after chili planting for 3 months.	100
Figure 4.39 DSC thermograms of the samples taken from mulch films after growing chili plants for a period of 3 months.....	102
Figure 4.40 XRD patterns of film samples taken from mulch films after growing chili plants for a period of 3 months.....	103