

CONTENTS

	Page
ABSTRACT IN THAI	I
ABSTRACT IN ENGLISH	II
ACKNOWLEDGEMENTS.....	III
CONTENTS	V
LIST OF FIGURES	VII
CHAPTER	
I INTRODUCTION.....	1
1.1 Background and motivation.....	1
1.2 Research objectives.....	2
1.3 Outline of thesis	3
II LITERATURE REVIEWS	4
2.1 Transition metal dichalcogenides	4
2.1.1 Molybdenum disulfide.....	7
2.2 The electronic band structure and the photoluminescence of TMDs.	8
2.2.1 The electronic band structure.....	8
2.2.2 The photoluminescence.....	9
2.2.3 Quenching of fluorescence	11
2.2.4 Exciton	12
2.2.5 Trion.....	13
2.3 Defects in TMDs.....	15
2.4 Electron irradiation	19
2.5 Vibrational properties of TMDs	21
III MATERIALS AND METHODOLOGY.....	23
3.1 Electron beam irradiation preparation.....	23
3.2 Confocal microscopy.....	24
3.3 Raman spectroscopy	26

CONTENTS (Continued)

	Page
3.4 The photoluminescence spectroscopy under N ₂	27
3.5 Processed photoluminescence data.....	29
IV RESULTS AND DISCUSSION.....	31
4.1 Photoluminescence spectroscopy observation.....	31
4.2 Raman spectroscopy observation.....	40
4.3 Analysis of photoluminescence spectra.....	44
V CONCLUSION AND FUTURE RESEARCH.....	51
5.1 Conclusions	51
5.2 Improvement and future research.....	52
REFERENCES	53
APPENDIX.....	59
CURRICULUM VITAE.....	64

LIST OF FIGURES

Figure	Page
2.1 Atomic structure of single layer of transition metal dichalcogenides	6
2.2 Top-view and side-view of atomic structure of MoS ₂	7
2.3 The calculation band structures of MoS ₂	8
2.4 PL spectra for mono- and bilayer MoS ₂ samples.....	9
2.5 Raman and photoluminescence spectra of MoS ₂ monolayer, bilayer, hexalayer, and bulks.....	11
2.6 PL spectrum of MoS ₂ at 273 K	15
2.7 PL spectra of monolayer MoS ₂ after oxygen plasma irradiation with different durations.....	17
2.8 Time-dependent photoluminescence (PL) spectra of plasma-treated monolayer MoS ₂	18
2.9 Raman peak shift vs S vacancy	20
2.10 Schematic illustration of in-plane phonon modes E' and the out-of-plane phonon mode A _{1g} , for the bulk MoS ₂	21
2.11 Thickness-dependent Raman spectra for MoS ₂	22
3.1 Schematics of electron beam irradiation on monolayer MoS ₂ by SEM at ultralow energy with 5 kV accelerating voltage.....	23
3.2 Diagram of confocal microscope setup	25
3.3 SENTERRA II Dispersive Raman microscope from Bruker Optics.....	27
3.4 Diagram of a confocal microscope setup under N ₂	28
3.5 The experiment setup.....	28
3.6 The unprocessed photoluminescence data of monolayer MoS ₂	29
3.7 The normalized data after subtracting data	30
4.1 The spectrum of pristine monolayer MoS ₂	32
4.2 The confocal PL intensity image of pristine monolayer MoS ₂	32

LIST OF FIGURES (Continued)

Figure	Page
4.3 Confocal PL intensity image of the irradiated sample showing e-beam irradiated regions by SEM at 5 kV accelerating voltage.....	33
4.4 Comparison of the PL spectrum of pristine, electron irradiated dose of $0.3 \times 10^3 \mu\text{C}/\text{cm}^2$ and $5.3 \times 10^3 \mu\text{C}/\text{cm}^2$	34
4.5 Schematics of laser exposure on monolayer MoS ₂ under ambient.	35
4.6 Confocal PL intensity image of pristine, low electron dose and high electron dose of monolayer MoS ₂ before and after high power exposure for 10 s when storing in the ambient air for 10 hours.	36
4.7 The relative PL intensity with varying different condition after high power exposure and storing in ambient air for 10 hours	37
4.8 The PL spectra of the electron irradiation area after exposure.....	39
4.9 The PL intensity under N ₂ and ambient air.....	40
4.10 The Raman spectrum of pristine of monolayer MoS ₂	41
4.11 Raman spectra of different conditions.....	42
4.12 Raman peak positions of E ₂ and A ₁ modes.....	43
4.13 The PL spectrum before and after exposure	44
4.14 The PL spectrum under N ₂ for at 15 minutes and 10 hours	45
4.15 The PL spectrum at 25 minutes under ambient air.....	46
4.16 The PL spectrum at 10 hours under ambient air	47
4.17 The relative peak area as a function of time under N ₂ and ambient conditions	48
4.18 The schematic and confocal models show that oxygen molecules absorb on the surface.....	50
A.1 Confocal images of monolayer MoS ₂ with electron irradiation doses variation	60
A.2 The relative PL intensity of the areas exposed by different electron irradiation dose	61
A.3 Relative PL intensity of electron dose irradiation D = $0.2 \times 10^3 \mu\text{C}/\text{cm}^2$	62

LIST OF FIGURES (Continued)

Figure	Page
A.4 Relative PL intensity of electron dose irradiation $D = 2.0 \times 10^3 \mu\text{C}/\text{cm}^2$	63