TABLE OF CONTENTS

				Page
ABSTR	ACT II	N THAI		
ABSTRACT IN ENGLISH				
ACKNO	DWLE	DGEMENT	-	V
TABLE	OF C	ONTENTS)	VI
LIST O	F TAB	BLES		IX
LIST O	F FIGI	JRES		X
LIST O	F ABB	BREVIATIO	NS	XII
CHAP	ΓER			
I	INTRODUCTION			1
	1.1	Backgı	round and significance	1
	1.2	Resea	rch objectives	2
	1.3	Resea	rch hypothesis	2
	1.4	Scope	and limitations of the study	3
	1.5	Resea	rch methodology	3
		1.5.1	Instrumentation	3
		1.5.2	Location of research	3
II	LITERATURE REVIEW			4
	2.1	Somatic	cell nuclear transfer (SCNT)	_4
	2.2	Low eff	iciency of cloning underlie incomplete	
		epigene	tic reprogramming	_4
		2.2.1	DNA methylation	5
		2.2.2	Histone modification	5
			2.2.2.1 Histone acetylation	6
			2.2.2.2 Histone methylation	6
	2.3	Small molecules for enhancing the development of cloned		
		embryc	os by ameliorating epigenetic reprogramming	7
		2.3.1	Reversine	7
		2.3.2	SAHA	8
	2.4	Benefic	ial application of cloning in pig	9

TABLE OF CONTENTS (Continued)

				Page		
		2.4.1	Agricultural appications	9		
			2.4.1.1 Enhanced livestock traits	9		
			2.4.1.2 Disease resistance	9		
			2.4.1.1 Genetic preservation	10		
		2.4.2	Biomedical appications	10		
III	MATE	MATERIALS AND METHODS				
	3.1	Chemicals				
	3.2	Ethic :	statement	11		
	3.3	Experimental design				
	3.4	Donor cells preparation				
	3.5	Oocytes collection and IVM				
	3.6	Somatic cell nuclear transfer (SCNT) and Activation				
	3.7	In vitro culture (IVC)				
	3.8	3.8 SAHA and Reversine treatments		15		
		3.8.1	Opimization of the optimal concentrations of			
			Reversine and SAHA	15		
		3.8.2	Opimization of the optimal durations of			
			Reversine and SAHA	15		
	3.9	Total cell number assay				
	3.10	In vitro fertilization (IVF) and IVC				
	3.11	1 Effect of Reversine and SAHA on development and epigeneti				
		repro	gramming of porcine cloned embryos	16		
		3.1	Evaluation of the levels of gene expression by qPCR	16		
		3.2	Evaluation of the levels of protein expression by ICC	18		
	3.2	Statist	tical Analysis	19		
IV	RESU	RESULTS				
	4.1	Effect	s of Reversine and SAHA on developmental competence	20		
		4.1.1	Effect of Reversine on developmental competence	20		
		4.1.2	Effect of SAHA on developmental competence	21		

TABLE OF CONTENTS (Continued)

			Pago	е
	4.2	Effects	s of Reversine and SAHA on the gene expression by qPCR2	3
		4.2.1	Evaluation effects of Reversine on on the levels of and	
			development epigenetic reprogramming 2	3
			4.2.1.1 Effect of Reversine treatment on development2	3
			4.2.1.2 Effect of of Reversine treatment on histone	
			acetylation2	4
			4.2.1.3 Effect of of Reversine treatment on DNA methylation2	5
		4.2.2	Evaluation effects of SAHA on on the levels of	
			development and epigenetic reprogramming2	6
			4.2.2.1 Effect of SAHA treatment on development20	6
			4.2.2.2 Effect of of SAHA treatment on histone acetylation2	7
			4.2.2.3 Effect of of SAHA treatment on DNA methylation2	8
	4.3	Effects	s of Reversine and SAHA on the protein expression by ICC3.	5
		4.3.1	Evaluation of Reversine on the levels of epigenetic	
			reprograming 3	5
			4.3.1.1 Effect of Reversine treatment on histone acetylation3	5
			4.3.1.2 Effect of Reversine treatment on histone methylation3	6
			4.3.1.3 Effect of Reversine treatment on DNA methylation3	6
		4.3.2	Evaluation of SAHA on the levels of epigenetic	
			reprograming3	6
			4.3.2.1 Effect of SAHA treatment on histone acetylation3	7
			4.3.2.2 Effect of SAHA treatment on histone methylation3	7
			4.3.2.3 Effect of SAHA treatment on DNA methylation3	8
V	DISCU	SSION	AND CONCLUSION4	7
	5.1	Discus	sion4	7
	5.2	Concl	usions5	6
REFER	ENCES		5	8
APPEN	DICES		7.	5
BIOGRA	APHY		8	0

LITS OF TABLE

Table		Page
3.1	Primer sequences used for qPCR analysis	17
3.2	List of primary antibody and dilution used for ICC analysis.	19
4.1.1	Effects of different concentrations of Reversine treatment on	
	developmental competence porcine SCNT embryos for 12 h	20
4.1.2	Effects of different durations with 1 μM of Reversine treatment on	
	developmental competence of porcine SCNT embryos	21
4.1.3	Effects of different concentration of SAHA treatment on	
	developmental competence of porcine SCNT embryos for 12 h	22
4.1.4	Effects of different durations with 1 μ M of SAHA treatment	
	developmental competence of porcine SCNT embryos	22

LITS OF FIGURES

Figure		Page
3.1	Representative image of cumulusoocyte complexes (COCs)	13
3.1	Representative image of metaphase II (MII) oocyte	14
4.1	Representative images of embryos at blastocyst stage and nucleic staining	23
4.2	Comparison of mRNA expression levels of genes related to	
	developmental competence (Reversine treatment)	29
4.3	Comparison of mRNA expression levels of genes related to	
	histone acetylation (Reversine treatment)	30
4.4	Comparison of mRNA expression levels of genes related to	
	DNA methylation (Reversine treatment)	31
4.5	Comparison of mRNA expression levels of genes related to	
	developmental competence (SAHA treatment)	32
4.6	Comparison of mRNA expression levels of genes related to	
	histone acetylation (SAHA treatment)	33
4.7	Comparison of mRNA expression levels of genes related to	
	DNA methylation (SAHA treatment)	34
4.8	Effect of Reversine on the histone acetylation level (H3K9ac)	39
4.9	Effect of Reversine on the histone acetylation level (H3K14ac)	40
4.10	Effect of Reversine on the histone methylation level (H3K9me3)	41
4.11	Effect of Reversine on the global DNA methylation level (5-mC)	42
4.11	Effect of SAHA on the histone acetylation level (H3K9ac)	43
4.13	Effect of SAHA on the histone acetylation level (H3K14ac)	44
4.14	Effect of SAHA on the histone methylation level (H3K9me3)	45
4.15	Effect of SAHA on the global DNA methylation level (5-mC)	46