

REFERENCES

REFERENCES

- Bille, J. F. (2019). High resolution imaging in microscopy and ophthalmology: new frontiers in biomedical optics.
- Canny, J. (1986). A computational approach to edge detection. *IEEE Transactions on pattern analysis and machine intelligence*(6), 679-698.
- Carrasco-Zevallos, O., Nankivil, D., Keller, B., Viehland, C., Lujan, B. J., and Izatt, J. A. (2015). Pupil tracking optical coherence tomography for precise control of pupil entry position. *Biomedical Optics Express*, 6(9), 3405-3419. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4574666/pdf/3405.pdf>
- Casas, J. P., and Chandrasekaran, C. (2019). OpenEyeTrack-a high speed multi-threaded eye tracker for head-fixed applications. *Journal of Open Source Software*, 4(42), 1631.
- Chopra, R., Wagner, S. K., and Keane, P. A. (2021). Optical coherence tomography in the 2020s—outside the eye clinic. *Eye*, 35(1), 236-243. <https://www.nature.com/articles/s41433-020-01263-6.pdf>
- Drexler, W., and Fujimoto, J. G. (2008). *Optical coherence tomography: technology and applications*. Springer Science & Business Media.
- Fercher, A. F., Hitzinger, C. K., Kamp, G., and El-Zaiat, S. Y. (1995). Measurement of intraocular distances by backscattering spectral interferometry. *Optics communications*, 117(1-2), 43-48.
- Fischler, M. A., and Bolles, R. C. (1981). Random sample consensus: a paradigm for model fitting with applications to image analysis and automated cartography. *Communications of the ACM*, 24(6), 381-395.
- Fouras, A., Kitchen, M. J., Dubsky, S., Lewis, R., Hooper, S. B., and Hourigan, K. (2009). The past, present, and future of x-ray technology for in vivo imaging of function and form. *Journal of Applied Physics*, 105(10), 102009.

- Fuhl, W., Kübler, T., Sippel, K., Rosenstiel, W., and Kasneci, E. (2015). Excuse: Robust pupil detection in real-world scenarios. International conference on computer analysis of images and patterns,
- Fuhl, W., Santini, T. C., Kübler, T., and Kasneci, E. (2016). Else: Ellipse selection for robust pupil detection in real-world environments. Proceedings of the Ninth Biennial ACM Symposium on Eye Tracking Research & Applications,
- Fuhl, W., Tonsen, M., Bulling, A., and Kasneci, E. (2016). Pupil detection for head-mounted eye tracking in the wild: an evaluation of the state of the art. *Machine Vision and Applications*, 27(8), 1275-1288.
- Fukuma, Y., Tokuda, K., Taiki, A., Kubota, A., and Ono, Y. (2016). Ophthalmologic apparatus. In: Google Patents.
- Gibson, E. A., Masihzadeh, O., Lei, T. C., Ammar, D. A., and Kahook, M. Y. (2011). Multiphoton microscopy for ophthalmic imaging. *Journal of ophthalmology*, 2011.
- Hogan, J. N. (2018). Head-mounted optical coherence tomography. In: Google Patents.
- Huang, D., Swanson, E. A., Lin, C. P., Schuman, J. S., Stinson, W. G., Chang, W.,...Puliafito, C. A. (1991). Optical coherence tomography. *science*, 254(5035), 1178-1181. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4638169/pdf/nihms692532.pdf>
- Huang, Y., Gangaputra, S., Lee, K. E., Narkar, A. R., Klein, R., Klein, B. E.,...Danis, R. P. (2012). Signal quality assessment of retinal optical coherence tomography images. *Investigative ophthalmology & visual science*, 53(4), 2133-2141.
- Keeler, C. R. (2002). The ophthalmoscope in the lifetime of Hermann von Helmholtz. *Archives of Ophthalmology*, 120(2), 194-201. <https://jamanetwork.com/journals/jamaophthalmology/articlepdf/269625/esa10027.pdf>
- Kiernan, D. F., Mieler, W. F., and Hariprasad, S. M. (2010). Spectral-domain optical coherence tomography: a comparison of modern high-resolution retinal imaging systems. *American journal of ophthalmology*, 149(1), 18-31. e12.
- Mohammed, G. J., Hong, B. R., and Jarjes, A. A. (2010). Accurate pupil features extraction based on new projection function. *Computing and Informatics*, 29(4), 663-680.
- Morimoto, C. H., Koons, D., Amir, A., and Flickner, M. (2000). Pupil detection and tracking using multiple light sources. *Image and vision computing*, 18(4), 331-335.

- Novotny, H. R., and Alvis, D. L. (1961). A method of photographing fluorescence in circulating blood in the human retina. *Circulation*, 24(1), 82-86.
- Organisciak, D. T., and Vaughan, D. K. (2010). Retinal light damage: mechanisms and protection. *Progress in retinal and eye research*, 29(2), 113-134. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2831109/pdf/nihms165393.pdf>
- Oshitari, T., Hanawa, K., and Adachi-Usami, E. (2009). Changes of macular and RNFL thicknesses measured by Stratus OCT in patients with early stage diabetes. *Eye*, 23(4), 884-889. <https://www.nature.com/articles/eye2008119.pdf>
- Pearce, J. M. (2009). The ophthalmoscope: Helmholtz's augenspiegel. *European neurology*, 61(4), 244-249.
- Puliafito, C. A., Hee, M. R., Lin, C. P., Reichel, E., Schuman, J. S., Duker, J. S.,...Fujimoto, J. G. (1995). Imaging of macular diseases with optical coherence tomography. *Ophthalmology*, 102(2), 217-229. [https://www.aaojournal.org/article/S0161-6420\(95\)31032-9/pdf](https://www.aaojournal.org/article/S0161-6420(95)31032-9/pdf)
- Ryan, S. J., Hinton, D. R., Sadda, S. R., and Schachat, A. P. (2012). *Retina* (Vol. 1). Elsevier Health Sciences.
- Santini, T., Fuhl, W., and Kasneci, E. (2018a). PuRe: Robust pupil detection for real-time pervasive eye tracking. *Computer Vision and Image Understanding*, 170, 40-50. <https://doi.org/https://doi.org/10.1016/j.cviu.2018.02.002>
- Santini, T., Fuhl, W., and Kasneci, E. (2018b). PuReST: Robust pupil tracking for real-time pervasive eye tracking. Proceedings of the 2018 ACM symposium on eye tracking research & applications,
- Sheehy, C. K., Yang, Q., Arathorn, D. W., Tiruveedhula, P., de Boer, J. F., and Roorda, A. (2012). High-speed, image-based eye tracking with a scanning laser ophthalmoscope. *Biomedical Optics Express*, 3(10), 2611-2622. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3469984/pdf/2611.pdf>
- Swanson, E. A., Izatt, J. A., Hee, M. R., Huang, D., Lin, C., Schuman, J.,...Fujimoto, J. G. (1993). In vivo retinal imaging by optical coherence tomography. *Optics letters*, 18(21), 1864-1866.

- Świrski, L., Bulling, A., and Dodgson, N. (2012). Robust real-time pupil tracking in highly off-axis images. Proceedings of the symposium on eye tracking research and applications,
- Vienola, K. V., Braaf, B., Sheehy, C. K., Yang, Q., Tiruveedhula, P., Arathorn, D. W.,...Roorda, A. (2012). Real-time eye motion compensation for OCT imaging with tracking SLO. *Biomedical Optics Express*, 3(11), 2950-2963. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3493227/pdf/2950.pdf>
- Virgili, G., Menchini, F., Casazza, G., Hogg, R., Das, R. R., Wang, X., and Michelessi, M. (2015). Optical coherence tomography (OCT) for detection of macular oedema in patients with diabetic retinopathy. *Cochrane Database of Systematic Reviews*(1).
- Waheed, N. K., Moulton, E. M., Fujimoto, J. G., and Rosenfeld, P. J. (2016). Optical coherence tomography angiography of dry age-related macular degeneration. *OCT Angiography in Retinal and Macular Diseases*, 56, 91-100.
- Wang, L. V., and Wu, H.-i. (2012). *Biomedical optics: principles and imaging*. John Wiley & Sons.
- Wei, J., Jing, C., Huang, T., and Stanescu, D. (2016). Automatic alignment of an imager. In: Google Patents.
- Wojtkowski, M., Leitgeb, R., Kowalczyk, A., Bajraszewski, T., and Fercher, A. F. (2002). In vivo human retinal imaging by Fourier domain optical coherence tomography. *Journal of biomedical optics*, 7(3), 457-463.
- Yasin Alibhai, A., Or, C., and Witkin, A. J. (2018). Swept source optical coherence tomography: a review. *Current Ophthalmology Reports*, 6, 7-16.
- Zhu, Z., and Ji, Q. (2005). Robust real-time eye detection and tracking under variable lighting conditions and various face orientations. *Computer Vision and Image Understanding*, 98(1), 124-154.