

REFERENCES

- Agrawal, H., Joshi, R., & Gupta, M. (2019). Isolation and characterisation of enzymatic hydrolysed peptides with antioxidant activities from green tender sorghum. *LWT - Food Science and Technology*, 84, 608–616.
- Amal, M. N. A., & Zamri-Saad, M. (2011). *Streptococcus* in tilapia (*Oreochromis niloticus*): A review. *Pertanika Journal of Tropical Agricultural Science*, 34(2), 195–206.
- Austin, B., & Austin, D. A. (2016). Characteristics of the pathogens: Gram-negative bacteria. In: *Bacterial Fish Pathogens*. Springer Praxis Books. Springer, Dordrecht.
- Ayala, A., Muñoz, M. F., & Argüelles, S. (2014). Lipid peroxidation: Production, metabolism, and signaling mechanisms of malondialdehyde and 4-hydroxy-2-nonenal. *Oxidative Medicine and Cellular Longevity*, 2014(1), 360438.
- Bayne, C. J., & Gerwick, L. (2001). The acute phase response and innate immunity of fish. *Developmental & Comparative Immunology*, 25(8–9), 725–743.
- Blessings Aquarium. **Flowerhorn cichlid care: Tank mates, food & other tips**. Retrieved on 10 May 2024 from <https://www.blessingsaquarium.com/post/flowerhorn-cichlid-care>.
- Boshra, H., Li, J., & Sunyer, J. O. (2006). Recent advances on the complement system of teleost fish. *Fish & Shellfish Immunology*, 20(2), 239–262.
- Bui, H. T. D., Khosravi, S., Fournier, V., Herault, M., & Lee, K. J. (2014). Growth performance, feed utilization, innate immunity, digestibility and disease resistance of juvenile red seabream (*Pagrus major*) fed diets supplemented with protein hydrolysates. *Aquaculture*, 418–419, 11–16.
- Cámara-Ruiz, M., Balebona, M. C., Moriñigo, M. Á., & Esteban, M. Á. (2020). Probiotic *Shewanella putrefaciens* (*SpPdp11*) as a fish health modulator: A review. *Microorganisms*, 8(12), 1990.

- Carvalho A., Escaffre A. M., Oliva. Teles A., Bergot P. (1997). First feeding of common carp larvae on diets with high levels of protein hydrolysates. **Aquaculture International**, 5, 361–367.
- Chaklader, M. R., Fotedar, R., Howieson, J., Siddik, M. A. B., & Foysal, M. J. (2020). The ameliorative effects of various fish protein hydrolysates in poultry by-product meal-based diets on muscle quality, serum biochemistry and immunity in juvenile barramundi (*Lates calcarifer*). **Fish & Shellfish Immunology**, 104, 567–578.
- Chalamaiah, M., Dinesh Kumar, B., Hemalatha, R., & Jyothirmayi, T. (2012). Fish protein hydrolysates: Proximate composition, amino acid composition, antioxidant activities and applications: A review. **Food Chemistry**, 135(4), 3020–3038.
- Chalamaiah, M., Yu, W., & Wu, J. (2018). Immunomodulatory and anticancer protein hydrolysates (peptides) from food proteins: A review. **Food Chemistry**, 245, 205–222.
- Chang, C. Y., Wu, K. C., & Chiang, S. H. (2007). Antioxidant properties and protein compositions of porcine haemoglobin hydrolysates. **Food Chemistry**, 100(4), 1537–1543.
- Czelej, M., Garbacz, K., Czernecki, T., Wawrzykowski, J., & Waśko, A. (2022). Protein hydrolysates derived from animals and plants—a review of production methods and antioxidant activity. **Foods**, 11(13), 1953.
- Daliri, E. B. M., Oh, D. H., & Lee, B. H. (2017). Bioactive peptides. **Foods**, 6(5), 32.
- Dawood, M. A. O., & Koshio, S. (2018). Vitamin C supplementation to optimize growth, health and stress resistance in aquatic animals. **Reviews in Aquaculture**, 10, 334–350.
- Dawood, M. A. O., Koshio, S., & Esteban, M. Á. (2020). Application of protein hydrolysates in aquaculture. **Reviews in Aquaculture**, 12(4), 2051–2065.
- Del Rio, D., Stewart, A. J., & Pellegrini, N. (2005). A review of recent studies on malondialdehyde as toxic molecule and biological marker of oxidative stress. **Nutrition, Metabolism and Cardiovascular Diseases**, 15(4), 316–328.

- Delannoy, C. M. J., Crumlish, M., Fontaine, M. C., Pollock, J., Foster, G., Dagleish, M. P., Turnbull, J. F., & Zadoks, R. N. (2013). Human *Streptococcus agalactiae* strains in aquatic mammals and fish. **BMC Microbiology**, 13(1), 41.
- Detsika, M. G., Palamaris, K., Dimopoulou, I., Kotanidou, A., & Orfanos, S. E. (2024). The complement cascade in lung injury and disease. **Respiratory Research**, 25(1).
- Duarte, J., Vinderola, G., Ritz, B., Perdígón, G., & Matar, C. (2006). Immunomodulating capacity of commercial fish protein hydrolysate for diet supplementation. **Immunobiology**, 211(5), 341–350.
- Elavarasan, K., Naveen Kumar, V., Shamasundar, B. A., & Badii, F. (2022). Fermentation as a promising approach for food protein hydrolysis and bioactive peptides production. **Trends in Food Science & Technology**, 122, 186–199.
- Ellis, A. E., & Castro, R. (1999). Overview of fish immune system and infectious diseases. **Dietary nutrients, additives, and fish health**, 1-24.
- Esteban, M. Á. (2012). An overview of the immunological defenses in fish skin. **ISRN Immunology**, 853470.
- Evans, J. J., Pasnik, D. J., Klesius, P. H., & Shoemaker, C. A. (2002). *Streptococcus agalactiae* infections in fish. **Veterinary Microbiology**, 86(4), 335–347.
- Evers, H. G., Pinnegar, J. K., & Taylor, M. I. (2019). Where are they all from? Sources and sustainability in the ornamental freshwater fish trade. **Journal of Fish Biology**, 94, 909–916.
- Fan, Z., Wu, D., Li, J., Zhang, Y., Cui, Z., Li, T., Zheng, X., Liu, H., Wang, L., & Li, H. (2022). Assessment of fish protein hydrolysates in juvenile largemouth bass (*Micropterus salmoides*) diets: Effect on growth, intestinal antioxidant status, immunity, and microflora. **Frontiers in Nutrition**, 9, 816341.
- FAO. (2023). Health management in aquaculture: Guidelines and best practices. **Food and Agriculture Organization of the United Nations**.
- Finegold, S. M., Vaisanen, M.-L., Molitoris, D. R., Tomzynski, T. J., Song, Y., Liu, C., Collins, M. D., & Lawson, P. A. (2003). *Cetobacterium somerae* sp. nov. from human feces and emended description of the genus *Cetobacterium*. **Systematic and Applied Microbiology**, 26(2), 177–181.

- Gao, P. P., Liu, H. Q., Ye, Z. W., Zheng, Q. W., Zou, Y., Wei, Y., Guo, T., & Lin, J. F. (2023). The beneficial potential of protein hydrolysates as prebiotic for probiotics and its biological activity: A review. **Critical Reviews in Food Science and Nutrition**, 1(13).
- Gerritsen, J., Hornung, B., Ritari, J., Paulin, L., Rijkers, G. T., Schaap, P. J., de Vos, W. M., & Smidt, H. (2019). A comparative and functional genomics analysis of the genus *Romboutsia* provides insight into adaptation to an intestinal lifestyle. **bioRxiv**, 845511.
- Gildberg, A., Bøgwald, J., Johansen, A., & Stenberg, E. (1996). Isolation of acid peptide fractions from a fish protein hydrolysate with strong stimulatory effect on Atlantic salmon (*Salmo salar*) head kidney leucocytes. *Comparative Biochemistry and Physiology Part B: Biochemistry and Molecular Biology*, 114(1), 97–101.
- Gisbert, E., Ibarz, A., Firmino, J. P., Fernández-Alacid, L., Salomón, R., Vallejos-Vidal, E., Ruiz, A., Polo, J., Sanahuja, I., Reyes-López, F. E., Tort, L., & Andree, K. P. (2021). Porcine protein hydrolysates (PEPTEIVA[®]) promote growth and enhance systemic immunity in gilthead sea bream (*Sparus aurata*). **Animals**, 11(7), 2122.
- Gisbert, E., Skalli, A., Fernández, I., Kotzamanis, Y., Zambonino-Infante, J. L., & Fabregat, R. (2012). Protein hydrolysates from yeast and pig blood as alternative raw materials in microdiets for gilthead sea bream (*Sparus aurata*) larvae. **Aquaculture**, 338, 96–104.
- Gomez, D., Sunyer, J. O., & Salinas, I. (2013). The mucosal immune system of fish: The evolution of tolerating commensals while fighting pathogens. **Fish & Shellfish Immunology**, 35(6), 1729–1739.
- Gomez, G. D., & Balcázar, J. L. (2008). A review on the interactions between gut microbiota and innate immunity of fish. **FEMS Immunology & Medical Microbiology**, 52(2), 145–154.
- Hamzeh, A., Wongngam, W., Kiatsongchai, R., & Yongsawatdigul, J. (2019). Cellular and chemical antioxidant activities of chicken blood hydrolysates as affected by in vitro gastrointestinal digestion. **Poultry Science**, 98(11), 6138–6148.

- Herault, M., Le Normand, L., Le Floc'h, N., Corrent, E., Primot, Y., & van Milgen, J. (2011). Evaluation of porcine and bovine blood hydrolysates as alternative protein sources in diets for weaned piglets. **Animal Feed Science and Technology**, 170(3–4), 218–276.
- Hou Y., Wu Z., Dai Z., Wang G., and Wu G. (2017). Protein hydrolysates in animal nutrition: Industrial production, bioactive peptides, and functional significance. **Journal of Animal Science and Biotechnology** 8, no 24.
- Ibrahim, M. D., Fathi, M., Mesalhy, S., & Abd El-Aty, A. M. (2010). Effect of dietary supplementation of inulin and vitamin C on the growth, hematology, innate immunity, and resistance of Nile tilapia (*Oreochromis niloticus*). **Fish & Shellfish Immunology**, 29(2), 241–246.
- Jin, S. K., Choi, J. S., & Yim, D. G. (2020). Hydrolysis conditions of porcine blood proteins and antimicrobial effects of their hydrolysates. **Food Science of Animal Resources**, 40(2), 172–182.
- Kaattari, S. L., & Piganelli, J. D. (1996). The specific immune system: humoral defense. **Fish physiology** (Vol. 15, pp. 207–254). Academic Press.
- Kayansamruaj, P., Pirarat, N., Katagiri, T., Hirano, I., & Rodkhum, C. (2018). *Streptococcosis* in tilapia (*Oreochromis niloticus*): A review. **Aquaculture**, 481, 169–175.
- Kayansamruaj, P., Pirarat, N., Sornplang, P., & Rodkhum, C. (2020). Current status of vaccine development against *Streptococcus agalactiae* in tilapia. **Fish & Shellfish Immunology**, 98, 61–70.
- Khosravi, S., Bui, H. T., Rahimnejad, S., Herault, M., Fournier, V., Jeong, J. B., & Lee, K. J. (2014). Effect of dietary hydrolysate supplementation on growth performance, non-specific immune response and disease resistance of olive flounder (*Paralichthys olivaceus*) challenged with *Edwardsiella tarda*. **Aquaculture Nutrition**, 21(3), 321–331.
- Kiewiet M. B. G., Faas M. M., de Vos P. (2018). Immunomodulatory protein hydrolysates and their application. **Nutrients** 10, no 7, 904.
- Kotzamanis, Y. P., Gisbert, E., Gatesoupe, F. J., Zambonino Infante, J., & Cahu, C. (2007). Effects of different dietary levels of fish protein hydrolysates on growth, digestive enzymes, gut microbiota, and resistance to *Vibrio*

- anguillarum in European sea bass (*Dicentrarchus labrax*) larvae. **Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology**, 147(1), 205–214.
- Kristinsson, H. G., & Rasco, B. A. (2000). Fish protein hydrolysates: Production, biochemical, and functional properties. **Critical Reviews in Food Science and Nutrition**, 40(1), 43–81.
- Laosama, P., Luasiri, P., Nakharuthai, C., Boonanuntanasarn, S., Suwanangul, S., Sarnthima, R., Khammuang, S., Sanachai, K., Yongsawadigul, J., Rouabhia, M., Tastub, S., & Sangsawad, P. (2024). Enzymatic hydrolysis of duck blood protein produces stable bioactive peptides: Pilot-scale production, identification, and stability during gastrointestinal and plasma digestion. **International Journal of Biological Macromolecules**, 283, 137864.
- Lazado, C. C., & Caipang, C. M. A. (2014). Mucosal immunity and probiotics in fish. **Fish & Shellfish Immunology**, 39(1), 78–89.
- Leal, C. A. G., Tavares, G. C., Figueiredo, H. C. P., & Mian, G. F. (2020). Effects of environmental factors on *Streptococcus agalactiae* infections in Nile tilapia (*Oreochromis niloticus*). **Aquaculture Reports**, 17, 100312.
- Li, T., Li, H., Gatesoupe, F. J., She, R., Lin, Q., Yan, X., Li, J., & Li, X. (2017). Bacterial signatures of “red-operculum” disease in the gut of crucian carp (*Carassius auratus*). **Microbiology of Aquatic Systems**, 74(3), 510–521.
- Liang M., Wang J., Chang Q., Mai K. (1828). Effects of different levels of fish protein hydrolysate in the diet on the nonspecific immunity of Japanese sea bass, *Lateolabrax japonicus*. **Aquaculture Research**, 37, 102–106.
- Lin, C. C., Hung, S. W., Tu, C. Y., Tsou, L. T., Shieh, M. T., Lin, S. L., Liu, P. C., & Wang, W. S. (2008). Spontaneous stomach lymphoma and liver metastases in flower horn fish (hybrid cichlid). **Bulletin of the European Association of Fish Pathologists**, 28, 115–120.
- Lorenz, E. K., Barone, R. S. C., França, W. G., Sabioni, R. E., Koch, J. F. A., & Cyrino, J. E. P. (2017). Performance, hematology and immunology of *Salminus brasiliensis* fed diets containing swine liver hydrolysate. **Aquaculture**, 483, 46–52.

- Luasiri, P., Sangsawad, P., Pongsetkul, J., Paengkoum, P., Nakharuthai, C., Suwanangul, S., Katemala, S., Sujinda, N., Pinyo, J., Chainam, J., Khongla, C., & Sorapukdee, S. (2024). Exploration of nutritional and bioactive peptide properties in goat meat from various primal cuts during in vitro gastrointestinal digestion and absorption. **Animal Bioscience**, 37(6), 1096–1109.
- Lugo-Villarino, G., Balla, K. M., Stachura, D. L., & Banuelos, K. (2010). Identification of dendritic antigen-presenting cells in the zebrafish. **Proceedings of the National Academy of Sciences**, 107(36), 15850–15855.
- Magadan, S., Sunyer, J. O., & Boudinot, P. (2015). Unique features of fish immune repertoires: Particularities of adaptive immunity within the largest group of vertebrates. **Immunogenetics**, 67(8), 487–500.
- Magnadóttir, B. (2006). Innate immunity of fish (overview). **Fish & Shellfish Immunology**, 20(2), 137–151.
- Mian, G. F., Godoy, D. T., Leal, C. A. G., Yuhara, T. Y., Costa, G. M., & Figueiredo, H. C. P. (2009). Aspects of the natural history and virulence of *S. agalactiae* infection in Nile tilapia. **Veterinary Microbiology**, 136(1–2), 180–183.
- Milla, S., Mathieu, C., Wang, N., Lambert, S., Nadzialek, S., Massart, S., Henrotte, E., Douxfils, J., Mélard, C., Mandiki, S. N. M., & Kestemont, P. (2010). Spleen immune status is affected after acute handling stress but not regulated by cortisol in Eurasian perch (*Perca fluviatilis*). **Fish & Shellfish Immunology**, 28(5–6), 931–941.
- Nakharuthai, C., & Srisapoome, P. (2020). Molecular identification and dual functions of two different CXC chemokines in Nile tilapia (*Oreochromis niloticus*) against *Streptococcus agalactiae* and *Flavobacterium columnare*. **Microorganisms**, 8(7), 1058.
- Nakharuthai, C., Areechon, N., & Srisapoome, P. (2016). Molecular characterization, functional analysis, and defense mechanisms of two CC chemokines in Nile tilapia (*Oreochromis niloticus*) in response to severely pathogenic bacteria. **Developmental & Comparative Immunology**, 59, 207–228.
- Nakharuthai, C., Boonanuntanasarn, S., Kaewda, J., & Manassila, P. (2023). Isolation of potential probiotic *Bacillus* spp. from the intestine of Nile tilapia to construct

- recombinant probiotic expressing CC chemokine and its effectiveness on innate immune responses in Nile tilapia. **Animals**, 13(6), 986.
- Nedjar-Arroume, N., Dubois-Delval, V., Miloudi, K., Daoud, R., Krier, F., Kouach, M., Briand, G., & Guillochon, D. (2006). Isolation and characterization of four antibacterial peptides from bovine hemoglobin. **Peptides**, 27(9), 2082–2089.
- Nikoo M., Regenstein J. M., Yasemi M. (2023). Protein Hydrolysates from Fishery Processing By-Products: Production, Characteristics, Food Applications, and Challenges. **Foods** 12, no24, 4470.
- Noga, E. J. (2010). Fish disease: diagnosis and treatment. **John Wiley & Sons**.
- Ohkawa, H., Ohishi, N., & Yagi, K. (1979). Assay for lipid peroxides in animal tissues by thiobarbituric acid reaction. **Analytical Biochemistry**, 95(2), 351–358.
- Oliva-Teles, A., & Gonçalves, P. (2001). Partial replacement of fishmeal by brewers' yeast (*Saccharomyces cerevisiae*) in diets for sea bass (*Dicentrarchus labrax*) juveniles. **Aquaculture**, 202(3–4), 269–278.
- Ou, C., & Gu, D. (2002). The development of flowerhorn cichlids. **Aqua Journal**, 22(1), 45–48.
- Parra, D., Rieger, A. M., & Li, J. (2016). Innate and adaptive immune cells in teleost fish: A review of function, interactions, and challenges in health and disease. **Frontiers in Immunology**, 7, 675.
- Pascual, C., Zenteno, E., Cuzon, G., Sánchez, A., Gaxiola, G., Taboada, G., Suárez, J., Maldonado, T., & Rosas, C. (2004). Litopenaeus vannamei juveniles energetic balance and immunological response to dietary protein. **Aquaculture**, 236(1–4), 431–450.
- Popma, T., & Masser, M. (1999). Tilapia: Life history and biology. **Southern Regional Aquaculture Center Publication**, 283.
- Pradeep, P. J., Suebsing, R., Sornplang, P., Jitrakorn, S., & Kayansamruaj, P. (2016). A review on control strategies for *Streptococcus agalactiae* infections in fish. **Veterinary World**, 9(6), 556–567.
- Rahman, A. N. A., Amer, S. A., Masoud, S. R., El-Saber, M. M., Osman, A., Younis, E. M., Abdelwarith, A. A., Davies, S. J., Khamis, T., & Ibrahim, R. E. (2023). Neem seed protein hydrolysate as a fishmeal substitute in Nile tilapia: Effects on

- antioxidant/immune pathway, growth, amino acid transporters-related gene expression, and *Aeromonas veronii* resistance. **Aquaculture**, 573, 739593.
- Ringø, E., Olsen, R. E., Jensen, I., Romero, J., & Lauzon, H. L. (2012). Application of vaccines and dietary supplements in aquaculture: Possibilities and challenges. **Reviews in Fish Biology and Fisheries**, 22(3), 805–823.
- Roberts, R. J. (2012). Fish pathology (4th ed.). **John Wiley & Sons**.
- Salinas, I. (2015). The mucosal immune system of teleost fish. **Biology**, 4(3), 525–539.
- Salze, G., & Davis, D. A. (2015). Taurine: A critical nutrient for future fish feeds. **Aquaculture**, 437, 215–229.
- Sanders, J., 2023. **Flower horn: Fish species profile**. **The Spruce Pets**. Retrieved on 10 May 2024 from <https://www.thesprucepets.com/flower-horn-fish-5196087>.
- Sangsawad, P., Katemala, S., Pao, D., Suwanangul, S., Jeencham, R., & Sutheerawattananonda, M. (2022). Integrated evaluation of dual-functional DPP-IV and ACE inhibitory effects of peptides derived from sericin hydrolysis and their stabilities during in vitro-simulated gastrointestinal and plasmin digestions. **Foods**, 11(23), 3931.
- Saurabh, S., & Sahoo, P. K. (2008). Lysozyme: An important defence molecule of fish innate immune system. **Aquaculture Research**, 39(3), 223–239.
- Secombes, C. J., & Wang, T. (2012). The innate and adaptive immune system of fish. **Infectious disease in aquaculture** (pp. 3-68).
- Sheng, Z., Turchini, G. M., Xu, J., Fang, Z., Chen, N., Xie, R., Zhang, H., & Li, S. (2022). Functional properties of protein hydrolysates on growth, digestive enzyme activities, protein metabolism, and intestinal health of larval largemouth bass (*Micropterus salmoides*). **Frontiers in Immunology**, 13, 913024.
- Shephard, K. L. (1994). Functions for fish mucus. **Reviews in fish biology and fisheries**, 4, 401-429.
- Siddik M. A. B., Chaklader M. R., Foysal M. J., Howieson J., Fotedar R., Gupta S. K. (2020). Influence of fish protein hydrolysate produced from industrial residues on antioxidant activity, cytokine expression and gut microbial communities in juvenile barramundi *Lates calcarifer*. **Fish & Shellfish Immunology**, 97, 465–473.

- Siddik, M. A. B., Howieson, J., & Fotedar, R. (2019). Beneficial effects of tuna hydrolysate in poultry by-product meal diets on growth, immune response, intestinal health and disease resistance to *Vibrio harveyi* in juvenile barramundi (*Lates calcarifer*). **Fish & Shellfish Immunology**, 89, 61–70.
- Siddik, M., et al. (2018). Dietary tuna hydrolysate modulates growth performance, immune response, intestinal morphology and resistance to *Streptococcus iniae* in juvenile barramundi, *Lates calcarifer*. **Scientific Reports**, 8(1), 15942.
- Siwicki, A., & Studnicka, M. (1987). The phagocytic ability of neutrophils and serum lysozyme activity in experimentally infected carp (*Cyprinus carpio* L.). **Journal of Fish Biology**, 31, 57–60.
- Sorapukdee S., and Narunatsopanon S. (2017). Comparative study on compositions and functional properties of porcine, chicken and duck blood. **Food Science of Animal Resources** 37, no2, 228–241.
- Soto, E., Hawke, J. P., Fernandez, D., & Morales, J. A. (2012). Francisella asiatica sp. nov., an emerging pathogen of tilapia (*Oreochromis* spp.) in Costa Rica. **International Journal of Systematic and Evolutionary Microbiology**, 62(4), 846–852.
- Statista Search Department. 2023. **Production volume of duck meat in Thailand from 2012 to 2022**. Retrieved on 10 May 2024 from <https://www.statista.com/statistics/1108405/thailand-duck-meat-production/>.
- Sudheesh, P. S., & Cain, K. D. (2017). A review of the biology and pathogenesis of *S. agalactiae* infection in fish. **Journal of Fish Diseases**, 40(6), 1031–1051.
- Tang, H. G., Wu, T. X., Zhao, Z. Y., & Pan, X. D. (2008). Effects of fish protein hydrolysate on growth performance and humoral immune response in large yellow croaker (*Pseudosciaena crocea* R.). **Journal of Zhejiang University SCIENCEB**, 9(9), 684–690.
- Tao, L., Chai, J., Liu, H., Huang, W., Zou, Y., Wu, M., Peng, B., Wang, Q., & Tang, K. (2022). Characterization and dynamics of the gut microbiota in rice fishes at different developmental stages in rice-fish coculture systems. **Microorganisms**, 10(12), 2373.

- Tort, L., Balasch, J. C., & Mackenzie, S. (2003). Fish immune system: A crossroads between innate and adaptive responses. **Immunologia**, 22(3), 277–286.
- Uribe, C., Folch, H., Enriquez, R., & Moran, G. (2011). Innate and adaptive immunity in teleost fish: A review. **Veterinarni Medicina**, 56(10), 486–503.
- Wang, J. Z., Zhang, H., Zhang, M., Yao, W. T., Mao, X. Y., & Ren, F. Z. (2008). Antioxidant activity of hydrolysates and peptide fractions of porcine plasma albumin and globulin. **Journal of Food Biochemistry**, 32, 693–707.
- Wang, X., Chen, J., Zhang, R., Liu, L., Ma, G., & Zhu, H. (2020). Interleukin-6 in Siberian sturgeon (*Acipenser baeri*): Molecular characterization and immune functional activity. **Fish & Shellfish Immunology**, 102, 296–306.
- Wei, Y., Liu, J., Wang, L., Duan, M., Ma, Q., Xu, H., & Liang, M. (2023). Influence of fish protein hydrolysate on intestinal health and microbial communities in turbot (*Scophthalmus maximus*). **Aquaculture**, 576, 739827.
- Whyte, S. K. (2007). The innate immune response of finfish – A review of current knowledge. **Fish & Shellfish Immunology**, 23(6), 1127–1151.
- Yamaguchi, T., & Dijkstra, J. M. (2019). Major histocompatibility complex (MHC) genes and disease resistance in fish. **Cells**, 8(5), 378.
- Yang, J., Huang, J., Zhu, Z., & Huang, M. (2020). Investigation of optimal conditions for production of antioxidant peptides from duck blood plasma: Response surface methodology. **Poultry Science**, 99(12), 7159–7168.
- Yanong, R. P. E. (2007). Oscars, angels, mbuna and kin: An updated veterinary guide to common aquarium cichlids and cichlid diseases. **Journal of the American Veterinary Medical Association**, 231(9), 1449–1454.
- Zamri-Saad, M., Amal, M. N. A., & Siti-Zahrah, A. (2013). Pathology and immunology of *Streptococcus iniae* infection in fish. **Journal of Fish Diseases**, 36(11), 823–830.
- Zamri-Saad, M., Amal, M. N. A., Ina-Salwany, M. Y., & Siti-Zahrah, A. (2014). *Streptococcosis* in tilapia (*Oreochromis niloticus*): A review. **Pertanika Journal of Tropical Agricultural Science**, 37(4), 389–401.
- Zapata, A., Diez, B., Cejalvo, T., Gutiérrez-de Frías, C., & Cortés, A. (2006). Ontogeny of the immune system of fish. **Fish & Shellfish Immunology**, 20(2), 126–136.

- Zhang, Y. A., Salinas, I., Li, J., Parra, D., Bjork, S., Xu, Z., ... & Sunyer, J. O. (2010). IgT, a primitive immunoglobulin class specialized in mucosal immunity. **Nature Immunology**, 11(9), 827–835.
- Zhang, Y. A., Salinas, I., Li, J., Parra, D., Bjork, S., Xu, Z., et al. (2018). Natural killer cell function and innate immunity in teleost fish. **Frontiers in Immunology**, 9, 119.
- Zheng, K., Xu, T., Qian, C., Liang, M., & Wang, X. (2014). Effect of low molecular weight fish protein hydrolysate on growth performance and IGF-I expression in Japanese flounder (*Paralichthys olivaceus*) fed high plant protein diets. **Aquaculture Nutrition**, 20, 372–380.
- Zheng, Z., Wei, X., Shang, T., Huang, Y., Hu, C., & Zhang, R. (2018). Bioconversion of duck blood cell: Process optimization of hydrolytic conditions and peptide hydrolysate characterization. **BMC Biotechnology**, 18(1), 67.
- Zou, J., & Secombes, C. J. (2016). The function of fish cytokines. **Biology**, 5(2), 23.