

CONTENTS

	Page
ABSTRACT IN THAI.....	I
ABSTRACT IN ENGLISH.....	III
ACKNOWLEDGEMENTS	V
CONTENTS	VI
LIST OF TABLES.....	IX
LIST OF FIGURES.....	X
LIST OF ABBREVIATIONS.....	XII
CHAPTER	
I INTRODUCTION.....	1
1.1 Significance and Background	1
1.2 Research Objectives	2
1.3 Research Scope	2
1.4 Research Hypothesis	3
II LITERATURE REVIEW.....	4
2.1 Antibiotics.....	4
2.1.1 Definition and Classification	4
2.2.2 Brief History of Antibiotics.....	5
2.2 Antibiotics Producing Microorganisms	6
2.2.1 The Genus <i>Streptomyces</i>	9
2.3 Multidrug-Resistant (MDR) Pathogens.....	10
2.4 Adaptive Laboratory Evolution: Co-Cultivation Method.....	11
2.5 Bioinformatical Approach: Whole Genome Sequencing.....	12
2.6 Related Research	13
III RESEARCH METHODOLOGY	14
3.1 Materials and instruments.....	14

CONTENTS (Continued)

		Page
	3.1.1 Microbial Isolates and Tested Pathogens.....	14
	3.1.2 Culture Media and Solutions	14
3.2	Adaptive Laboratory Evolution Experimental protocol	11
	3.2.1 Preliminary Experiment: Strain of Interest Selection.....	15
	3.2.2 Co-Cultivation: Adaptive Laboratory Evolution	16
3.3	Crude Bioactive Compound Production.....	18
3.4	Antimicrobial Activity Assessment.....	19
	3.4.1 Primary Antimicrobial Activity Assay: Agar Well Diffusion	19
	3.4.2 Antimicrobial Activity Monitoring of Selected Strains	19
	3.4.3 Secondary Antimicrobial Activity Evaluation.....	19
	3.4.3.1 Minimum Inhibitory Concentration (MIC).....	19
	3.4.3.2 Minimum Bactericidal Concentration (MBC).....	20
3.5	Whole Genome Sequencing, Assembly, and Visualization	20
	3.5.1 Genomic DNA Extraction, Sequencing, and Quality Control	20
	3.5.2 Genome Assembly and Assessment	21
	3.5.3 Genome Annotation and Visualization	22
3.6	Functional and Comparative Genomic Analysis	22
	3.6.1 Taxonomic Comparisons.....	22
	3.6.2 Antimicrobial Resistance Gene Exploration.....	23
	3.6.3 Biosynthetic Gene Clusters Detection and Comparisons.....	23
	3.6.4 Orthologous Gene Clustering on Translated Amino Acid	23
	3.6.5 Structural and Point Mutational Analysis of Adapted Strains....	23
	3.6.6 Mobile Genetic Elements	24
3.7	Data Analysis and Visualization.....	24
IV	RESULTS AND DISCUSSION	25
	4.1 Co-Cultivation: Adaptive Laboratory Evolution	25
	4.2 Crude Extraction of Bioactive Compounds	26
	4.3 Antimicrobial Activity Assessment.....	28

CONTENTS (Continued)

	Page
4.3.1 Primary Antimicrobial Activity Assay: Agar Well Diffusion	28
4.3.2 Time-Course Antimicrobial Activity.....	30
4.3.3 Secondary Antimicrobial Activity: MIC and MBC	31
4.4 Whole Genome Sequencing, Assembly, and Visualization	33
4.4.1 Genomic DNA Extraction, Sequencing, and Quality Control	33
4.4.2 Genome Assembly and Assessment	33
4.4.3 Genome Annotation and Visualization.....	34
4.5 Functional and Comparative Genomic Analysis	37
4.5.1 Taxonomic Comparisons.....	37
4.5.2 Antimicrobial Resistance Gene	38
4.5.3 Secondary Metabolite Biosynthetic Gene Clusters	38
4.5.4 Orthologous Gene Clustering on Translated Amino Acid	43
4.5.5 Structural and Point Mutational Analysis of Adapted Strains....	49
V CONCLUSIONS.....	66
REFERENCE.....	71
APPENDICES	85
APPENDIX A SHARED BIOSYNTHETIC GENE CLUSTERS PRESENCE IN ALL STRAINS.....	86
APPENDIX B ADDITIONAL BGC-RELATED ORTHOLOG CLUSTERS.....	87
APPENDIX C CRITERIA FOR HIGH-CONFIDENCE MUTATION SELECTION	88
CURRICULUM VITAE	92

LIST OF TABLES

Table	Page
2.1 List of currently used antibiotics derived from <i>Streptomyces</i> species and their mechanism of action	8
4.1 Minimum inhibitory concentration (MIC) and minimum bactericidal concentration (MBC) values ($\mu\text{g}/\text{mL}$) of crude extracts from selected <i>Streptomyces</i> sp. SSUT88A	32
4.2 Summary of genome assembly statistics generated by QUAST and CheckM for wild-type and adapted <i>Streptomyces</i> strains.....	34
4.3 Shared biosynthetic gene clusters presence or absence correlates with each strain	42

LIST OF FIGURES

Figure	Page
2.1	Timeline illustrates the decade of antibiotics development.....6
2.2	The majority of clinically used classes of antibiotics.....7
2.3	Illustration depicts the life cycle of Streptomyces.....9
2.4	<i>Streptomyces</i> produce diversified pigments..... 10
3.1	Flowchart depicting the Adaptive Laboratory Evolution process..... 18
4.1	Colony morphology of <i>Streptomyces</i> sp. SSUT88A parental, wild-type and its adapted strains..... 25
4.2	Quantity of crude extracts (mg) from each strain through adaptation cycles. 26
4.3	Yield of crude extracts..... 28
4.4	Antimicrobial activities of crude extracts from each strain across adaptation cycles 1, 5, and 9..... 29
4.5	Colony appearances of wild-type SSUT88A, SSUT88A ^{MR9-16} , SSUT88A ^{Ab9-5} , and SSUT88A ^{3P6-7} (strain with activity loss).. 30
4.6	Antimicrobial activities monitoring over 14 days..... 31
4.7	Draft genome maps of <i>Streptomyces</i> sp. SSUT88A strains 35
4.8	Phylogenomic tree of wild-type and evolved <i>Streptomyces</i> sp. SSUT88A strain using assembled whole-genome sequence along with their closely related type strain on the TYGS platform. 38
4.9	Venn diagram of comparative homologous protein clustering and result statics..... 43
4.10	Phylogenetic tree based on OrthoVenn-derived orthologous clusters among strains using maximum likelihood method..... 45
4.11	Representative OrthoVenn orthologous clustering of core biosynthetic genes from BGCs shared among all antibiotic-producing strains 46
4.12	Orthologous cluster visualization of core actinomycin D-like biosynthetic genes uniquely shared between high-antimicrobial-producing strains..... 47

LIST OF FIGURES (Continued)

Figure	Page
4.13 Orthologous cluster visualization of biosynthetic gene clusters shared between wild-type and non-producing strain	48
4.14 Deletion of contig 112 in SSUT88A ^{MR9-16} and SSUT88A ^{Ab9-5} without MGE signatures	51
4.15 Deletion of contig 108 in SSUT88A ^{MR9-16} and SSUT88A ^{Ab9-5} with putative MGE-associated transporter gene <i>oppF</i>	52
4.16 Loss of contig 141 in SSUT88A ^{3P6-7} , with no detected mobile genetic elements.	53
4.17 Loss of contig 136 in SSUT88A ^{3P6-7} , containing multiple mobile element-related genes.	54
4.18 Deletion of contig 48 in SSUT88A ^{3P6-7} associated with a nucleoside biosynthetic cluster.	55
4.19 Loss of contig 97 in SSUT88A ^{3P6-7} , encoding the mycemycin BGC with partial MGE involvement.....	56
4.20 Deletion of contig 59 in SSUT88A ^{MR9-16} and SSUT88A ^{Ab9-5} associated with redox cofactor biosynthesis.....	57
4.21 Loss of contig 115 in SSUT88A ^{MR9-16} and SSUT88A ^{Ab9-5} , associated with EDHA biosynthesis.....	58
4.22 Shared SNP in High-Antibiotic-Producing Strains.	62
4.23 Unique SNP in the SSUT88A ^{Ab9-5} (Precocious Antibiotic-Producing Strain).....	63
4.24 Unique SNP in the Pigment-Deficient, Activity-Loss Strain (SSUT88A ^{3P6-7}).....	64

LIST OF ABBREVIATIONS

ALE	Adaptive Laboratory Evolution
MRSA	Methicillin-resistant <i>Staphylococcus aureus</i>
MDR	Multidrug Resistant
rpm	Round per minute
ISP-2	International <i>Streptomyces</i> Project-2 Medium
OD ₆₀₀	Optical density at 600 nm
g	Gram(s)
h	Hour(s)
min	Minute(s)
°C	Degree Celcius
xg	G-force (relative centrifugal force; RCF)
mL	Milliliter(s)
mg	Milligram(s)
µg	Microgram(s)
µm	Micrometer(s)
bp	Base pair(s)