

รายการอ้างอิง

- กนิษฐา วิมลรัตน์. (2552). การผลิตก๊าซชีวภาพจากกากตะกอนน้ำเสียโรงงานผลิตกระดาษกล่องขา
เคลือบมัน (วิทยานิพนธ์ปริญญาโทมหาบัณฑิต). สืบค้นจาก <https://digiverse.chula.ac.th/Info/item/dc:44146>
- ชมธิดา ชื่นนิยม. (2553). การศึกษาการเพิ่มมูลค่าของเศษขังข้าวโพดโดยการทำเป็นเชื้อเพลิงอัดแท่ง
(วิทยานิพนธ์ปริญญาโทมหาบัณฑิต, มหาวิทยาลัยธรรมศาสตร์). สืบค้นจาก <https://dric.nrct.go.th/Search/SearchDetail/235164>
- ฐิติกร กิจจนศิริ. (2564). การศึกษาการผลิตเชื้อเพลิงแข็งจากกากตะกอนน้ำเสียในอุตสาหกรรมแป้ง
มันสำปะหลังสำหรับเป็นเชื้อเพลิงเสริมในกระบวนการแก๊สซิฟิเคชัน (วิทยานิพนธ์ปริญญา
มหาบัณฑิต). สืบค้นจาก <http://sutir.sut.ac.th:8080/jspui/handle/123456789/9262>
- ณัฐพล เสวตบุตร, ดาวรุ่ง สังข์ทอง, นภวรรณ รัตสุข, และอุมาวิจิตร สันติสุขเกษม. (2566). ศักยภาพ
การผลิตก๊าซมีเทนและจลนพลศาสตร์ของการหมักร่วมระหว่างเศษอาหารและผลิตภัณฑ์เยื่อ
ชีวภาพบรรจุอาหาร. วารสารวิชาการเทคโนโลยีอุตสาหกรรม, 19(3), 1-15.
Doi: 10.14416/j.ind.tech.2023.11.001
- ณัฐวรรณ สืบนันตา. (2564) การศึกษากระบวนการที่เหมาะสมสำหรับการผลิตก๊าซชีวภาพจากวัสดุ
ข้าวโพดเลี้ยงสัตว์เหลือทิ้ง และการประเมินการปลดปล่อยก๊าซคาร์บอนไดออกไซด์จากการ
ผลิตไฟฟ้า (วิทยานิพนธ์ปริญญาโทมหาบัณฑิต). สืบค้นจาก <http://202.28.38.45/dspace/bitstream/123456789/247/1/6015301016.pdf>
- ตำราระบบจัดการมลพิษกากอุตสาหกรรม. (2559). กรมโรงงานอุตสาหกรรม กระทรวงอุตสาหกรรม.
(พิมพ์ครั้งที่ 1). กรุงเทพฯ: โรงพิมพ์สำนักงานพระพุทธศาสนาแห่งชาติ.
- นิตยา สุขอร่าม. (2554). อิทธิพลของสัณฐานจากระบบบำบัดน้ำเสียที่ผ่านการรีดน้ำของโรงงาน
กระดาษต่อก๊าซชีวภาพที่ผลิตจากกระบวนการหมักแบบไร้อากาศ (วิทยานิพนธ์ปริญญา
มหาบัณฑิต). สืบค้นจาก <https://dric.nrct.go.th/index.php?/Search/SearchDetail/265381>
- ประกาศกรมควบคุมมลพิษ เรื่อง คุณลักษณะเบื้องต้นที่เหมาะสมสำหรับเชื้อเพลิงขยะจากขยะมูล
ฝอยชุมชน พ.ศ. 2561. (ลงวันที่ 26 กันยายน 2561).

- พรรษา ลิบลับ. (2565). แนวทางการนำเชื้อเพลิงขยะ (RDF) จากมูลฝอยชุมชนมาใช้ประโยชน์ในกลุ่มธุรกิจขนาดเล็ก (SME) หรืออุตสาหกรรมขนาดเล็ก (รหัสโครงการ SUT 7-716-55-12-02). สืบค้นจาก <http://sutir.sut.ac.th:8080/jspui/bitstream/123456789/6010/2/Fulltext.pdf>
- เฟื่องฟ้า มีโกคา. (2561). การออกแบบถังปฏิกรณ์ชีวภาพสำหรับการย่อยสลายแบบไร้ออกซิเจนและการประเมินการใช้งานในการผลิตแก๊สชีวภาพจากตะกอนเลนบ่อกุ่ม (วิทยานิพนธ์ปริญญา มหาบัณฑิต). สืบค้นจาก <https://buuir.buu.ac.th/bitstream/1234567890/7451/1/Fulltext.pdf>
- มานิตย์ สิงห์ทองชัย. (2550). การวิเคราะห์ต้นทุนและผลตอบแทนการผลิตก๊าซชีวภาพจากฟาร์มเลี้ยงสุกร. (วิทยานิพนธ์ปริญญา มหาบัณฑิต). สืบค้นจาก https://archive.lib.cmu.ac.th/full/T/2550/econ0250ms_abs.pdf
- ศุภกร เชื้ออ่ำ, ศิรินทร ทองแสง, และแววบุญ แยมแสงสังข์. (2561). สมบัติของเชื้อเพลิงอัดแท่งจากซังข้าวโพดและกากตะกอนน้ำเสียจากอุตสาหกรรมพลาสติก. *การประชุมวิชาการเสนอผลงานวิจัยระดับบัณฑิตศึกษาแห่งชาติ, 19*, 145-154. สืบค้นจาก <https://app.gs.kku.ac.th/gs/th/publicationfile/item/19th-ngrc-2018/PMO8/PMO8.pdf>
- สถาบันวิจัยและพัฒนาพลังงานนครพิงค์. (2559). *โครงการปรับปรุงคุณภาพก๊าซชีวภาพที่แหล่งกำเนิด*. สืบค้นจาก https://erdi.cmu.ac.th/download/publications/fulldoc_Insitu_Methane_Enrichment.pdf
- อาริยา วิรัชวรกุล. (2546). การผลิตก๊าซชีวภาพจากเศษอาหารโดยกระบวนการย่อยสลายภายใต้สภาวะไร้ออกซิเจนแบบสองขั้นตอน (วิทยานิพนธ์ปริญญา มหาบัณฑิต). สืบค้นจาก <https://fic.nfi.or.th/knowledge-detail.php?id=717>
- Alcantara, M. S., Grisotti, G., Tavares, M. H., & Gomes, S. D. (2017). Anaerobic digestion stability test by shewhart control chart. *Engenharia Agricola, 37*(03), 618-626. Doi: 10.1590/1809-4430-Eng.Agric.v37n3p618-626/2017
- Alipouri, Y., Poshtan, J., & Alipour, H. (2014). Improvement of classical evolutionary programming using state feedback controller. *International Journal of Innovative Computing, Information and Control, 10*(4), 1413-1433. Retrieved from <http://www.ijicic.org/ijicic-12-10022.pdf>
- Amann, M. (2012). *Scenarios of cost-effective emission controls after 2020*. Retrieved from <https://pure.iiasa.ac.at/id/eprint/10149/1/XO-12-026.pdf>

- American Public Health Association, American Water Works Association, & Water Environment Federation. (2012). *Standard methods for the examination of water and wastewater*. (22nd ed). Denver, CO: American Water Works Association.
- Amo-Duodu, G., Rathilal, S., Chollom, M. N., & Tetteh, E. K. (2021). Application of metallic nanoparticles for biogas enhancement using the biomethane potential test. *Scientific African*, *12*, e00728. Doi: 10.1016/j.sciaf.2021.e00728
- Anijiofor Sandra, C., Jamil, N. A. M., Jabbar, S., Sakyat, S., & Gomes, C. (2017). Aerobic and anaerobic sewage biodegradable processes: the gap analysis. *Int J Res Environ Sci*, *3*(3), 9-19. Doi: 10.20431/2454-9444.0303002
- Appels, L., Baeyens, J., Degreè, J., & Dewil, R. (2008). Principles and potential of the anaerobic digestion of waste-activated sludge. *Progress in energy and combustion science*, *34*(6), 755-781. Doi: 10.1016/j.pecs.2008.06.002
- Ariunbaatar, J., Panico, A., Esposito, G., Pirozzi, F., & Lens, P. N. (2014). Pretreatment methods to enhance anaerobic digestion of organic solid waste. *Applied energy*, *123*, 143-156. Doi: 10.1016/j.apenergy.2014.02.035
- Assis, E. I., & Chirwa, E. M. (2021). Physicochemical characteristics of different pulp and paper mill waste streams for hydrothermal conversion. *Chemical Engineering Transactions*, *86*, 607-612. Doi: 10.3303/CET2186102
- Avelar, N. V., Rezende, A. A. P., Carneiro, A. D. C. O., & Silva, C. M. (2016). Evaluation of briquettes made from textile industry solid waste. *Renewable Energy*, *91*, 417-424. Doi: 10.1016/j.renene.2016.01.075
- Bajpai, P. (2015). *Management of pulp and paper mill waste: Vol. 431*. Switzerland: Springer International Publishing.
- Balwaik, S. A., & Raut, S. P. (2011). Utilization of waste paper pulp by partial replacement of cement in concrete. *International Journal of Engineering Research and Applications*, *2*(1), 300-309. Retrieved from <https://sid.ir/paper/676932/en>
- Bayr, S., & Rintala, J. (2012). Thermophilic anaerobic digestion of pulp and paper mill primary sludge and co-digestion of primary and secondary sludge. *Water research*, *46*(15), 4713-4720. Doi: 10.1016/j.watres.2012.06.033

- Belkin, H. E., & Tewalt, S. J. (2007). *Geochemistry of selected coal samples from Sumatra, Kalimantan, Sulawesi, and Papua, Indonesia*. US Geological Survey. Retrieved from <https://pubs.usgs.gov/of/2007/1202/ofr2007-1202.pdf>
- Berglund Odhner, P., Schabbauer, A., Sarvari Horvath, I., & Mohseni Kabir, M. (2012). *Biogas from lignocellulosic biomass*. Sweden: Svenskt Gastekniskt Center. Retrieved from <https://www.osti.gov/etdeweb/biblio/22000652>
- Bernat, K., Cydzik-Kwiatkowska, A., Wojnowska-Baryła, I., & Karczewska, M. (2017). Physicochemical properties and biogas productivity of aerobic granular sludge and activated sludge. *Biochemical Engineering Journal*, *117*, 43-51. Doi: 10.1016/j.bej.2016.11.002
- Bokhary, A., Leitch, M., & Liao, B. Q. (2021). Effect of organic loading rate on the biological performance of the thermophilic anaerobic membrane bioreactor treating pulp and paper primary sludge. *Clean Technologies and Environmental Policy*, *23*(9), 2669-2681. Doi: 10.1007/s10098-021-02186-w
- Bokhary, A., Leitch, M., & Liao, B. Q. (2022). Thermophilic anaerobic membrane bioreactor for pulp and paper primary sludge treatment: Effect of solids retention time on the biological performance. *Biomass and Bioenergy*, *161*, 106388. Doi: 10.1016/j.biombioe.2022.106388
- Bolzonella, D., Battista, F., Mattioli, A., Nicolato, C., Frison, N., & Lampis, S. (2020). Biological thermophilic post hydrolysis of digestate enhances the biogas production in the anaerobic digestion of agro-waste. *Renewable and Sustainable Energy Reviews*, *134*, 110174. Doi: 10.1016/j.rser.2020.110174
- Chakraborty, D., Dahiya, S., Amulya, K., Srivastav, V., & Mohan, S. V. (2019). Valorization of paper and pulp waste: opportunities and prospects of biorefinery. In *Industrial and municipal sludge*, Butterworth-Heinemann Publishing, 623-656. Doi: 10.1016/B978-0-12-815907-1.00027-1
- Chinnaraj, S., & Rao, G. V. (2006). Implementation of an UASB anaerobic digester at bagasse-based pulp and paper industry. *Biomass and Bioenergy*, *30*(3), 273-277. Doi: 10.1016/j.biombioe.2005.10.007

- Ciaciuch, A., Gaca, J., & Lelewer, K. (2017). Effect of the two-stage thermal disintegration and anaerobic digestion of sewage sludge on the COD fractions. *Polish Journal of Chemical Technology*, 19(3), 130-135. Doi: 10.1515/pjct-2017-0059
- Cokgor, E. U., Zengin, G. E., Tas, D. O., Oktay, S., Randall, C., & Orhon, D. (2006). Respirometric assessment of primary sludge fermentation products. *Journal of Environmental Engineering*, 132(1), 68-74. Doi: 10.1061/(ASCE)0733-9372(2006)132:1(68)
- Devi, M. K., Manikandan, S., Oviyapriya, M., Selvaraj, M., Assiri, M. A., Vickram, S., Subbaiya, R., Karmegam, N., Ravindran, B., Chang, S. W., & Awasthi, M. K. (2022). Recent advances in biogas production using Agro-Industrial Waste: A comprehensive review outlook of Techno-Economic analysis. *Bioresource Technology*, 363, 127871. Doi: 10.1016/j.biortech.2022.127871
- Donoso-Bravo, A., Pérez-Elvira, S., & Fdz-Polanco, F. (2015). Simplified mechanistic model for the two-stage anaerobic degradation of sewage sludge. *Environmental Technology*, 36(10), 1334-1346. Doi: 10.1080/09593330.2014.988186
- Duarte, M. S., Oliveira, J. V., Pereira, C., Carvalho, M., Mesquita, D. P., & Alves, M. M. (2021). Volatile fatty acids (Vfa) production from wastewaters with high salinity— influence of ph, salinity and reactor configuration. *Fermentation*, 7(4), 303. Doi: 10.3390/fermentation7040303
- EBE Engineering. (2024). *Reduce your environmental impact with the ECOFLOW Venturi orifice steam trap*. Retrieved from <https://www.ebe-eng.com/sustainability/>
- Elliott, A., & Mahmood, T. (2012). Comparison of mechanical pretreatment methods for the enhancement of anaerobic digestion of pulp and paper waste activated sludge. *Water environment research*, 84(6), 497-505. Doi: 10.2175/106143012X13347678384602
- Elsayed, M., Andres, Y., Blel, W., Gad, A., & Ahmed, A. (2016). Effect of VS organic loads and buckwheat husk on methane production by anaerobic co-digestion of primary sludge and wheat straw. *Energy Conversion and Management*, 117, 538-547. Doi: 10.1016/j.enconman.2016.03.064

- Esposito, G., Frunzo, L., Panico, A., & Pirozzi, F. (2011). Model calibration and validation for OFMSW and sewage sludge co-digestion reactors. *Waste Management*, *31*(12), 2527-2535. Doi: 10.1016/j.wasman.2011.07.024
- Fifer Bizjak, K., Likar, B., Mladenovič, A., & Zalar Serjun, V. (2021). Valorized deinking paper residue as fill material for geotechnical structures. *Scientific reports*, *11*(1), 22363. Doi: 10.1038/s41598-021-01949-1
- Fioreze, M., & Silva, C. M. (2023). Anaerobic digestion and pretreatment methods applied to primary and secondary sludge from pulp and paper mills: A review of the development of global research and a case study of a typical brazilian kraft pulp mill. *Journal of Urban and Environmental Engineering*, *17*(1), 39-50. Doi: 10.4090/juee.2023.v17n1.039050
- Gagliano, M. C., Braguglia, C. M., Gallipoli, A., Gianico, A., & Rossetti, S. (2015). Microbial diversity in innovative mesophilic/thermophilic temperature-phased anaerobic digestion of sludge. *Environmental Science and Pollution Research*, *22*(10), 7339-7348. Doi: 10.1007/s11356-014-3061-y
- Gálvez-Martos, J. L., Greses, S., Magdalena, J. A., Iribarren, D., Tomás-Pejó, E., & González-Fernández, C. (2021). Life cycle assessment of volatile fatty acids production from protein-and carbohydrate-rich organic wastes. *Bioresource Technology*, *321*, 124528. Doi: 10.1016/j.biortech.2020.124528
- Gensollen, G., Pourcher, A. M., Duedal, A. L., Picard, S., Le Roux, S., & Peu, P. (2022). Impact of pH in the first-stage of a two-stage anaerobic digestion on metabolic pathways and methane production. *Bioresource Technology Reports*, *20*, 101256. Doi: 10.1016/j.biteb.2022.101256
- Gibbs, R. A., & Hayes, C. R. (1988). The use of R2A medium and the spread plate method for the enumeration of heterotrophic bacteria in drinking water. *Letters in Applied Microbiology*, *6*(2), 19-21. Doi: 10.1111/j.1472-765X.1988.tb01205.x
- Green, D. W. (2008). Perry's chemical engineers', *Handbook—seventh Edition—Sections*, 5-12.
- Hagelqvist, A. (2013). Batchwise mesophilic anaerobic co-digestion of secondary sludge from pulp and paper industry and municipal sewage sludge. *Waste management*, *33*(4), 820-824. Doi: 10.1016/j.wasman.2012.11.002

- Hakiki, R., Astuti, M. P., & Wikaningrum, T. (2019). Comparison Of Global Warming Potential-Impact On The Handling Of The Hazardous-Sludge From The Centralized Industrial-Wastewater Treatment Plant. *Indonesian Journal of Urban and Environmental Technology*, 3(1), 84-102. Doi: 10.25105/urbanenvirotech.v3i1.5530
- Hasan, M. A., Aqsha, Putra, Z. A., Bilad, M. R., Sapiaa, N. A. H., Wirzal, M. D. H., & Tijani, M. M. (2018, September). Biogas production from chicken food waste and cow manure via multi-stages anaerobic digestion. *Proceedings of the 3rd International Conference on Applied Science and Technology (icast'18)*, 2016(1), 020011. Doi: 10.1063/1.5055413
- Himmelblau, D. M., & Riggs, J. B. (2012). *Basic principles and calculations in chemical engineering*, FT press.
- Hobson, P.N., & Wheatley, A.D. (1993). *Anaerobic Digestion, Modern Theory and Practice*. Essex, UK: Elsevier Science Publishers, Ltd.
- Hossain, M. S., Karim, T. U., Onik, M. H., Kumar, D., Rahman, M. A., Yousuf, A., & Uddin, M. R. (2022). Impact of temperature, inoculum flow pattern, inoculum type, and their ratio on dry anaerobic digestion for biogas production. *Scientific reports*, 12(1), 6162. Doi: 10.1038/s41598-022-10025-1
- Hsueh, P. R., Lee, T. F., Du, S. H., Teng, S. H., Liao, C. H., Sheng, W. H., & Teng, L. J. (2014). Bruker Biotyper matrix-assisted laser desorption ionization–time of flight mass spectrometry system for identification of *Nocardia*, *Rhodococcus*, *Kocuria*, *Gordonia*, *Tsukamurella*, and *Listeria* species. *Journal of Clinical Microbiology*, 52(7), 2371-2379. Doi: 10.1128/jcm.00456-14
- Hülsemann, B., Zhou, L., Merkle, W., Hassa, J., Müller, J., & Oechsner, H. (2020). Biomethane potential test: Influence of inoculum and the digestion system. *Applied Sciences*, 10(7), 2589. Doi: 10.3390/app10072589
- Husgafvel, R., Linkosalmi, L., Hughes, M., Kanerva, J., & Dahl, O. (2018). Forest sector circular economy development in Finland: A regional study on sustainability driven competitive advantage and an assessment of the potential for cascading recovered solid wood. *Journal of cleaner production*, 181, 483-497. Doi: 10.1016/j.jclepro.2017.12.176

- International Energy Agency (IEA). (2023). *Paper*. Retrieved from <https://www.iea.org/energy-system/industry/paper>
- Ingale, S. D., & Nemade, P. D. (2023). Effect of paper sludge ash on properties of cement concrete: A review. *Materials Today: Proceedings*. Doi: 10.1016/j.matpr.2023.03.492
- ION, D. (2013). Energy balance of a coal-fired power plant in condensing operation. *Advances in Environment Technologies, Agriculture, Food and Animal Science*. Retrieved from https://www.researchgate.net/profile/Ion-Dosa/publication/320946863_Energy_Balance_of_a_Coal-Fired_Power_Plant_in_Condensing_Operation/links/5a0420eb4585151f4790a061/Energy-Balance-of-a-Coal-Fired-Power-Plant-in-Condensing-Operation.pdf
- International Organization for Standardization (ISO). (1995). *ISO 11734:1995 — Water quality — Evaluation of ultimate aerobic biodegradability of organic compounds in digested sludge — Method by measurement of the biogas production*. Geneva, Switzerland: ISC.
- Ivanchenko, A., Yelatontsev, D., & Savenkov, A. (2021). Anaerobic co-digestion of agro-industrial waste with cheese whey: Impact of centrifuge comminution on biogas release and digestate agrochemical properties. *Biomass and Bioenergy*, 147, 106010. Doi: 10.1016/j.biombioe.2021.106010
- Jameel, M. K., Mustafa, M. A., Ahmed, H. S., Jassim Mohammed, A., Ghazy, H., Shakir, M. N., Lawas, A. M., Mohammed, S. K., Idan, A. H., Mahmoud, Z. H., Sayadi, H., & Kianfar, E. (2024). Biogas: Production, properties, applications, economic and challenges: A review. *Results in Chemistry*, 7, 101549. Doi: 10.1016/j.rechem.2024.101549
- Janke, L., Weinrich, S., Leite, A. F., Sträuber, H., Radetski, C. M., Nikolausz, M., Nelles, M., & Stinner, W. (2018). Year-round biogas production in sugarcane biorefineries: Process stability, optimization and performance of a two-stage reactor system. *Energy Conversion and Management*, 168, 188-199. Doi: 10.1016/j.enconman.2018.04.101

- Jele, T. B., Sithole, B., Lekha, P., & Andrew, J. (2022). Characterisation of pulp and paper mill sludge for beneficiation. *Cellulose*, 29(8), 4629-4643. Doi: 10.1007/s10570-022-04578-7
- Jianlong, W., & Jing, K. (2005). The characteristics of anaerobic ammonium oxidation (ANAMMOX) by granular sludge from an EGSB reactor. *Process Biochemistry*, 40(5), 1973-1978. Doi: 10.1016/j.procbio.2004.08.001
- Johansson, A. C., Selander, A., Soleimanisalim, A. H., Nordsvahn, R., & Shafaghat, H. (2024). Chemical recycling of complex reject streams from the paper industry via thermal and catalytic pyrolysis. *Journal of Analytical and Applied Pyrolysis*, 181, 106572. Doi: 10.1016/j.jaap.2024.106572
- Kaosol, T., & Sohgrathok, N. (2012). Enhancement of biogas production potential for anaerobic co-digestion of wastewater using decanter cake. *American Journal of Agricultural and Biological Sciences*, 7(4), 494-502. Doi: 10.5555/20133205898
- Karlsson, A., Truong, X. B., Gustavsson, J., Svensson, B. H., Nilsson, F., & Ejlertsson, J. (2011). Anaerobic treatment of activated sludge from Swedish pulp and paper mills—biogas production potential and limitations. *Environmental technology*, 32(14), 1559-1571. Doi: 10.1080/09593330.2010.543932
- Kato, M. T., Field, J. A., & Lettinga, G. (1997). The anaerobic treatment of low strength wastewaters in UASB and EGSB reactors. *Water Science and Technology*, 36(6-7), 375-382. Doi: 10.1016/S0273-1223(97)00545-3
- Kaur, R., Tyagi, R. D., & Zhang, X. (2020). Review on pulp and paper activated sludge pretreatment, inhibitory effects and detoxification strategies for biovalorization. *Environmental research*, 182, 109094. Doi: 10.1016/j.envres.2019.109094
- Khot, P. D., Couturier, M. R., Wilson, A., Croft, A., & Fisher, M. A. (2012). Optimization of matrix-assisted laser desorption ionization–time of flight mass spectrometry analysis for bacterial identification. *Journal of clinical microbiology*, 50(12), 3845-3852. Doi: 10.1128/jcm.00626-12

- Kim, T. S., Lee, K., Hong, Y. J., Hwang, S. M., Park, J. S., Park, K. U., Song, J., & Kim, E. C. (2015). MALDI-TOF MS: Its application in the clinical laboratory and a paradigm shift in clinical microbiology. *Laboratory Medicine Online*, 5(4), 176. Doi: 10.3343/lmo.2015.5.4.176
- Kinnunen, V., Ylä-Outinen, A., & Rintala, J. (2015). Mesophilic anaerobic digestion of pulp and paper industry biosludge—long-term reactor performance and effects of thermal pretreatment. *Water research*, 87, 105-111. Doi: 10.1016/j.watres.2015.08.053
- Kloekke, L. (2018). *Deinking sludge waste management* (Doctoral dissertation). University of Groningen, Netherlands.
- Kumar, M., Morya, R., Gupta, A., & Thakur, I. S. (2020a). Anaerobic biovalorization of pulp and paper mill waste. In *Biovalorisation of wastes to renewable chemicals and biofuels* (pp. 41-61). Elsevier. Doi: 10.1016/B978-0-12-817951-2.00003-1
- Kumar, P., Samuchiwal, S., & Malik, A. (2020b). Anaerobic digestion of textile industries wastes for biogas production. *Biomass Conversion and Biorefinery*, 10(3), 715-724. Doi: 10.1007/s13399-020-00601-8
- Kuo, P. C., Illathukandy, B., Sun, Z., & Aziz, M. (2023). Efficient conversion of waste-to-SNG via hybrid renewable energy systems for circular economy: Process design, energy, and environmental analysis. *Waste Management*, 166, 1-12. Doi: 10.1016/j.wasman.2023.04.041
- Laiq Ur Rehman, M., Iqbal, A., Chang, C. C., Li, W., & Ju, M. (2019). Anaerobic digestion. *Water environment research*, 91(10), 1253-1271. Doi: 10.1002/wer.1219
- Larsson, M., Truong, X. B., Björn, A., Ejlertsson, J., Bastviken, D., Svensson, B. H., & Karlsson, A. (2015). Anaerobic digestion of alkaline bleaching wastewater from a kraft pulp and paper mill using UASB technique. *Environmental technology*, 36(12), 1489-1498. Doi: 10.1080/09593330.2014.994042
- Lay, J. J., Li, Y. Y., & Noike, T. (1996). Effect of moisture content and chemical nature on methane fermentation characteristics of municipal solid wastes. *Doboku Gakkai Ronbunshu*, 1996(552), 101-108. Doi: 10.2208/jscej.1996.552_101

- Ledakowicz, S., Stolarek, P., Malinowski, A., & Lepez, O. (2019). Thermochemical treatment of sewage sludge by integration of drying and pyrolysis/autogasification. *Renewable and sustainable energy reviews*, *104*, 319-327. Doi: 10.1016/j.rser.2019.01.018
- Lim, Y. F., Chan, Y. J., Abakr, Y. A., Sethu, V., Selvarajoo, A., Singh, A., Lee, J., & Gareth, M. (2022). Evaluation of potential feedstock for biogas production via anaerobic digestion in Malaysia: kinetic studies and economics analysis. *Environmental Technology*, *43*(16), 2492-2509. Doi: 10.1080/09593330.2021.1882587
- Lin, Y., Wang, D., Li, Q., & Huang, L. (2011). Kinetic study of mesophilic anaerobic digestion of pulp & paper sludge. *Biomass and Bioenergy*, *35*(12), 4862-4867. Doi: 10.1016/j.biombioe.2011.10.001
- Li, S., Wu, Z., & Liu, G. (2019). Degradation kinetics of toilet paper fiber during wastewater treatment: Effects of solid retention time and microbial community. *Chemosphere*, *225*, 915-926. Doi: 10.1016/j.chemosphere.2019.03.097
- Liu, X., Li, R., & Ji, M. (2019). Effects of two-stage operation on stability and efficiency in co-digestion of food waste and waste activated sludge. *Energies*, *12*(14), 2748. Doi: 10.3390/en12142748
- Lopes, A. D. C. P., Silva, C. M., Rosa, A. P., & de Ávila Rodrigues, F. (2018). Biogas production from thermophilic anaerobic digestion of kraft pulp mill sludge. *Renewable Energy*, *124*, 40-49. Doi: 10.1016/j.renene.2017.08.044
- Lou, R., Wu, S., Lv, G., & Yang, Q. (2012). Energy and resource utilization of deinking sludge pyrolysis. *Applied Energy*, *90*(1), 46-50. Doi: 10.1016/j.apenergy.2010.12.025
- Madigan, M. T., Bender, K., Buckley, D. H., Sattley, W. M., & Stahl, D. A. (2020). *Brock Biology of Microorganisms* (15th edn). New York, USA: Pearson Education.
- Magdalena, J. A., Greses, S., & González-Fernández, C. (2019). Impact of organic loading rate in volatile fatty acids production and population dynamics using microalgae biomass as substrate. *Scientific reports*, *9*(1), 18374. Doi: 10.1038/s41598-019-54914-4
- Mahmood, T., & Elliott, A. (2006). A review of secondary sludge reduction technologies for the pulp and paper industry. *Water research*, *40*(11), 2093-2112. Doi: 10.1016/j.watres.2006.04.001

- Markphan, W., Mamimin, C., Suksong, W., Prasertsan, P., & O-Thong, S. (2020). Comparative assessment of single-stage and two-stage anaerobic digestion for biogas production from high moisture municipal solid waste. *PeerJ*, 8, e9693. Doi: 10.7717/peerj.9693
- Maspolim, Y., Guo, C., Xiao, K., Zhou, Y., & Ng, W. J. (2016). Performance and microbial community analysis in alkaline two-stage enhanced anaerobic sludge digestion system. *Biochemical Engineering Journal*, 105, 296-305. Doi: 10.1016/j.bej.2015.10.004
- Metcalf, E., & Eddy, E. (2003). *Wastewater engineering: treatment and reuse*. New York: McGrawHill. Inc.
- Monte, M. C., Fuente, E., Blanco, A., & Negro, C. (2009). Waste management from pulp and paper production in the European Union. *Waste management*, 29(1), 293-308. Doi: 10.1016/j.wasman.2008.02.002
- Morel, F., Jacquier, H., Desroches, M., Fihman, V., Kumanski, S., Cambau, E., Decousser, J. W., & Berçot, B. (2018). Use of Andromas and Bruker MALDI-TOF MS in the identification of Neisseria. *European Journal of Clinical Microbiology & Infectious Diseases*, 37(12), 2273-2277. Doi: 10.1007/s10096-018-3368-6
- Mörtelmaier, C., Panda, S., Robertson, I., Krell, M., Christodoulou, M., Reichardt, N., & Mulder, I. (2019). Identification performance of MALDI-ToF-MS upon mono-and bi-microbial cultures is cell number and culture proportion dependent. *Analytical and bioanalytical chemistry*, 411(26), 7027-7038. Doi: 10.1007/s00216-019-02080-x
- Muhayodin, F., Fritze, A., & Rotter, V. S. (2021). Mass balance of C, nutrients, and mineralization of nitrogen during anaerobic co-digestion of rice straw with cow manure. *Sustainability*, 13(21), 11568. Doi: 10.3390/su132111568
- Namma, B., Racho, P., Nawong, S., Wichitsathian, B., & Tantrakarnapa, K. (2025). Feasibility of anaerobic co-digestion for biogas production from recycled paper industry sludge: optimization of mixing ratios and application in two-stage cstr system design. *Water Science & Technology*, 92(5): 683-703. Doi:10.2166/wst.2025.118

- Neuwahl, F., Cusano, G., GÓMEZ, B. J., Holbrook, S., & Roudier, S. (2019). *Best available techniques (BAT) reference document for waste incineration: industrial emissions directive 2010/75/EU (Integrated Pollution Prevention and Control)*. Luxembourg: Publications Office of the European Union. Doi: 10.2760/761437
- Norgren, R. (2022). *Valorization of low value organic waste by the use of black soldier fly larvae–bioconversion of sludge from the pulp and paper industry* (Doctoral dissertation). Mid Sweden University, Sweden. Retrieved from <https://www.diva-portal.org/smash/record.jsf?pid=diva2%3A1630418&dswid=-4171>
- Normand, A. C., Cassagne, C., Gautier, M., Becker, P., Ranque, S., Hendrickx, M., & Piarroux, R. (2017). Decision criteria for MALDI-TOF MS-based identification of filamentous fungi using commercial and in-house reference databases. *BMC microbiology*, 17(1), 25. Doi: 10.1186/s12866-017-0937-2
- Orhon, D., & Çokgör, E. U. (1997). COD fractionation in wastewater characterization—the state of the art. *Journal of Chemical Technology & Biotechnology: International Research in Process, Environmental AND Clean Technology*, 68(3), 283-293. Doi: 10.1002/(SICI)1097-4660(199703)68:3<283::AID-JCTB633>3.0.CO;2-X
- Pérez-Gálvez, R., García-Moreno, P. J., Huong, N. T. M., Guadix, E. M., Guadix, A., & Bergé, J. P. (2016). Multiobjective optimization of a pilot plant to process fish discards and by-products on board. *Clean Technologies and Environmental Policy*, 18(3), 935-948. Doi: 10.1007/s10098-015-1081-z
- Racho, P., & Pongampornnara, A. (2020). Enhanced biogas production from modified tapioca starch wastewater. *Energy Reports*, 6, 744-750. Doi: 10.1016/j.egy.2019.09.058
- Rajput, A. A., & Sheikh, Z. (2019). Effect of inoculum type and organic loading on biogas production of sunflower meal and wheat straw. *Sustainable Environment Research*, 29(1), 4. Doi: 10.1186/s42834-019-0003-x
- Rifaini, I., & Noerhayati, E. (2024). Situbondo communal waste management study: Application of the anaerobic baffled reactor method at the Salafiyah Syafi'iyah Islamic boarding school. *Asian Journal Collaboration of Social Environmental and Education*, 2(1), 1-16. Doi: 10.61511/ajcsee.v2i1.2024.987

- Rocha, S., Soares, P., & Maia, L. (2022). Briquettes from sludge in sewage treatment plant: calorific power. *Environmental Science and Pollution Research*, 29(60), 91096-91104. Doi: 10.1007/s11356-022-22239-x
- Saha, M., Eskicioglu, C., & Marin, J. (2011). Microwave, ultrasonic and chemo-mechanical pretreatments for enhancing methane potential of pulp mill wastewater treatment sludge. *Bioresource technology*, 102(17), 7815-7826. Doi: 10.1016/j.biortech.2011.06.053
- Sanchez, Z., Poggio, D., Castro, L., & Escalante, H. (2021). Simultaneous synergy in CH₄ yield and kinetics: criteria for selecting the best mixtures during co-digestion of wastewater and manure from a bovine slaughterhouse. *Energies*, 14(2), 384. Doi: 10.3390/en14020384
- Sani, K., Jariyaboon, R., Sompong, O., Cheirsilp, B., Kaparaju, P., Wang, Y., & Kongjan, P. (2022). Performance of pilot scale two-stage anaerobic co-digestion of waste activated sludge and greasy sludge under uncontrolled mesophilic temperature. *Water Research*, 221, 118736. Doi: 10.1016/j.watres.2022.118736
- Sawatdeenarunat, C., Sung, S., & Khanal, S. K. (2017). Enhanced volatile fatty acids production during anaerobic digestion of lignocellulosic biomass via micro-oxygenation. *Bioresource technology*, 237, 139-145. Doi: 10.1016/j.biortech.2017.02.029
- Scano, E. A., Grosso, M., Pistis, A., Carboni, G., & Cocco, D. (2021). An in-depth analysis of biogas production from locally agro-industrial by-products and residues. An Italian case. *Renewable Energy*, 179, 308-318. Doi: 10.1016/j.renene.2021.07.050
- Schulthess, B., Bloemberg, G. V., Zbinden, A., Mouttet, F., Zbinden, R., Böttger, E. C., & Hombach, M. (2016). Evaluation of the Bruker MALDI Biotyper for identification of fastidious Gram-negative rods. *Journal of clinical microbiology*, 54(3), 543-548. Doi: 10.1128/jcm.03107-15
- Sedighi, A., Karrabi, M., Shahnavaz, B., & Mostafavinezhad, M. (2022). Bioenergy production from the organic fraction of municipal solid waste and sewage sludge using mesophilic anaerobic co-digestion: An experimental and kinetic modeling study. *Renewable and Sustainable Energy Reviews*, 153, 111797. Doi: 10.1016/j.rser.2021.111797

- Show, K. Y., & Tay, J. H. (1999). Influence of support media on biomass growth and retention in anaerobic filters. *Water research*, 33(6), 1471-1481. Doi: 10.1016/S0043-1354(98)00352-2
- Simão, L., Hotza, D., Raupp-Pereira, F., Labrincha, J. A., & Montedo, O. R. K. (2018). Wastes from pulp and paper mills-a review of generation and recycling alternatives. *Cerâmica*, 64(371), 443-453. Doi: 10.1590/0366-69132018643712414
- Singh, V., Phuleria, H. C., & Chandel, M. K. (2020). Estimation of energy recovery potential of sewage sludge in India: Waste to watt approach. *Journal of Cleaner Production*, 276, 122538. Doi: 10.1016/j.jclepro.2020.122538
- Sun, C., Guo, L., Zheng, Y., Yu, D., Jin, C., Zhao, Y., Yao, Z., Gao, M., & She, Z. (2022). Effect of mixed primary and secondary sludge for two-stage anaerobic digestion (AD). *Bioresource Technology*, 343, 126160. Doi: 10.1016/j.biortech.2021.126160
- Suthaphod, A., & Yoochatchaval, W. (2021). Utilization of biogas for boiler system to reduce greenhouse gas emission from distillery factory. *Thai Environmental Engineering Journal*, 35(2), 55-65. Retrieved from <https://so05.tci-thaijo.org/index.php/teej/article/view/251423>
- The Engineering ToolBox. (2008). *Methane (CH₄): Thermophysical Properties and Phase Diagram*. Retrieved from https://www.engineeringtoolbox.com/methane-d_1420.html
- Thunder Said Energy. (2019). *Energy needed to produce steam: enthalpy and entropy data?*. Retrieved from <https://thundersaidenergy.com/downloads/energy-needed-to-produce-steam-enthalpy-and-entropy-data/>
- Turner, T., Wheeler, R., & Oliver, I. W. (2022). Evaluating land application of pulp and paper mill sludge: A review. *Journal of Environmental Management*, 317, 115439. Doi: 10.1016/j.jenvman.2022.115439
- Ugwu, S. N., Harding, K., & Enweremadu, C. C. (2022). Comparative life cycle assessment of enhanced anaerobic digestion of agro-industrial waste for biogas production. *Journal of Cleaner Production*, 345, 131178. Doi: 10.1016/j.jclepro.2022.131178
- U.S. Department of Energy. (2012). *Consider Installing High-Pressure Boilers with Backpressure Turbine-Generators*. Retrieved from https://www.energy.gov/sites/prod/files/2014/05/f16/steam22_backpressure.pdf

- U.S. Environmental Protection Agency. (2015). *Thermal energy conversions*. Retrieved from <https://portfoliomanager.energystar.gov/pdf/reference/Thermal%20Conversions.pdf>
- Veluchamy, C., & Kalamdhad, A. S. (2017). Influence of pretreatment techniques on anaerobic digestion of pulp and paper mill sludge: a review. *Bioresource technology*, *245*, 1206-1219. Doi: 10.1016/j.biortech.2017.08.179
- Veluchamy, C. (2018). *Anaerobic digestion of pulp and paper mill sludge* (Master's thesis). Retrieved from https://www.researchgate.net/profile/Veluchamy-Chitraichamy/publication/343742769_Anaerobic_Digestion_of_Pulp_and_Paper_Mill_Sludge/links/5f8857e1458515b7cf823e92/Anaerobic-Digestion-of-Pulp-and-Paper-Mill-Sludge.pdf
- Vianna, E. D. F., Pentagna, L. S. D. S., Menezes, N. I. M., de Freitas, F. A. D., Leite, C. D. C. F., Albano, R. M., Leão, R. S., & Marques, E. A. (2021). Decreasing the cut-off score value of MALDI-ToF MS increase the identities of Burkholderia cepacia complex species. *Current Microbiology*, *78*(6), 2259-2263. Doi: 10.1007/s00284-021-02493-x
- Wang, Z., Ma, T., & Xing, L. (2020). Process performance and microbial interaction in two-stage continuously stirred tank reactors for sludge anaerobic digestion operated at different temperatures. *Biochemical Engineering Journal*, *161*, 107682. Doi: 10.1016/j.bej.2020.107682
- Wang, M., Sun, X. Z., Janssen, P. H., Tang, S. X., & Tan, Z. L. (2014). Responses of methane production and fermentation pathways to the increased dissolved hydrogen concentration generated by eight substrates in in vitro ruminal cultures. *Animal Feed Science and Technology*, *194*, 1-11. Doi: 10.1016/j.anifeedsci.2014.04.012
- Waturangi, D. E., Nicholas, C. D., Susanto, C. O., & Suhartono, M. T. (2011). Isolation and Identification of Methylophilic Bacteria Producing Methanol Dehydrogenase from Human Feet and Mouth, *HAYATI Journal of Biosciences*, *18*(1), 11-15. Doi: 10.4308/hjb.18.1.11
- Wood, N., Tran, H., & Master, E. (2009). Pretreatment of pulp mill secondary sludge for high-rate anaerobic conversion to biogas. *Bioresource Technology*, *100*(23), 5729-5735. Doi: 10.1016/j.biortech.2009.06.062

- Xue, S., Zhao, N., Song, J., & Wang, X. (2019). Interactive effects of chemical composition of food waste during anaerobic co-digestion under thermophilic temperature. *Sustainability*, *11*(10), 2933. Doi: 10.3390/su11102933
- Yaashikaa, P. R., Kumar, P. S., & Varjani, S. (2022). Valorization of agro-industrial wastes for biorefinery process and circular bioeconomy: A critical review. *Bioresource Technology*, *343*, 126126. Doi: 10.1016/j.biortech.2021.126126
- Zainal, A., Harun, R., & Idrus, S. (2022). Performance monitoring of anaerobic digestion at various organic loading rates of commercial Malaysian food waste. *Frontiers in Bioengineering and Biotechnology*, *10*, 775676. Doi: 10.3389/fbioe.2022.775676
- Zakavi, M., Askari, H., & Shahrooei, M. (2022). Characterization of bacterial diversity between two coastal regions with heterogeneous soil texture. *Scientific Reports*, *12*(1), 18901. Doi: 10.1038/s41598-022-23487-0
- Zaporowski, B. (2003). Analysis of energy-conversion processes in gas-steam power-plants integrated with coal gasification. *Applied Energy*, *74*(3-4), 297-304. Doi: 10.1016/S0306-2619(02)00189-7
- Zeynali, R., Asadi, M., Ankley, P., Mahoney, H., Brinkmann, M., Acharya, B., McPhedran, K., & Soltan, J. (2025). Smart municipal wastewater treatment sludge management: Enhancement of biogas production from anaerobic digestion amended by optimized sludge-derived biochar. *Science of The Total Environment*, *989*, 179860. Doi: 10.1016/j.scitotenv.2025.179860
- Zhang, W., Kong, T., Xing, W., Li, R., Yang, T., Yao, N., & Lv, D. (2022). Links between carbon/nitrogen ratio, synergy and microbial characteristics of long-term semi-continuous anaerobic co-digestion of food waste, cattle manure and corn straw. *Bioresource Technology*, *343*, 126094. Doi: 10.1016/j.biortech.2021.126094
- Zhou, Y., Kumar, V., Harirchi, S., Vigneswaran, V. S., Rajendran, K., Sharma, P., Tong, Y. W., Binod, P., Sindhu, R., Sarsaiya, S., Balakrishnan, D., Mofijur, M., Zhang, Z., Taherzadeh, M. J., & Awasthi, M. K. (2022). RETRACTED: Recovery of value-added products from biowaste: A review. *Bioresource Technology*, *360*, 127565. Doi: 10.1016/j.biortech.2022.127565

Zwietering, M. H., Jongenburger, I., Rombouts, F. M., & Van't Riet, K. J. A. E. M. (1990). Modeling of the bacterial growth curve. *Applied and environmental microbiology*, 56(6), 1875-1881. Doi: 10.1128/aem.56.6.1875-1881.1990