

รายการอ้างอิง

- กองพัน อารีรักษ์. (2564). แบบจำลองวงจรแปลงผันอิเล็กทรอนิกส์กำลัง. (พิมพ์ครั้งที่ 1). กรุงเทพฯ: บริษัท จรัสสินทวงศ์ จำกัด
- คณะกรรมการกำกับกิจการพลังงาน. (2566). บทความด้านพลังงานเรื่อง ไฮโดรเจน: อนาคตแห่งพลังงานโลก (ตอนที่ 3). สืบค้นจาก <https://www.erc.or.th/th/energy-articles/2890>
- นิรุตตี๋ นิมออ่อน. (2555). วิเคราะห์สมรรถนะของระบบเซลล์เชื้อเพลิงสำหรับประยุกต์ใช้กับระบบไฟฟ้าแบบแยกโดด (วิทยานิพนธ์ปริญญาวิศวกรรมศาสตรมหาบัณฑิต). มหาวิทยาลัยเทคโนโลยีสุรนารี, นครราชสีมา.
- วัฒนา แก้วมณี. (2556). แบบจำลองเซลล์เชื้อเพลิงชนิด PEM อย่างง่ายสำหรับวิศวกรไฟฟ้า. วารสารวิชาการครุศาสตร์อุตสาหกรรม พระจอมเกล้าพระนครเหนือ, 4(1), 122-129.
- สำนักงานนโยบายและแผนพลังงาน. (2564). โครงการศึกษาแนวทางการพัฒนาการผลิตและการใช้ไฮโดรเจนเพื่อส่งเสริมพลังงานหมุนเวียน. สืบค้นจาก <https://www.eppo.go.th/index.php/th/conservation/item/21376-hydrogen>
- อภิชัย สุยะพันธ์. (2558). การวิเคราะห์เสถียรภาพสัญญาณขนาดใหญ่ของระบบไฟฟ้ากำลังเอซีเป็นดีซีที่มีโหลดกำลังไฟฟ้าคงตัว (วิทยานิพนธ์ปริญญาวิศวกรรมศาสตรมหาบัณฑิต). มหาวิทยาลัยเทคโนโลยีสุรนารี, นครราชสีมา.
- Alipour, M., Zarei, J., Razavi-Far, R., Saif, M., Mijatovic, N., & Dragičević, T. (2022). Observer-based backstepping sliding mode control design for microgrids feeding a constant power load. *IEEE Transactions on Industrial Electronics*, 70(1), 465–473.
- Alrajhi, H. (2022). A Generalized State Space Average Model for Parallel DC-to-DC Converters. *Computer Systems Science & Engineering*, 41(2).
- Amin, M., & Molinas, M. (2017). Small-signal stability assessment of power electronics based power systems: A discussion of impedance- and eigenvalue-based methods. *IEEE Transactions on Industry Applications*, 53(5), 5014–5030.
- Andic, C., Ozturk, A., & Turkay, B. (2022, June). Rotor angle stability analysis by using Lyapunov's direct method of a SMIB power system. In *2022 4th Global Power, Energy and Communication Conference (GPECOM)* (pp. 296–300). IEEE.

- Areerak, K-N., Wu, T., Bozhko, S. V., Asher, G. M., & Thomas, D. W. (2011). Aircraft power system stability study including effect of voltage control and actuators dynamic. *IEEE Transactions on Aerospace and Electronic Systems*, 47(4), 2574–2589.
- Azer, P., & Emadi, A. (2020). Generalized state space average model for multi-phase interleaved buck, boost and buck-boost DC-DC converters: Transient, steady-state and switching dynamics. *IEEE Access*, 8, 77735–77745.
- Beraki, M. W., Trovão, J. P. F., Perdigão, M. S., & Dubois, M. R. (2017). Variable inductor based bidirectional DC–DC converter for electric vehicles. *IEEE Transactions on Vehicular Technology*, 66(10), 8764–8772.
- Chaicharoenaudomrung, K., Pakdeeto, J., Areerak, K-N., & Areerak, K-L. (2022, November). Mathematical model of DCMGs with PV arrays feeding the parallel constant power loads. In *2022 25th International Conference on Electrical Machines and Systems (ICEMS)* (pp. 1–4). IEEE.
- Chen, M., & Rincón-Mora, G. A. (2008). A Compact Electrical Model for Microscale Fuel Cells Capable of Predicting Runtime and I–V Polarization Performance. *IEEE Transactions on Energy Conversion*, 23(3), 842–850.
- Contò, C., & Bianchi, N. (2022). E-bike motor drive: A review of configurations and capabilities. *Energies*, 16(1), 160.
- Daengdon, S., Suyapan, A., Areerak, K-N., & Pakdeeto, J. (2025). Stability Investigation of an AC-DC Power System feeding a Buck Converter Controlled by Sliding Mode Controller. *IEEE Access*.
- Emadi, A. (2004). Modeling and analysis of multiconverter DC power electronic systems using the generalized state-space averaging method. *IEEE Transactions on Industrial Electronics*, 51(3), 661–668.
- Emadi, A. (2004). Modeling of power electronic loads in AC distribution systems using the generalized state-space averaging method. *IEEE Transactions on Industrial Electronics*, 51(5), 992–1000.

- Emadi, A., Khaligh, A., Rivetta, C. H., & Williamson, G. A. (2006). Constant power loads and negative impedance instability in automotive systems: Definition, modeling, stability, and control of power electronic converters and motor drives. *IEEE Transactions on Vehicular Technology*, 55(4), 1112–1125.
- Erickson, R. W., & Maksimović, D. (2001). *Fundamentals of Power Electronics* (2nd ed.). Dordrecht, The Netherlands: Kluwer.
- Gamelin, T. W. (2001). *Complex Analysis*. Springer.
- Gorji, S. A., Sahebi, H. G., Ektesabi, M., & Rad, A. B. (2019). Topologies and control schemes of bidirectional DC–DC power converters: An overview. *IEEE Access*, 7, 117997–118019.
- Han, L., Wang, J., & Howe, D. (2007, September). State-space average modelling of 6- and 12-pulse diode rectifiers. In *2007 European Conference on Power Electronics and Applications* (pp. 1–10). IEEE.
- Hassan, M. A., Su, C. L., Pou, J., Almakhlles, D., Zhan, T. S., & Lo, K. Y. (2023). Robust passivity-based control for interleaved bidirectional DC–DC power converter with constant power loads in DC shipboard microgrid. *IEEE Transactions on Transportation Electrification*, 10(2), 3590–3602.
- Horizon Educational. (2024). *H-500 PEM fuel cell – 500 W*. Horizon Educational. Retrieved from <https://www.horizoneducational.com/h-500-pem-fuel-cell-500w/p1353>.
- Hung, N. B., & Lim, O. (2020). A review of history, development, design and research of electric bicycles. *Applied Energy*, 260, 114323.
- International Energy Agency. (2024). *World Energy Outlook 2024*. Retrieved from <https://www.iea.org/reports/world-energy-outlook-2024>.
- International Organization for Standardization. (2020). *ISO 21780: Road vehicles — Supply voltage of 48 V — Electrical requirements and tests*.
- Isorna Llerena, F., López González, E., Caparrós Mancera, J. J., Segura Manzano, F., & Andújar, J. M. (2021). Hydrogen vs. battery-based propulsion systems in unipersonal vehicles—Developing solutions to improve the sustainability of urban mobility. *Sustainability*, 13(10), 5721.

- Keshavarzi, M. D., & Ali, M. H. (2020). A Novel Bidirectional DC–DC Converter for Dynamic Performance Enhancement of Hybrid AC/DC Microgrid. *Electronics*, 9(10), 1653.
- Khaligh, A. (2008). Realization of parasitics in stability of DC–DC converters loaded by constant power loads in advanced multiconverter automotive systems. *IEEE Transactions on Industrial Electronics*, 55(6), 2295–2305.
- Kheirandish, A., Kazemi, M. S., & Dahari, M. (2014). Dynamic performance assessment of the efficiency of fuel cell-powered bicycle: An experimental approach. *International Journal of Hydrogen Energy*, 39(25), 13276–13284.
- Kim, S., & Williamson, S. S. (2012, April). Negative impedance instability compensation in buck converter using state space pole placement control. In *2012 25th IEEE Canadian Conference on Electrical and Computer Engineering (CCECE)* (pp. 1–5). IEEE.
- Kumari, A., Sonkar, K., Chaudhari, C., Jindal, T., Katiyar, A., Singh, S., & Sharma, A. (2025). Optimization of air-cooled PEM fuel cell system with battery hybridization and experimental validation on hydrogen powered fuel cell bike. *Renewable Energy*, 250, 123340.
- Liu, P., Zeng, X., Xi, J., Feehally, T., He, Y., & Pei, X. (2025). Stability Analysis of Multiple-Source DC Network in Fuel Cell-Powered Electric Aircraft. *IEEE Journal of Emerging and Selected Topics in Power Electronics*, 13(4), 4551–4562.
- Lu, X., Sun, K., Guerrero, J. M., Vasquez, J. C., Huang, L., & Wang, J. (2015). Stability enhancement based on virtual impedance for DC microgrids with constant power loads. *IEEE Transactions on Smart Grid*, 6(6), 2770–2783.
- Lu, Z., Song, J., Zheng, C., Xu, W., & Wang, X. (2021, December). Generalized state space average-value model of MAB based power electrical transformer. In *2021 5th International Conference on Power and Energy Engineering (ICPEE)* (pp. 46–52). IEEE.
- Mahdavi, J., Emaadi, A., Bellar, M. D., & Ehsani, M. (1997). Analysis of power electronic converters using the generalized state-space averaging approach. *IEEE Transactions on Circuits and Systems I: Fundamental Theory and Applications*, 44(8), 767–770.

- Mansour, M. Z., Me, S. P., Hadavi, S., Badrzadeh, B., Karimi, A., & Bahrani, B. (2021). Nonlinear transient stability analysis of phased-locked loop-based grid-following voltage-source converters using Lyapunov's direct method. *IEEE Journal of Emerging and Selected Topics in Power Electronics*, 10(3), 2699–2709.
- Mellino, S., Petrillo, A., Cigolotti, V., Autorino, C., Jannelli, E., & Ulgiati, S. (2017). A Life Cycle Assessment of lithium battery and hydrogen-FC powered electric bicycles: Searching for cleaner solutions to urban mobility. *International Journal of Hydrogen Energy*, 42(3), 1830–1840.
- Mittal, U., Varshney, G., Yadav, S., Pawar, A., Singh, S., & Roy, A. K. (2024, November). Solar-powered bicycle: A Pathway to Sustainable Urban Transportation. In *2024 3rd Odisha International Conference on Electrical Power Engineering, Communication and Computing Technology (ODICON)* (pp. 1–6). IEEE.
- Modesti, D. M. (2022). *Design and modeling of a fuel cell hybrid eCargo bike prototype* (Doctoral dissertation, Politecnico di Torino).
- Mokhtari, K., Shokri-Kojori, S., & Aliyari-Shoorehdeli, M. (2024). A new generalized state-space averaged model, control design and stability analysis for three phase grid-connected quasi-Z-source inverters. *International Journal of Electrical Power & Energy Systems*, 158, 109932.
- Nimitti, F. G., Giacomini, J. C., & Andrade, A. M. S. S. (2022). Dual-stacked bidirectional boost/buck DC–DC converter. *IEEE Transactions on Industrial Electronics*, 70(9), 8873–8882.
- Pakdeeto, J., Areerak, K-N., Bozhko, S., & Areerak, K-L. (2021). Stabilization of DC microgrid systems using the loop-cancellation technique. *IEEE Journal of Emerging and Selected Topics in Power Electronics*, 9(3), 2652–2663.
- Pakdeeto, J., Chanpittayagit, R., Areerak, K-N., & Areerak, K-L. (2017). The optimal controller design of buck-boost converter by using adaptive tabu search algorithm based on state-space averaging model. *Journal of Electrical Engineering & Technology*, 12(3), 1146–1155.

- Phosung, R., Areerak, K-N., Sopapirm, T., & Areerak, K-L. (2021). Design and optimization of instability mitigation for AC–DC feeder systems with constant power loads using artificial intelligence techniques. *IEEE Transactions on Power Electronics*, 37(5), 5385–5397.
- Phosung, R., Areerak, K-N., & Areerak, K-L. (2024). Improvement in the stability of DC electrical power distribution systems in more electric aircraft. *IEEE Access*, 12, 100908–100920.
- Rahimi, A. M., & Emadi, A. (2008). An analytical investigation of DC/DC power electronic converters with constant power loads in vehicular power systems. *IEEE Transactions on Vehicular Technology*, 58(6), 2689–2702.
- Rahimi, A. M., Williamson, G. A., & Emadi, A. (2009). Loop-cancellation technique: A novel nonlinear feedback to overcome the destabilizing effect of constant-power loads. *IEEE Transactions on Vehicular Technology*, 59(2), 650–661.
- Riccobono, A., & Santi, E. (2012, September). Comprehensive review of stability criteria for DC distribution systems. In *2012 IEEE Energy Conversion Congress and Exposition (ECCE)* (pp. 3917–3925). IEEE.
- Riccobono, A., & Santi, E. (2014). Comprehensive review of stability criteria for DC power distribution systems. *IEEE Transactions on Industry Applications*, 50(5), 3525–3535.
- Sahwal, C. P., Dinh, T. Q., & Sengupta, S. (2022). Controller development of thermal management system for electric bikes. *Energy Reports*, 8, 437–446.
- Saleh, I. M., Ali, R., & Zhang, H. (2016). Simplified mathematical model of proton exchange membrane fuel cell based on Horizon fuel cell stack. *Journal of Modern Power Systems and Clean Energy*, 4(4), 668–679.
- Seesamlee, P., Pakdeeto, J., Suyapan, A., & Areerak, K-N. (2026). Optimal Controller Design for Bidirectional DC-DC converter in Battery Electric Vehicle System using the Adaptive Tabu Search Algorithm. *IEEE Access*.
- Suyapan, A., Areerak, K-N., Bozhko, S., Yeoh, S. S., & Areerak, K-L. (2021). Adaptive stabilization of a permanent magnet synchronous generator-based DC electrical power system in more electric aircraft. *IEEE Transactions on Transportation Electrification*, 7(4), 2965–2975.

- Tremblay, O., & Dessaint, L. A. (2009, September). A generic fuel cell model for the simulation of fuel cell vehicles. In *2009 IEEE Vehicle Power and Propulsion Conference* (pp. 1722–1729). IEEE.
- Tuluhong, A., Xu, Z., Chang, Q., & Song, T. (2025). Recent developments in bidirectional DC–DC converter topologies, control strategies, and applications in photovoltaic power generation systems: A comparative review and analysis. *Electronics*, 14(2), 389.
- Wang, J., Wang, B., Zhang, L., Wang, J., Shchurov, N. I., & Malozyomov, B. V. (2022). Review of bidirectional DC–DC converter topologies for hybrid energy storage system of new energy vehicles. *Green Energy and Intelligent Transportation*, 1(2), 100010.
- Wu, H., Pickert, V., Ma, M., Ji, B., & Zhang, C. (2020). Stability study and nonlinear analysis of DC–DC power converters with constant power loads at the fast timescale. *IEEE Journal of Emerging and Selected Topics in Power Electronics*, 8(4), 3225–3236.
- Xu, H., Wang, L., Liu, Z., Su, H., & Ortega, R. (2025). Online identification of PEMFC polarization curves with nonlinear concentration loss. *IEEE Transactions on Industrial Electronics*, 72(7), 7544–7552.
- Zeng, X., Cao, L., Ye, Y., Loo, K. H., & Huang, X. (2026). Stability Characterization of ADRC-Controlled DAB Converters Supplying Constant Power Loads. *IEEE Journal of Emerging and Selected Topics in Power Electronics*.
- Zhang, Y., Zhang, C., & Cai, X. (2021). Large-signal grid-synchronization stability analysis of PLL-based VSCs using Lyapunov's direct method. *IEEE Transactions on Power Systems*, 37(1), 788–791.