

รายการอ้างอิง

รายการอ้างอิง

- Bao, X. (2018). Urban rail transit present situation and future development trends in China: Overall analysis based on national policies and strategic plans in 2016–2020. *Urban Rail Transit*, 4(1), 1–12. doi: 10.1007/s40864-018-0078-4
- İnaç, H., & Vayvay, Ö. (2018). Risk management in city rail transportation system project: A case study of Istanbul. *International Journal of Innovation Engineering and Science Research*, 2(1), 23–29.
- Mohammadi Pirouz, H., & Hajizadeh, A. (2020). A highly reliable propulsion system with onboard uninterruptible power supply for train application: Topology and control. *Sustainability*, 12(10), 3943. doi: 10.3390/su12103943
- ธนัตชัย กุลวรวานิชพงษ์. (2560). ระบบจ่ายไฟฟ้าสำหรับรถไฟ (Railway Electrification). (พิมพ์ครั้งที่ 1). กรุงเทพฯ: บริษัท จรัสสินทวงศ์การพิมพ์ จำกัด.
- สำนักงานนโยบายและแผนการขนส่งและจราจร. (2565). รายงานแผนแม่บทการพัฒนา ระบบขนส่งมวลชนทางรางในเขตเมือง (M-MAP2). กระทรวงคมนาคม. สืบค้นจาก <https://www.otp.go.th/post/view/1657>
- ปณิตา เผ่าลีนจง, กัณทิมา ภาคภูมิชน, ชิชชีพ บุรีรักษ์, ปาริชาติ เนียะกึ้น, วรรณภา สุวรรณชาติ, ศรัณยา เอี่ยมพงษ์, และ ธเนศ เตชะเสน. (2565). ปัจจัยทางเศรษฐกิจที่มีผลต่อการตัดสินใจใช้บริการรถไฟฟ้า บริษัท ระบบขนส่งมวลชนกรุงเทพ จำกัด (มหาชน) (บีทีเอส) ของประชากรในเขตกรุงเทพมหานคร. *วารสารบริหารธุรกิจ*, 12(1), 13–27.
- ไทยรัฐออนไลน์. (2565, 17 มีนาคม). รถไฟฟ้า BTS – MRT ขัดข้องชั่วคราว เน้นผู้โดยสารเผื่อเวลาวางแผนการเดินทาง. *ไทยรัฐ*. สืบค้นจาก <https://www.thairath.co.th/news/society/2343802>
- เดลินิวส์ออนไลน์. (2568). ผู้ให้บริการทุกรายโปรดทราบ เมื่อรถไฟฟ้าของคุณ "ขัดข้อง". สืบค้นจาก <https://www.dailynews.co.th/articles/1534330/>

บีบีซีไทย. (2561). รถไฟฟ้าบีทีเอส: ปัญหาขัดข้องเกิดจากอะไร?. สืบค้นจาก
<https://www.bbc.com/thai/thailand-44611664>

Chovančíková, N., & Dvořák, Z. (2019). Effect of a power failure on rail transport. *Transportation Research Procedia*, 40, 1297–1303.
 doi: 10.1016/j.trpro.2019.07.179

Haes Alhelou, H., Hamedani-Golshan, M. E., Njenda, T. C., & Siano, P. (2019). A survey on power system blackout and cascading events: Research motivations and challenges. *Energies*, 12(4), 682. doi: 10.3390/en12040682

กรมการขนส่งทางราง. (2563). ระบบการจ่ายไฟฟ้าสำหรับรถไฟ. สืบค้นจาก
<https://www.drt.go.th/library/ระบบการจ่ายไฟฟ้าสำหรับ-2>

กระทรวงคมนาคม. (2568). สถิติอุบัติเหตุระบบรถไฟฟ้าขนส่งมวลชน. สืบค้นจาก
https://datagov.mot.go.th/en/dataset/stat_incident_metro

Yuan, D., Gu, S., Liu, J., Zhang, Y., & Lv, C. (2012). Design and analysis of emergency self-traction system for urban rail transit vehicles. *Energy Procedia*, 20, 81–87. doi: 10.1016/j.egypro.2012.01.094

Xu, X., Sun, X., Zhou, Q., Jiang, X., Hu, D., & He, R. (2018). Design and research on the function of lithium-ion batteries emergency traction system for rail vehicles. *Advances in Mechanical Engineering*, 10(12), 1–21.
 doi: 10.1177/1687814018812296

Tian, Q., Zeng, G., Xu, W., Huang, Z., & Ma, D. (2022). Design of a bi-directional DC-DC converter for high-efficiency emergency self-traction of high-speed railway trains. *Proceedings of the 2022 4th International Conference on Smart Power & Internet Energy Systems (SPIES)* (pp. 281–286). Beijing, China.
 doi: 10.1109/SPIES55999.2022.10082705

Kulworawanichpong, T. (2015). Multi-train modeling and simulation integrated with traction power supply solver using simplified Newton–Raphson method. *Journal of Modern Transportation*, 23, 241–251.
 doi: 10.1007/s40534-015-0086-y

- Alnuman, H., Gladwin, D., & Foster, M. (2018). Electrical modelling of a DC railway system with multiple trains. *Energies*, 11(11), 3211. doi: 10.3390/en11113211
- Liu, X., & Li, K. (2020). Energy storage devices in electrified railway systems: A review. *Transportation Safety and Environment*, 2(3), 183–201. doi: 10.1093/tse/tdaa016
- Zhang, H., Song, M., & Zhang, M. (2016). An energy-efficient optimized control algorithm for urban rail transit system. *Proceedings of the 2016 Chinese Control Conference* (pp. 10222–10226). doi: 10.1109/CHICC.2016.7554972
- Su, S., Tang, T., & Wang, Y. (2016). Evaluation of strategies to reducing traction energy consumption of metro systems using an optimal train control simulation model. *Energies*, 9(2), 105. doi: 10.3390/en9020105
- Mongkoldee, K., Leeton, U., & Kulworawanichpong, T. (2016). Single train movement modelling and simulation with rail potential consideration. *Proceedings of the 2016 IEEE/SICE International Symposium on System Integration* (pp. 7–12). Sapporo, Japan. doi:10.1109/SII.2016.7843967
- Arboleya, P., Mohamed, B., & El-Sayed, I. (2018). DC railway simulation including controllable power electronic and energy storage devices. *IEEE Transactions on Power Systems*, 33(5), 5319–5329. doi: 10.1109/TPWRS.2018.2801023
- Khodaparastan, M., Dutta, O., Saleh, M., & Mohamed, A. A. (2019). Modeling and simulation of DC electric rail transit systems with wayside energy storage. *IEEE Transactions on Vehicular Technology*, 68(3), 2218–2228. doi: 10.1109/TVT.2019.2895026
- Nagaura, Y., Oishi, R., Shimada, M., & Kaneko, T. (2017). Battery-powered drive systems: Latest technologies and outlook. *Hitachi Review*, 66(2), 138–144.
- Hao, F., Zhang, G., Chen, J., Liu, Z., Xu, D., & Wang, Y. (2020). Optimal voltage regulation and power sharing in traction power systems with reversible converters. *IEEE Transactions on Power Systems*, 35(4), 2726–2735. doi: 10.1109/TPWRS.2020.2968108

- Razmjou, S. (2021). A Comprehensive DC Railway Traction System Simulator Based on MATLAB: Tabriz Line 2 Metro Project Case Study. *Journal of Operation and Automation in Power Engineering*, 9(2), 144–159.
doi: 10.22098/joape.2021.8197.1569
- Yu, X., Wang, X., & Qin, Y. (2024). Urban rail system modeling and simulation based on dynamic train density. *Electronics*, 13(5), 853. doi: 10.3390/electronics-13050853
- Wang, K., Ge, Q., & Li, Y. (2014). Analysis and optimized control of emergency traction by storage battery for urban rail transit vehicle. *Proceedings of the 2014 17th International Conference on Electrical Machines and Systems (ICEMS)* (pp. 175–179). Hangzhou, China. doi: 10.1109/ICEMS.2014.7013467
- Gao, J., Ma, R., Qiu, T., Zhu, Y., & Diao, L. (2022). Electric braking energy absorption schemes for emergency self-running EMU under long ramp. *Proceedings of the 5th International Conference on Electrical Engineering and Information Technologies for Rail Transportation (EITRT) 2021, Lecture Notes in Electrical Engineering* (Vol. 864, pp. 263–274). Springer, Singapore. doi: 10.1007/978-981-16-9905-4_22
- Zhu, Y., & Li, Y. (2024). A loss-model-based efficiency optimization control method for induction traction system of high-speed train under emergency self-propelled mode. *CES Transactions on Electrical Machines and Systems*, 8(2), 227–239. doi: 10.30941/CESTEMS.2024.00017
- Wang, J., Huang, D., Hu, Y., Qin, N., & Zhu, Y. (2024). Modeling and SOC estimation of on-board energy storage device for trains under emergency traction. *Journal of Energy Storage*, 100, 113414. doi: 10.1016/j.est.2024.113414
- Wang, J., Hu, Y., Huang, D., Zhang, Y., & Fang, J. (2023). Modeling and estimation of train traction characteristics under emergency traction considering on-board energy storage devices. *Proceedings of the 2023 IEEE 12th Data Driven Control and Learning Systems Conference (DDCLS)* (pp. 350–355). Xiangtan, China. doi: 10.1109/DDCLS58216.2023.10167130

- Yang, X., Huang, D., & Wang, Q. (2024). Dynamic programming based trajectory optimization of electric multiple units during emergency self-rescue. *Proceedings of the 2024 IEEE 13th Data Driven Control and Learning Systems Conference (DDCLS)* (pp. 813–818). Kaifeng, China.
doi: 10.1109/DDCLS61622.2024.10606579
- Kume, Y., Kawatsu, H., & Shimizu, T. (2017). Development of emergency train travel function provided by stationary energy storage system. *Hitachi Review*, 66(2), 66–70.
- Yang, Z., Yang, Z., Xia, H., & Lin, F. (2018). Brake voltage following control of supercapacitor-based energy storage systems in metro considering train operation state. *IEEE Transactions on Industrial Electronics*, 65(8), 6751–6761. doi: 10.1109/TIE.2018.2793184
- Sumpavakup, C., Suwannakijborihan, S., Ratniyomchai, T., & Kulworawanichpong, T. (2018). Peak demand cutting strategy with an on-board energy storage system in mass rapid transit. *Iranian Journal of Science and Technology, Transactions of Electrical Engineering*, 42, 49–62. doi: 10.1007/s40998-018-0048-6
- Meishner, F., & Sauer, D. U. (2019). Wayside energy recovery systems in DC urban railway grids. *eTransportation*, 1, 100001. doi: 10.1016/j.etrans.2019.04.001
- British Standards Institution. (2004). *BS EN 50163:2004 – Railway applications – Supply voltages of traction systems*. London: British Standards Institution.
- Qin, Q., Guo, T., Lin, F., & Yang, Z. (2019). Energy transfer strategy for urban rail transit battery energy storage system to reduce peak power of traction substation. *IEEE Transactions on Vehicular Technology*, 68(12), 11714–11724. doi: 10.1109/TVT.2019.2948766
- Kou, L., Fan, W., & Song, S. (2020). Multi-agent-based modelling and simulation of high-speed train. *Computers & Electrical Engineering*, 86, 106744. doi: 10.1016/j.compeleceng.2020.106744

- Zhu, F., Yang, Z., Lin, F., & Xin, Y. (2020). Decentralized cooperative control of multiple energy storage systems in urban railway based on multiagent deep reinforcement learning. *IEEE Transactions on Power Electronics*, 35(9), 9368–9379. doi: 10.1109/TPEL.2020.2971637
- Yooyong, S., Kulworawanichpong, T., & Ratniyomchai, T. (2021). Energy saving by train-to-train energy-sharing in a DC rapid transit railway system. *Proceedings of the 2021 International Conference on Power, Energy and Innovations (ICPEI)* (pp. 89–92). Nakhon Ratchasima, Thailand. doi: 10.1109/ICPEI52436.2021.9690658
- Cabrane, Z., & Lee, S. H. (2022). Control and management of railway system connected to microgrid stations. *IEEE Access*, 10, 40445–40455. doi: 10.1109/ACCESS.2022.3165832
- Chen, J., Zhao, Y., Wang, M., Wang, K., Huang, Y., & Xu, Z. (2024). Power sharing and storage-based regenerative braking energy utilization for sectioning post in electrified railways. *IEEE Transactions on Transportation Electrification*, 10(2), 2677–2688. doi: 10.1109/TTE.2023.3295089
- Wright, L., & Fjellstrom, K. (2005). *Sustainable Transport: A Sourcebook for Policy-makers in Developing Cities, 3a Module: Mass Transit Options*. Bangkok: GTZ Transport and Mobility Group.
- นคร จันทสร. (2555). *ช่วงรถไฟ ความรู้ทั่วไปด้านวิศวกรรมรถไฟ* (พิมพ์ครั้งที่ 2). กรุงเทพฯ: สำนักงานพัฒนาวิทยาศาสตร์และเทคโนโลยีแห่งชาติ กระทรวงวิทยาศาสตร์และเทคโนโลยี.
- Brenna, M., Foadelli, F., & Zaninelli, D. (2018). *Electrical Railway Transportation Systems*. New Jersey: John Wiley & Sons, Inc.
- Puttipakorn, P., & Upala, P. (2018). Comparative Analysis of Environmental Graphic Design for Wayfinding on the Exit Patterns of Mass Transit Stations. *The Open Transportation Journal*, 12(1), 150–166. doi: 10.2174/18744478018120100150.

- Garre, A. G., & Gabaldon, A. (2019). Analysis, Evaluation and Simulation of Railway Diesel-Electric and Hybrid Units as Distributed Energy Resources. *Applied Sciences*, 9(17). doi: 10.3390/app9173605.
- สำนักงานนโยบายและแผนการขนส่งและจราจร. (2561). มขร S-T-001-256x มาตรฐานการแบ่งประเภททางรถไฟ. ใน มาตรฐานโครงสร้างทางรถไฟ (น.1-1 - 1-4). กรุงเทพฯ: สำนักงานนโยบายและแผนการขนส่งและจราจร.
- National Academy of Sciences, Engineering, and Medicine. (2012). *Maintenance and Storage Facility*. in *Guidebook for Planning and Implementing Automated People Mover Systems at Airports* (pp. 27). Houston: Kimley-Horn and Associates Inc.
- White, R. D. (2011). AC 25kV 50 Hz electrification supply design. in *5th IET Professional Development Course on Railway Electrification Infrastructure and Systems (REIS 2011)*, 92–130. doi: 10.1049/ic.2011.0181
- Siemens. (2020). *DC traction power supply | Rail Electrification | Global*. Retrieved from <https://www.mobility.siemens.com/global/en/portfolio/rail/electrification/dc-traction-power-supply.html>.
- ชัยยุทธ์ สัมภาวะคุปต์. (2560). กลยุทธ์การตัดค่ายอดสำหรับการจัดการพลังงานคืนกลับร่วมกับตัวเก็บประจุไฟฟ้าสองชั้นในรถไฟฟ้ามวลชน (ปริญญานิพนธ์ปริญญาดุษฎีบัณฑิต). นครราชสีมา: มหาวิทยาลัยเทคโนโลยีสุรนารี.
- สมพงษ์ ศิริโสภณศิลป์ วิชารัช สัญญาลักษณ์ฤชัย และวิรัช หิรัญ. (2554). การพัฒนาระบบรถไฟฟ้ามวลชนในประเทศไทย. *Journal of Transportation and Logistics*, 3(1), 11–17. doi: 10.58837/CHULA.TRANSLOG.2011.1.2
- Chymera, M., & Goodman, C. J. (2012). Overview of electric railway systems and the calculation of train performance. *IET Professional Development Course on Electric Traction Systems*. doi: 10.1049/ic.2012.0070
- Nowakowski, W., Olczykowski, Z., & Wojciechowski, J. (2017). Supply railway traffic control devices in case of failure of the power system. *Transport System Telematics*, 10(4), 16–20.

- Triwijaya, S., Pradipta, A., & Wati, T. (2023). Optimization of Alternating Current Power Flow Analysis in Railway Electrical System: A Brief Review. *Proceedings of the International Conference on Railway and Transportation (ICORT 2022)*, 249–257. doi: 10.2991/978-94-6463-126-5_26
- Kile, H., Uhlen, K., Warland, L., & Kjølle, G. (2014). A comparison of AC and DC power flow models for contingency and reliability analysis. *Proceedings of the 2014 Power Systems Computation Conference*, 1–7.
doi: 10.1109/PSCC.2014.7038459
- Chovančíková, N., & Hoterová, K. (2021). Scenario analysis of the impact of a power outage to the transport infrastructure in the selected area. *Transportation Research Procedia*, 55, 1423–1430. doi: 10.1016/j.trpro.2021.07.128
- Fabella, V. M., & Szymczak, S. (2021). Resilience of Railway Transport to Four Types of Natural Hazards: An Analysis of Daily Train Volumes. *Infrastructures*, 6(12), 174. doi: 10.3390/infrastructures6120174
- ABB Switzerland Ltd. (2021). *Lithium-ion battery system for ABB UPS solutions – SDI CE & UL 9540: Reliable, lightweight and compact UPS energy storage for critical applications*. สืบค้นจาก
https://search.abb.com/library/Download.aspx?DocumentID=4NWP107784R0001_EN&LanguageCode=en
- Lin, S., Li, N., Feng, D., Guo, X., Pan, W., Wang, J., & Yang, C. (2020). A preventive opportunistic maintenance method for railway traction power supply system based on equipment reliability. *Railway Engineering Science*, 28, 199–211. doi: 10.1007/s40534-020-00211-0
- Chalkhure, K., Jijankar, S., Dhore, A., Sanganwar, A., & Parihar, V. R. (2017). Regenerative braking system for energy harvesting from railways and vehicles: A review and an approach. *International Journal of Innovative Research in Electrical, Electronics, Instrumentation and Control Engineering*, 5(10), 18–25. doi: 10.17148/IJIREEICE.2017.51004.

- Andrusca, M., Adam, M., Dragomir, A., & Lunca, E. (2021). Innovative integrated solution for monitoring and protection of power supply system from railway infrastructure. *Sensors*, 21(23), 7858. doi: 10.3390/s21237858
- Bai, X., & Chen, J. (2024). Research on safety control technology of high-speed railway combined test based on threatening event analysis. *Railway Sciences*, 6, 731–745. doi: 10.1108/RS-09-2024-0039
- กรมการขนส่งทางราง. (2568). ข้อมูลเหตุขัดข้องของรถไฟฟ้าในเมืองและชานเมือง. สืบค้นจาก https://drt.gdcatalog.go.th/dataset/drt2565_06
- คมชัดลึกออนไลน์. (2568). อัปเดตวันนี้ (31 มี.ค. 68) รถไฟฟ้า “สายสีชมพู” เปิดให้บริการ ตั้งแต่วันที่ 06.00 น. สืบค้นจาก <https://www.komchadluek.net/news/general-news/600048>
- Miao, Y., Hynan, P., Jouanne, A. V., & Yokochi, A. (2019). Current Li-Ion battery technologies in electric vehicles and opportunities for advancements. *Energies*, 12(6), 1074. doi: 10.3390/en12061074
- Rechard, G., & Gouttefangeas, R. (2017). Recovering energy from train braking for traction and grid use. *Energy Procedia*, 143, 61–66. doi: 10.1016/j.egypro.2017.12.648
- Alfieri, L., Iannuzzi, D., Mottola, F., Pagano, M., & Roscia, M. (2018). Battery-based energy storage systems for catenary-free electric trains. *Proceedings of the 2018 IEEE International Conference on Electrical Systems for Aircraft, Railway, Ship Propulsion and Road Vehicles & International Transportation Electrification Conference (ESARS-ITEC)*. doi: 10.1109/ESARS-ITEC.2018.8607588
- Abad, G. (2016). *Power Electronics and Electric Drives for Traction Applications*. New Jersey: John Wiley & Sons, Inc.
- Kale, S. (2019). DC to DC Converters and Its Application for Railway System – A Review. *International Journal of Electrical Engineering & Technology*, 10(4), 13–21. doi: 10.34218/IJEET.10.4.2019.002

- Ghaviha, N., Campillo, J., Bohlin, M., & Dahlquist, E. (2017). Review of application of energy storage devices in railway transportation. *Proceedings of the 8th International Conference on Applied Energy (ICAE 2016)*, 105(pp. 4561–4568). doi: 10.1016/j.egypro.2017.03.980
- Khodaparastan, M., Mohamed, A. A., & Brandauer, W. (2019). Recuperation of regenerative braking energy in electric rail transit systems. *IEEE Transactions on Intelligent Transportation Systems*, 20(8), 2831–2847. doi: 10.1109/TITS.2018.2886809
- Gorji, S. A., Sahebi, H. G., Ektesabi, M., & Rad, A. B. (2019). Topologies and control schemes of bidirectional DC–DC power converters: An overview. *IEEE Access*, 7, 117997–118019. doi: 10.1109/ACCESS.2019.2937239
- Garcia, O., Zumel, P., De Castro, A., & Cobos, J. A. (2006). Automotive DC–DC bidirectional converter made with many interleaved buck stages. *IEEE Transactions on Power Electronics*, 21(3), 578–586. doi: 10.1109/TPEL.2006.872379
- Kan, J., Wu, Y., Tang, Y., Zhang, B., & Zhang, Z. (2016). Dual active full-bridge bidirectional converter for V2G charger based on high-frequency AC buck-boost control strategy. *Proceedings of the 2016 IEEE Transportation Electrification Conference and Expo, Asia-Pacific (ITEC Asia-Pacific)* (pp. 46–50). doi: 10.1109/ITEC-AP.2016.7512920
- Park, S. & Song, Y. (2011). An interleaved half-bridge bidirectional dc–dc converter for energy storage system applications. *Proceedings of the 2011 International Conference on Power Electronics (ICPE)*. doi: 10.1109/ICPE.2011.5944485
- Battistelli, L., Fantauzzi, M., Iannuzzi, D., & Lauria, D. (2012). Energy management of electrified mass transit systems with energy storage devices. *Proceedings of the International Symposium on Power Electronics, Electrical Drives, Automation and Motion (SPEEDAM 2012)* (pp. 1172–1177). doi: 10.1109/SPEEDAM.2012.6264499

- González-Gil, A., Palacin, R., & Batty, P. (2013). Sustainable urban rail systems: Strategies and technologies for optimal management of regenerative braking energy. *Energy Conversion and Management*, 75, 374–388.
doi: 10.1016/j.enconman.2013.06.039
- Barrero, R., Tackoen, X., & Van Mierlo, J. (2008). Improving energy efficiency in public transport: Stationary supercapacitor based energy storage systems for a metro network. *Proceedings of the 2008 IEEE Vehicle Power and Propulsion Conference (VPPC 2008)* (pp. 75–388). doi: 10.1109/VPPC.2008.4677491
- Camara, M. B., Gualous, H., Gustin, F., Berthon, A., & Dakyo, B. (2010). DC/DC converter design for supercapacitor and battery power management in hybrid vehicle applications: Polynomial control strategy. *IEEE Transactions on Industrial Electronics*, 57(2), 587–597. doi: 10.1109/TIE.2009.2025283
- Rashid, H. M. (2018). *Power Electronics Handbook* (3rd ed.). Oxford: Butterworth-Heinemann.
- Lin, F., Li, X., Zhao, Y., & Yang, Z. (2016). Control strategies with dynamic threshold adjustment for supercapacitor energy storage system considering the train and substation characteristics in urban rail transit. *Energies*, 9(4).
doi: 10.3390/en9040257
- Song, Y., Lu, B., Ji, X., & Zhang, J. (2012). Diffusion induced stresses in cylindrical lithium-ion batteries: Analytical solutions and design insights. *Journal of The Electrochemical Society*, 159(12), A2060. doi: 10.1149/2.079212jes
- Tran, M.-K., DaCosta, A., Mevawalla, A., Panchal, S., & Fowler, M. (2021). Comparative study of equivalent circuit models performance in four common lithium-ion batteries: LFP, NMC, LMO, NCA. *Batteries*, 7(3), 51.
doi: 10.3390/batteries7030051
- Kang, H. (2020). The application analysis of electrochemical energy storage technology in new energy power generation side. *IOP Conference Series: Earth and Environmental Science*, 558(5). doi: 10.1088/17551315/558/5/052018

Bachmann, I. (2017). *Batteries in a portable world* (4th ed.). British Columbia: Cadex Electronics Inc.

สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม. (2558). *มาตรฐานผลิตภัณฑ์อุตสาหกรรมเซลล์และแบตเตอรี่ทุติยภูมิที่มีอิเล็กโทรไลต์แอลคาไลน์หรืออิเล็กโทรไลต์อื่นที่ไม่ใช้กรดสำหรับการใช้งานแบบพกพาเฉพาะด้านความปลอดภัย* (มอก. 2217-2548). กรุงเทพฯ: กระทรวงอุตสาหกรรม.

Mun, S. C., & Won, J. H. (2021). Manufacturing processes of microporous polyolefin separators for lithium-ion batteries and correlations between mechanical and physical properties. *Crystals*, 11(9), 1013. doi: 10.3390/cryst11091013

iGet Solar Cell. (n.d.). *Li-Ion 18650 2600mAh 5C 13A*. Retrieved from <https://www.igetsolarcell.com/product/107/li-ion-18650-2600mah-5c-13a>

A123systems. (2024). *Cell applications*. Retrieved from <http://www.a123systems.com/automotive/products/cells/>

Samsung SDI. (n.d.). *Business areas*. Retrieved from <https://www.samsungsdi.com/business/index.html>

A123systems. (n.d.). *48V product*. Retrieved from <https://www.a123systems.com/Product/48V.html>

Meishner, F., Ünlübayir, C., & Sauer, D. U. (2022). Model-based investigation of an uncontrolled LTO wayside energy storage system in a 750 V tram grid. *Applied Energy*, 331, 120337. doi: 10.1016/j.apenergy.2022.120337

Toshiba Corporation. (n.d.). *High-energy type cells*. Retrieved from <https://www.global.toshiba/ww/products-solutions/battery/scib/product-next/product/cell/high-energy.html>

Fedele, E., Iannuzzi, D., Tricoli, P., & Del Pizzo, A. (2021). Onboard energy storage in rail transport: Review of real applications and techno-economic assessments. *IET Electrical Systems in Transportation*, 11(4), 279–309. doi: 10.1049/ELS2.12026

- GS Yuasa Corporation. (2014). *System utilizing industrial-use lithium-ion battery module LIM30H-8A installed in the new EV-E301 series developed by East Japan Railway Company*. Retrieved from https://www.gs-yuasa.com/en/newsrelease/article.php?ucode=gs151007580509_154
- Microvast Holdings, Inc. (2025). *Lithium-ion battery solutions*. Retrieved from <https://microvast.com/batteries/>
- เกษม อุทัยไฟฟ้า และสุภนันท์ ตันวรรณรักษ์. (2559). แบบจำลองทั่วไปของเซลล์แบตเตอรี่ชนิดลิเทียมไอออนด้วยโปรแกรมจำลอง PSIM. *วารสารวิชาการ มหาวิทยาลัยหอการค้าไทย วิทยาศาสตร์และเทคโนโลยี*, 3(21), 17-27.
- Okedu, K. E. (2022). *Management and Applications of Energy Storage Devices*. doi: 10.5772/intechopen.94655
- Zhang, J., Wu, M., & Liu, Q. (2017). A Novel Power Flow Algorithm for Traction Power Supply Systems Based on the Thevenin Equivalent. *Energies*, 11(1), 126. doi : 10.3390/en11010126
- Jobsoongnern, C., Ratniyomchai, T., & Kulworawanichpong, T. (2020). Energy Consumption Study of Rapid Charging of Catenary Free Light Rail Transit. *Proceedings of the 2020 International Conference on Power, Energy and Innovations (ICPEI)* (pp. 13–16). Chiangmai, Thailand. doi: 10.1109/ICPEI49860.2020.9431573
- Radu, P. V., Lewandowski, M., & Szelag, A. (2020). On-board and wayside energy storage devices applications in urban transport systems—Case study analysis for power applications. *Energies*, 13(8), 2013. doi:10.3390/en13082013