

REFERENCES

REFERENCES

- Abelev, B. and ALICE Collaboration (2014). Technical design report for the upgrade of the alice inner tracking system. *Journal of Physics G: Nuclear and Particle Physics*, 41(8), 087002.
- Aglieri Rinella, G. (2017). The ALPIDE pixel sensor chip for the upgrade of the alice inner tracking system. *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 845, 583–587.
- Agostinelli, S., Allison, J., Amako, K., Apostolakis, J., Araujo, H., Arce, P., Asai, M., Axen, D., Banerjee, S., Barrand, G., Behner, F., Bellagamba, L., Boudreau, J., Broglia, L., Brunengo, A., et al. (2003). Geant4—a simulation toolkit. *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 506(3), 250–303.
- ALICE Collaboration (2008). The alice experiment at the cern lhc. *Journal of Instrumentation*, 3, S08002.
- ALICE Collaboration (2012). Upgrade of the inner tracking system conceptual design report. *Technical Reports, CERN-LHCC(LHCC-P-005)*.
- ALICE Collaboration (2014). Technical design report for the upgrade of the alice inner tracking system. *Journal of Physics G: Nuclear and Particle Physics*, 41.
- Alme, J., Barnaföldi, G., Barthel, R., Borshchov, V., Bodova, T., Brink, A., Brons, S., Chaar, M., Eikeland, V., Feoflov, G., Genov, G., Grimstad, S., Grøttvik, O., Helstrup, H., Herland, A., et al. (2020). A high-granularity digital tracking calorimeter optimized for proton CT. *Frontiers in Physics*, 8, 460.
- Aplin, S., Engels, J., Gaede, F., Graf, N., Johnson, T., and McCormick, J. (2012). LCIO: A persistency framework and event data model for HEP. *2012 IEEE Nuclear Science Symposium and Medical Imaging Conference Record (NSS/MIC)*, 2075–2079.
- Bethe, H. (1930). Zur theorie des durchgangs schneller korpuskularstrahlen durch materie. *Annalen der Physik*, 397(3), 325–400.

- Bloch, F. (1933). Zur bremsung rasch bewegter teilchen beim durchgang durch materie. *Annalen der Physik*, 408(3), 285–320.
- Bohr, N. (1915). Lx. on the decrease of velocity of swiftly moving electrified particles in passing through matter. *Philosophical Magazine Series 1*, 30(178), 581–612.
- Box, G. E. P. and Muller, M. E. (1958). A Note on the Generation of Random Normal Deviates. *The Annals of Mathematical Statistics*, 29(2), 610–611.
- Braccini, S., Ereditato, A., Kreslo, I., Moser, U., Pistillo, C., Studer, S., Scampoli, P., Coray, A., and Pedroni, E. (2010). First results on proton radiography with nuclear emulsion detectors. *Journal of Instrumentation*, 5(09), P09001.
- Bragg, W. H. and Kleeman, R. (1905). On the α particles of radium, and their loss of range in passing through various atoms and molecules. *Philosophical Magazine Series 1*, 10(57), 318–340.
- Britannica The Editors of Encyclopaedia (2024). Cyclotron. *Encyclopedia Britannica*, <https://www.britannica.com/technology/cyclotron>.
- Brun, R. and Rademakers, F. (1997). ROOT—An object oriented data analysis framework. *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 389(1), 81–86.
- CMS (2010). Measurement of tracking efficiency. *CMS Physics Analysis Summary - preliminary results*, CMS-PAS-TRK-10-002(CMS-PAS-TRK-10-002).
- Cormack, A. M. and Koehler, A. M. (1976). Quantitative proton tomography: preliminary experiments. *Physics in Medicine & Biology*, 21(4), 560.
- Cussans, D. (2009). Description of the jra1 trigger logic unit (TLU), v0.2c. *EUDET-Memo-2007-02*.
- Dannheim, D., Dort, K., Huth, L., Hynds, D., Kremastiotis, I., Kröger, J., Munker, M., Pitters, F., Schütze, P., Spannagel, S., Vanat, T., and Williams, M. (2021). Corryvreckan: a modular 4D track reconstruction and analysis software for test beam data. *Journal of Instrumentation*, 16(3), P03008.

- Dorokhov, A., Bertolone, G., Baudot, J., Colledani, C., Claus, G., Degerli, Y., Masi, R. D., Deveaux, M., Dozière, G., Dulinski, W., Gélin, M., Goffe, M., Himmi, A., Hu-Guo, C., and Jaaskelainen, K. (2011). High resistivity cmos pixel sensors and their application to the star pxl detector. *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 650(1), 174–177.
- Durante, M. and Stöcker, H. (2012). Relativistic protons for image-guided stereotactic radiosurgery. *Journal of Physics: Conference Series*, 373(1), 012016.
- Giacometti, V., Bashkirov, V. A., Piersimoni, P., Guatelli, S., Plautz, T. E., Sadrozinski, H. F.-W., Johnson, R. P., Zatserklyaniy, A., Tessonier, T., Parodi, K., Rosenfeld, A. B., and Schulte, R. W. (2017). Software platform for simulation of a prototype proton ct scanner. *Medical Physics*, 44(3), 1002–1016.
- Gottschalk, B. (2010). On the scattering power of radiotherapy protons. *Medical physics*, 37, 352–367.
- Greiner, L., Anderssen, E., Matis, H., Ritter, H., Schambach, J., Silber, J., Stezelberger, T., Sun, X., Szelezniak, M., Thomas, J., et al. (2011). A maps based vertex detector for the STAR experiment at RHIC. *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 650(1), 68–72.
- Haas, T. (2006). A pixel telescope for detector R&D for an international linear collider. *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 569(1), 53–56.
- Hanson, K. (1979). Proton computed tomography. *IEEE Transactions on Nuclear Science*, 26, 1635–1640.
- Hanson, K. M., Bradbury, J. N., Cannon, T. M., Hutson, R. L., Laubacher, D. B., Macek, R. J., Paciotti, M. A., and Taylor, C. A. (1981). Computed tomography using proton energy loss. *Physics in Medicine & Biology*, 26(6), 965.
- Hanson, K. M., Bradbury, J. N., Koeppe, R. A., Macek, R. J., Machen, D. R., Morgado, R., Paciotti, M. A., Sandford, S. A., and Steward, V. W. (1982). Proton computed tomography of human specimens. *Physics in Medicine & Biology*, 27(1), 25.

- Highland, V. L. (1975). Some practical remarks on multiple scattering. *Nuclear Instruments and Methods*, 129(2), 497–499.
- Hong, L., Goitein, M., Bucciolini, M., Comiskey, R., Gottschalk, B., Rosenthal, S., Serago, C., and Urie, M. (1996). A pencil beam algorithm for proton dose calculations. *Physics in Medicine & Biology*, 41(8), 1305.
- Hu-Guo, C., Baudot, J., Bertolone, G., Besson, A., Brogna, A., Colledani, C., Claus, G., De Masi, R., Degerli, Y., Dorokhov, A., Doziere, G., Dulinski, W., Fang, X., Gelin, M., Goffe, M., et al. (2010). First reticule size maps with digital output and integrated zero suppression for the eudet-jra1 beam telescope. *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 623(1), 480–482.
- International Commission on Radiation Units and Measurements (1993). Stopping powers and ranges for protons and alpha particles. *International Commission on Radiation Units and Measurements, ICRU-49*(TRN:94), 014557.
- Jan, S., Santin, G., Strul, D., Staelens, S., Assié, K., Autret, D., Avner, S., Barbier, R., Bardiès, M., Bloomfield, P. M., Brasse, D., Breton, V., Bruyndonckx, P., Buvat, I., Chatziioannou, A. F., et al. (2004). GATE: a simulation toolkit for PET and SPECT. *Physics in Medicine & Biology*, 49(19), 4543–4561.
- Jansen, H., Spannagel, S., Bulgheroni, A., Claus, G., Corrin, E., Cussans, D., Dreyling-Eschweiler, J., Eckstein, D., Eichhorn, T., Goffe, M., Gregor, I., Haas, D., Muhl, C., Perrey, H., Peschke, R., and others. (2016). Performance of the EUDET-type beam telescopes. *EPJ Techniques and Instrumentation*, 3, 1–20.
- Kaewjai, J., Kobdaj, C., and Kittimanapun, K. (2019). Upgrade of pixel sensor telescope for the characterization of ALPIDE sensor. *Journal of Physics: Conference Series*, 1380(1), 012126.
- Kittimanapun, K., Chanlek, N., Juntong, N., Cheedket, S., Klysubun, P., Krainara, S., Sittisard, K., and Supajeerapan, S. (2017). Improvement of electron intensity reduction system at SLRI beam test facility. *International Particle Accelerator Conference*, 528.

- Koch, N. C. and Newhauser, W. D. (2010). Development and verification of an analytical algorithm to predict absorbed dose distributions in ocular proton therapy using monte carlo simulations. *Physics in Medicine & Biology*, 55(3), 833.
- Kofarago, M. (2015). Upgrade of the inner tracking system of alice. *Proceeding of science, VERTEX2015*, 009.
- Landau, L. D. (1944). On the energy loss of fast particles by ionization. *Journal of physics*, 8, 201–205.
- Leo, W. R. (1994). Techniques for nuclear and particle physics experiments: a how-to approach. *Springer*, <https://books.google.co.th/books?id=W7vHQgAACAAJ>.
- Leo, W. R. and Haase, D. G. (1990). Techniques for nuclear and particle physics experiments. *American Journal of Physics*, 58(01), 1216–1217.
- Li, T., Liang, Z., Singanallur, J., Satogata, T., Williams, D., and Schulte, R. (2006). Reconstruction for proton computed tomography by tracing proton trajectories: A monte carlo study. *Medical physics*, 33, 699–706.
- Mager, M. (2016). ALPIDE, the monolithic active pixel sensor for the ALICE ITS upgrade. *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 824, 434–438.
- Mager, M. and ALICE Collaboration (2022). Noise performance of the ALPIDE-based ALICE inner tracking system. *Journal of Physics Conference Series*, 2374, 012062.
- Maxim, V., Franduş, M., and Prost, R. (2009). Analytical inversion of the compton transform using the full set of available projections. *Inverse Problems*, 25(9), 095001.
- McKinney, W. (2010). Data structures for statistical computing in python. *SciPy*, 445, 56–61.
- Naimuddin, M., Coutrakon, G., Blazey, G., Boi, S., Dyshkant, A., Erdelyi, B., Hedin, D., Johnson, E., Krider, J., Rukalin, V., Uzunyan, S., Zutshi, V., Fordt, R., Sellberg, G., Rauch, J., et al. (2016). Development of a proton computed tomography detector system. *Journal of Instrumentation*, 11(02), C02012.

- Newhauser, W. D. and Zhang, R. (2015). The physics of proton therapy. *Physics in Medicine & Biology*, 60(8), R155.
- Pedroni, E., Scheib, S., Böhringer, T., Coray, A., Grossmann, M., Lin, S., and Lomax, A. (2005). Experimental characterization and physical modelling of the dose distribution of scanned proton pencil beams. *Physics in Medicine & Biology*, 5(3), 541.
- Pettersen, H. E. S., Meric, I., Odland, O. H., Shafiee, H., Sølve, J. R., and Röhrich, D. (2020). Proton tracking algorithm in a pixel-based range telescope for proton computed tomography. *arXiv preprint arXiv:2006.09751*.
- Poludniowski, G., Allinson, N. M., Anaxagoras, T., Esposito, M., Green, S., Manolopoulos, S., Nieto-Camero, J., Parker, D. J., Price, T., and Evans, P. M. (2014). Proton-counting radiography for proton therapy: a proof of principle using CMOS APS technology. *Physics in Medicine & Biology*, 59, 2569–2581.
- Presti, D. L., Bonanno, D., Longhitano, F., Pugliatti, C., Aiello, S., Cirrone, G. A. P., Giordano, V., Leonora, E., Randazzo, N., Romano, F., Russo, G. V., Sipala, V., Stancampiano, C., and Ventura, C. (2014). A real-time, large area, high space resolution particle radiography system. *Journal of Instrumentation*, 9(06), C06012.
- Sadrozinski, H.-W., Johnson, R., Macafee, S., Plumb, A., Steinberg, D., Zatserklyaniy, A., Bashkurov, V., Hurley, R., and Schulte, R. (2013). Development of a head scanner for proton CT. *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 699, 205–210.
- Saraya, Y., Izumikawa, T., Goto, J., Kawasaki, T., and Kimura, T. (2014). Study of spatial resolution of proton computed tomography using a silicon strip detector. *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 735, 485–489.
- Satz, H. (2011). The quark-gluon plasma: A short introduction. *Nuclear Physics A*, A862-863(BI-TP-2011-02), 4–12.
- Scaringella, M., Bruzzi, M., Bucciolini, M., Carpinelli, M., Cirrone, G. A. P., Civinini, C., Cuttone, G., Presti, D. L., Pallotta, S., Pugliatti, C., Randazzo, N., Romano, F., Sipala, V., Stancampiano, C., Talamonti, C., et al. (2014). A proton computed tomography based medical imaging system. *Journal of Instrumentation*, 9(12), C12009.

- Schaffner, B. (2008). Proton dose calculation based on in-air fluence measurements. *Physics in Medicine & Biology*, 53(6), 1545.
- Schambach, J., Anderssen, E., Contin, G., Greiner, L., Silber, J., Stezelberger, T., Sun, X., Szelezniak, M., Videbaek, F., Vu, C., et al. (2015). A MAPS based micro-vertex detector for the STAR experiment. *Physics Procedia*, 66, 514–519.
- Schneider, U. and Pedroni, E. (1994). Multiple coulomb scattering and spatial resolution in proton radiography. *Medical Physics*, 21(11), 1657-1663.
- Schneider, U., Pedroni, E., and Lomax, A. (1996). The calibration of ct hounsfield units for radiotherapy treatment planning. *Physics in Medicine & Biology*, 41(1), 11.
- Schulte, R., Bashkirov, V., Klock, M., Li, T., Wroe, A., Evseev, I., C Williams, D., and Satogata, T. (2005a). Density resolution of proton computed tomography. *American Association of Physicists in Medicine*, 32, 1035–1046.
- Schulte, R., Bashkirov, V., Li, T., Liang, Z., Mueller, K., Heimann, J., Johnson, L., Keeney, B., Sadrozinski, H.-W., Seiden, A., Williams, D., Zhang, L., Li, Z., Peggs, S., Satogata, T., et al. (2004). Conceptual design of a proton computed tomography system for applications in proton radiation therapy. *IEEE Transactions on Nuclear Science*, 51(3), 866–872.
- Schulte, R. W., Bashkirov, V., Loss Klock, M. C., Li, T., Wroe, A. J., Evseev, I., Williams, D. C., and Satogata, T. (2005b). Density resolution of proton computed tomography. *Medical Physics*, 32(4), 1035–1046.
- Schulte, R. W., Penfold, S. N., Tafas, J. T., and Schubert, K. E. (2008). A maximum likelihood proton path formalism for application in proton computed tomography. *Medical Physics*, 35(11), 4849–4856.
- Spannagel, S. (2016). Test beam measurements for the upgrade of the cms pixel detector and measurement of the top quark mass from differential cross sections. *Doctoral dissertation (DESY), CMS-TS-2016-010(CERN-THESIS-2016-059)*, 275.
- Strandlie, A. and Frühwirth, R. (2010). Track and vertex reconstruction: From classical to adaptive methods. *Reviews of modern physics*, 82(2), 1419.

- Taylor, J., Allport, P., Casse, G., Smith, N., Tsurin, I., Allinson, N., Esposito, M., Kacperek, A., Nieto-Camero, J., Price, T., et al. (2015). Proton tracking for medical imaging and dosimetry. *Journal of Instrumentation*, 10(02), C02015.
- Uzunyan, S. A., Blazey, G., Boi, S., Coutrakon, G., Dyshkant, A., Erdelyi, B., Hedin, D., Johnson, E., Krider, J., Rykalin, V., Zutshi, V., Ford, R., Sellberg, G., Rauch, J. . E., Roman, M., et al. (2016). A new proton CT scanner. *arXiv:1409.0049*.
- Vavilov, P. (1957). Ionization losses of high-energy heavy particles. *Journal of Experimental and Theoretical Physics*, 5.
- Weber, Uli, Kraft, and Gerhard (2009). Comparison of carbon ions versus protons. *The Cancer Journal: The Journal of Principles & Practice of Oncology*, 15, 325–32.
- Williams, D. C. (2004). The most likely path of an energetic charged particle through a uniform medium. *Physics in Medicine & Biology*, 49(13), 2899.
- Xilinx (2017). Basys 3 reference manual. <https://digilent.com/reference/programmable-logic/basys-3/reference-manual>.
- Yang, C., Feng, C., Liu, J., Teng, Y., Liu, S., An, Q., Sun, X., and Yang, P. (2019). A prototype readout system for the ALPIDE pixel sensor. *IEEE Transactions on Nuclear Science*, 66(7), 1088–1094.
- Zygmanski, P., Gall, K. P., Rabin, M. S. Z., and Rosenthal, S. J. (2000). The measurement of proton stopping power using proton-cone-beam computed tomography. *Physics in Medicine & Biology*, 45(2), 511.