

REFERENCES

REFERENCES

- Agirseven, O., Rivella, Jr. D. T., Haggerty, J. E. S., Berry, P. O., Diffendaffer, K., Patterson, A., Krebs, J., Mangum, J. S., Gorman, B. P., Perkins, J. D., Chen, B. R., Schelhas, L. T., and Tate, J. (2020). Crystallization of TiO₂ polymorphs from RF-sputtered, amorphous thin-film precursors. *AIP Advances* 10, 025109.
- Berghuis, W. J. H., Melskens, J., Macco, B., Basuvalingam, S. B., Verheijen, M. A., and Kessels, W. M. M. (2020). Atomic layer deposition of Nb-doped TiO₂: Dopant incorporation and effect of annealing. *Journal of Vacuum Science & Technology. A. Vacuum, Surfaces, and Films*, 38(2).
- Bharti, B., Kumar, S., Lee, H. N., and Kumar, R. (2016). Formation of oxygen vacancies and Ti³⁺ state in TiO₂ thin film and enhanced optical properties by air plasma treatment. *Scientific Reports*, 6(1).
- Boonkoom, T., Tantisantisom, K., and Manyam, J. (2015). Study of structural properties of N-doped ZnO thin film prepared by reactive gas-timing RF magnetron sputtering. *Advanced Materials Research*, 1131, 8-11.
- Braem, A., David, C., and Joram, C. (2005). Metal multi-dielectric mirror coatings for Cherenkov detectors. *Nuclear Instruments and Methods in Physics Research A*, 553, 182–186.
- Braeuer, G., Szyszka, B., Vergoehl, M., and Bandorf, R.. (2010). Magnetron sputtering – Milestones of 30 years. *Vacuum*, 84, 1354–1359.
- Carta, D., Mountjoy, G., Regoutz, A., Khat, A., Serb, A., and Prodromakis, T. (2015). X-ray Absorption Spectroscopy Study of TiO_{2-x} Thin Films for Memory Applications. *Journal of Physical Chemistry. C*, 119(8), 4362–4370.
- Choi, H. C., Jung, Y. M., and Kim, S. B. (2005). Size effects in the Raman spectra of TiO₂ nanoparticles. *Vibrational Spectroscopy*, 37(1), 33–38.

- Chittinan, D., Buranasiri, P., Lertvanithphol, T., Eiamchai, P., Tantiwanichapan, K., Sathukarn, A., Limwichean, S., Klamchuen, A., Wutikhun, T., Limsuwan, P., Nakajima, H., Phae-Ngam, W., Triamnak, N., and Horprathum, M. (2023). Tailoring the structural and optical properties of fabricated TiO₂ thin films by O₂ duty cycle in reactive gas-timing magnetron sputtering. *Vacuum*, 214, 112205.
- Dou, W., Wang, P., Zhang, D., and Yu, J. (2016). An efficient way to prepare hydrophobic antireflective SiO₂ film by sol–gel method. *Materials Letters*, 167, 69–72.
- Dubey, R. S., and Ganesan, V. (2017). Fabrication and characterization of TiO₂/SiO₂ based Bragg reflectors for light trapping applications. *Results in Physics*, 7, 2271–2276.
- El-Deen, S. S., Hashem, A. M., Abdel Ghany, A. E., Indris, E., Ehrenberg, H., Mauger, A. and Julien, C. M. (2018). Anatase TiO₂ nanoparticles for lithium-ion batteries. *Ionics*, 24, 2925–2934.
- Esch, T. R., Gadaczek, I., and Bredow, T. (2014). Surface structures and thermodynamics of low-index of rutile, brookite and anatase -A comparative DFT study. *Applied Surface Science*, 288, 275– 287.
- Fan, C., Chen, C., Wang, J., Fu, X., Ren, Z., Qian, G., and Wang, Z. (2015). Black Hydroxylated Titanium Dioxide Prepared via Ultrasonication with Enhanced Photocatalytic Activity. *Scientific Reports*, 5, 11712.
- Fedulova, E. (2016). *Development of dielectric multilayer coating for ultrafast oscillator*. Ph.D. Dissertation, Ludwig Maximilian University of Munich, Germany.
- Fracchia, M., Ghigna, P., Minguzzi, A., Vertova, A., Turco, F., Cerrato, G., and Meroni, D. (2020). Role of Synthetic Parameters on the Structural and Optical Properties of N,Sn-copromoted Nanostructured TiO₂: A Combined Ti K-edge and Sn L2,3-edges X-ray Absorption Investigation. *Nanomaterials*, 10, 1224.
- Fujiyama, H., Sumomogi, T., and Endo, T. (2002). Effect of O₂ gas partial pressure on mechanical properties of SiO₂ films deposited by radio frequency magnetron sputtering. *Journal of Vacuum Science & Technology A*, 20, 356-361.
- Ghamsari, M. S., Radiman, S., AzmiAbdulHamid, M., Mahshid, S., and Rahmani, Sh. (2013). Room temperature synthesis of highly crystalline TiO₂ nanoparticles. *Materials Letters*, 92, 287–290.

- Gonçalves, D., and Irene, E. A. (2002). Fundamentals and applications of spectroscopic ellipsometry. *Química Nova*, 5, 794-800.
- Gracia, F., Yubero, F., Holgado, J. P., Espinos, J. P., Gonzalez-Elipe, A. R., and Girardeau, T. (2006). SiO₂/TiO₂ thin films with variable refractive index prepared by ion beam induced and plasma enhanced chemical vapor deposition. *Thin Solid Films*, 500, 19-26.
- Grayeli Korpi, A. R., Rezaee, S., Luna, C., Talu, S., Arman, A., and Ahmadpourian, A. (2017). Influence of the oxygen partial pressure on the growth and optical properties of RF-sputtered anatase TiO₂ thin films. *Results in Physics*, 7, 3349–3352.
- Gnaser, H., Lösch, J., Orendorz, A., and Ziegler, C. (2011). Temperature-dependent grain growth and phase transformation in mixed anatase-rutile nanocrystalline TiO₂ films. *physica status solidi (a)*, 208(7), 1635-1640.
- Guillén, E., Krause, M., Heras, I., Rincón-Llorente, G., and Escobar-Galindo, R.. (2021). Tailoring Crystalline Structure of Titanium Oxide Films for Optical Applications Using Non-Biased Filtered Cathodic Vacuum Arc Deposition at Room Temperature. *Coatings*, 11, 233, 1-16.
- Han, K., and Kim, J. H. (2011). Fabrication of TiO₂/SiO₂ multilayer film structure by the sol-gel process with efficient thermal treatment methods. *Applied Surface Science*, 263, 69-72.
- Han, K., and Kim, J. H. (2011). Reflectance modulation of transparent multilayer thin films for energy efficient window applications. *Materials Letters*, 65, 2466–2469.
- Hilfiker, J. N., Pribil, G. K., Synowicki, R., Martin, A. C., and Hale, J. S. (2019). Spectroscopic ellipsometry characterization of multilayer optical coatings. *Surface & Coatings Technology*, 357, 114-121.
- Hou, L., Zhang, M., Guan, Z., Li, Q., and Yang, J. (2018). Effect of annealing ambience on the formation of surface/bulk oxygen vacancies in TiO₂ for photocatalytic hydrogen evolution. *Applied Surface Science*, 428, 640-647

- Jasinski, J., Lubas, M., Suchorab, K., Gawda, M., Kurpaska, L., Brykala, M., Kosinska, A., Sitarz, M., and Jagielski, J. (2022). Qualitative and semi-quantitative phase analysis of TiO₂ thin layers by Raman imaging. *Journal of Molecular Structure*, 1260, 132803.
- Jeong, S. H., Kim, J. K., Kim, B. S., Shim, S. H., and Lee, B. T. (2004). Characterization of SiO₂ and TiO₂ films prepared using rf magnetron sputtering and their application to anti-reflection coating. *Vacuum*, 76, 507-515.
- Jia, J., Yamamoto, H., Okajima, T., and Shigesato, Y. (2016). On the Crystal Structural Control of Sputtered TiO₂ Thin Films. *Nanoscale Research Letters*, 11(1).
- Jia, T., Zhang, J., Wua, J., Wanga, D., Liu, Q., Qi, Y., Hue, B., He, P., Pan, W., and Qi, X. (2020). Synthesis amorphous TiO₂ with oxygen vacancy as carriers transport channels for enhancing photocatalytic activity. *Materials Letters*, 265, 127465.
- Jin, F., Zhang, X., Wei, M., and Ma, Y. (2019). Effects of defects on the electronic and optical properties of TiO₂ nanosheet. *Electronic Structure*, 044002.
- Kang, M., Kim, S. W., and Park, H. Y. (2018). Optical properties of TiO₂ thin films with crystal structure. *Journal of Physics and Chemistry of Solids*, 123, 266-270.
- Karlsson, S., Bäck, L. G., Kidkhunthod, P., Lundstedt, K., and Wondraczek, L. (2016). Effect of TiO₂ on optical properties of glasses in the soda-lime-silicate system. *OPTICAL MATERIALS EXPRESS*, 1198.
- Kavaliunas, V., Sestakauskaitė, A., Sriubas, M., and Laukaitis, G. (2019). Influence of Deposition Parameters on the Structure of TiO₂ Thin Films Prepared by Reactive Magnetron Sputtering Technique. *INTER-ACADEMIA*, 53, 49-57.
- Kesmez, Ö., Akarsu, E., Çamurlu, H.E., Yavuz, E., Akarsu, M., and Arpaç, E. (2018). Preparation and characterization of multilayer anti-reflective coatings via sol-gel process. *Ceramics International*, 44, 3183-3188.
- Khatibnezhad, H., Ambriz-Vargas, F., Ettouil, F. B., and Moreau, C. (2022). Role of phase content on the photocatalytic performance of TiO₂ coatings deposited by suspension plasma spray. *Journal of the European Ceramic Society*, 42(6), 2905-2920.

- Kim, D., Kim, K. M., Han, H., Lee, J., Ko, D., Park, K. R., Jang, K., Kim, D., Forrester, J. S., Lee, S. H., Kim, J. C., and Mhin, S. (2022). Ti/TiO₂/SiO₂ multilayer thin films with enhanced spectral selectivity for optical narrow bandpass filters. *Scientific Reports*, 12(32), 1-10.
- Kim, W. B., Choi, S. H., and Lee, J. S. (2000). Quantitative Analysis of Ti-O-Si and Ti-O-Ti Bonds in Ti-Si Binary Oxides by the Linear Combination of XANES. *the Journal of Physical Chemistry*, 104(36), 8670–8678.
- Klaitabtim, D., Pratontep, S., and Nukeaw, J. (2008). Effect of gas-timing technique on structure and optical properties of sputtered zinc oxide films. *Ceramics International*, 34, 1103-1107.
- Kojima, I., Li, B., and Fujimoto, T. (1999). XRR and XPS Studies of SiO₂ Thin Films Formed by r.f. Magnetron Sputtering. *Surf. Interface Anal*, 28, 267-270.
- Kurenkova, A. Y., Kremneva, A. M., Saraev, A. A., Murzin, V., Kozlova, E. A., and Kaichev, V. V. (2020). Influence of Thermal Activation of Titania on Photoreactivity of Pt/TiO₂ in Hydrogen Production. *Catalysis Letters*, 151, 748-754.
- Le, N. T. H., Thanh, T. D., Pham, V.-T., Phan, T. L., Lam, V. D., Manh, D. H., Anh, T. X., C. Le, T. K., Thammajak, N., Hong, L. V. and Yu, S. C. (2016). Structure and high photocatalytic activity of (N, Ta)-doped TiO₂ nanoparticles. *JOURNAL OF APPLIED PHYSICS*, 120, 142110.
- Lee, C. C., and Jan, D. J. (2006). DC magnetron sputtering of Si to form SiO₂ in low-energy ion beam. *Vacuum*, 80, 693-697.
- Lertvanithphol, T., Rakreungdet, W., Chananonnawathorn, C., Eiamchai, P., Limwichean, S., Nuntawong, N., Patthanasettakul, V., Klamchuen, A., Khemasiri, N., Nukeaw, J., Seawsakul, K., Songsiriritthigul, C., Chanlek, N., Nakajima, H., Songsiriritthigul, P., and Horprathum, M. (2019). Spectroscopic study on amorphous tantalum oxynitride thin films prepared by reactive gas-timing RF magnetron sputtering. *Applied Surface Science*, 492, 99-107.
- Lertvanithphol, T., Rakreungdet, W., Chananonnawathorn, C., Eiamchai, P., Limwichean, S., Nuntawong, N., and Horprathum, M. (2019). Spectroscopic study on amorphous tantalum oxynitride thin films prepared by reactive gas-timing RF magnetron sputtering. *Applied Surface Science*, 492, 99-107.

- Li, J., Zhou, H., Zhuo, H., Wei, Z., Zhuang, G., Zhong, X., Deng, S., Li, X., and Wang, J. (2013). Oxygen Vacancy on TiO_2 Promoted the Activity and Stability of Supported Pd Nanoparticles for Oxygen Reduction Reaction. *Journal of Materials Chemistry A*, 1-3.
- Lu, W., Bruner, B., Casillas, G., Mejia-Rosales, S., Farmer, P. J., and Jos'e-Yacam'an, M. (2012). Direct oxygen imaging in titania nanocrystals. *Nanotechnology*, 23, 335706.
- Macleod, H. G. (2010). *Thin-Film Optical Filters* (4th ed.), Florida, CRC Press.
- Matsuo, S., Sakaguchi, N., and Wakita, H. (2005). Pre-edge Features of Ti K-edge X-ray Absorption Near-edge Structure for the Local Structure of Sol-Gel Titanium Oxides. *Analytical Sciences*, 21(7), 805-809.
- Mattox, D. M. (2010). *Handbook of Physical Vapor Deposition (PVD) Processing* (2nd ed.). New York, William Andrew.
- Nair, P. B., Justinivictor, V., Daniel, G. P., Joy, K., Ramakrishnan, V., and Thomas, P. (2011). Effect of RF power and sputtering pressure on the structural and optical properties of TiO_2 thin films prepared by RF magnetron sputtering. *Applied Surface Science*, 257(24), 10869-10875.
- Nair, P. B., Justinivictor, V. B., Daniel, G. P., Joy, K., James Raju, K. C., Kumar, D. D., and Thomas, P. V. (2014). Optical parameters induced by phase transformation in RF magnetron sputtered TiO_2 nanostructured thin films. *Progress in Natural Science: Materials International*, 24, 218-225.
- Nair, P. B., Justinivictor, V. B., Daniel, G. P., Joy, K., Ramakrishnan, V., and Thomas, P. V. (2011). Effect of RF power and sputtering pressure on the structural and optical properties of TiO_2 thin films prepared by RF magnetron sputtering. *Applied Surface Science*, 257, 10869-10875.
- Nakai, I., Hattori, A., Ishii, T., and Li, Y. (2013). XAS spectra of mechanically milled TiO_2 . *Journal of Physics. Conference Series*, 430, 012084.
- Nakajima, H., Mori, T., Shen, Q., and Toyoda, T. (2005). Photoluminescence study of mixtures of anatase and rutile TiO_2 nanoparticles: Influence of charge transfer

- between the nanoparticles on their photoluminescence excitation bands. *Chemical Physics Letters*, 409, 81-84.
- Nezar, S., Saoula, N., Sali, S., Faiz, M., Mekki, M., Laoufi, N. A., and Tabet, N. (2017). Properties of TiO₂ thin films deposited by rf reactive magnetron sputtering on biased substrates. *Applied Surface Science*, 395, 172-179.
- Nezar, S., Saoula, N., Salic, S., Faiz, M., Mekki, M., Laoufi, N. A., and Tabet, N. (2017). Properties of TiO₂ thin films deposited by rf reactive magnetron sputtering on biased substrates. *Applied Surface Science*, 395, 172-179.
- Niltharach, A., Kityakarn, S., Worayingyong, A., Thienprasert, J., Klysubun, W., Songsiriritthigul, P., and Limpijumnong, S. (2012). Structural characterizations of sol-gel synthesized TiO₂ and Ce/TiO₂ nanostructures. *Physica. B, Condensed Matter*, 407(15), 2915-2918.
- Park, S., Kim, C. H., Lee, W. J., Sung, S., and Yoon, M. H. (2017). Sol-gel metal oxide dielectrics for all - solution- processed electronics. *Materials Science and Engineering R*, 114, 1-22.
- Pjević, D., Obradović, M., Marinković, T., Grce, A., Milosavljević, M., Grieseler, R., Kups, T., Wilke, M., and Schaaf, P. (2015). Properties of sputtered TiO₂ thin films as a function of deposition and annealing parameters. *Physica B: Physics of Condensed Matter*, 463, 1-6.
- Popok, V. N., Barke, I., Campbell, E. E. B., and Meiwes-Broer, K. H. (2011). Cluster-surface interaction: From soft landing to implantation. *Surface Science Reports*, 66, 347-377.
- Ran, J., Liu, H., Dong, H., Gao, P., Cheng, H., Xu, J., Wang, H., Wang, Z., Fu, Q., Yan, J., and Liu, J. (2023). Accurate quantification of TiO₂(B)'s phase purity via Raman spectroscopy. *Green Energy & Environment*, 8(5), 1371-1379.
- Raut, H. K., Ganesh, V. A., Nair, A. S., and Ramakrishna, S. (2011). Anti-reflective coatings: A critical, in-depth review. *Energy Environ. Sci.*, 4, 3779-3804.
- Raut, H. K., Nair, A. S., Dinachali, S. S., Ganesh, V. A., Walsh, T. M., and Ramakrishna, S. (2013). Porous SiO₂ anti-reflective coatings on large-area substrates by electrospinning and their application to solar modules. *Solar Energy Materials & Solar Cells*, 111, 9-15.

- Rekas, M. (2015). XAS study of TiO₂-based nanomaterials. *Radiation Physics and Chemistry*, 112, 195-198.
- Rojsatien, S., Mannodi-Kanakkithodi, A., Walker, T., Nietzold, T., Colegrove, E., Lai, B., Cai, Z., Holt, M., Chan, M. K., and Bertoni, M. (2023). Quantitative analysis of Cu XANES spectra using linear combination fitting of binary mixtures simulated by FEFF9. *Radiation Physics and Chemistry*, 202, 110548.
- Sahoo, M., Yadav, A. K., Jha, S. N., Bhattacharyya, D., Mathews, T., Sahoo, N. K., Dash, S., and Tyagi, A. K. (2015). Nitrogen Location and Ti-O Bond Distances in Pristine and N-Doped TiO₂ Anatase Thin Films by X-ray Absorption Studies. *The Journal of Physical Chemistry C*, 119, 17640-17647.
- Savio, A. K., Starikov, D., Bensaoula, A., Pillai, R., De La Torre García, L. L., and Hernández, F. C. R. (2012). Tunable TiO₂ (anatase and rutile) materials manufactured by mechanical means. *Ceramics International*, 38(5), 3529-3535.
- Scanlon, D. O., Dunnill, C. W., Buckeridge, J., Shevlin, S. A., Logsdail, A. J., Woodley, S. M., Catlow, C. R. A., Powell, M. J., Palgrave, R. G., Parkin, I. P., Watson, G. W., Keal, T. W., Sherwood, P., Walsh, A., and Sokol, A. A. (2013). Band alignment of rutile and anatase TiO₂. *Nature Materials*, 12(9), 798-801.
- Schneider, K., Zajac, D., Sikora, M., Kapusta, C., Michalow-Mauke, K., Graule, T., and Rekas, M. (2015). XAS study of TiO₂-based nanomaterials. *Radiation Physics and Chemistry*, 112, 195-198.
- Schneider, K., Zajac, D., Sikora, M., Kapusta, Cz., Michalow-Mauke, K., Graule, Th., and Schnohr, C. S., and Ridgway, M. C. (2015). X-Ray Absorption Spectroscopy of Semiconductors, *Springer Series in Optical Sciences*, 190.
- Seguini, G., Schamm-Chardon, S., Pellegrino, P., and Perego, M. (2011). The energy band alignment of Si nanocrystals in SiO₂. *Applied Physics Letters*, 99, 082107-082111.
- Serway, R. A., and Jewett, Jr. J. W. (2014). *Physics for Scientists and Engineers with modern physics (9th ed.)*, Brooks/Cole.
- Šimurka, L., Čtvrtlík, R., Tomašík, J., Bektaş, G., Svoboda, J., and Bange, K. (2018). Mechanical and optical properties of SiO₂ thin films deposited on glass. *Chemical Papers*, 72, 2143-2151.

- Singh, R., Gupta, M., Phase, D. M., and Mukherjee, S. K. (2019). Phase growth analysis of sputtered TiO₂ thin films at low oxygen partial pressures using XANES and XRR. *Materials Research Express*, 6(11), 116449.
- Songsiriritthigul, P. and Limpijumnong, S. (2012). Structural characterizations of sol–gel synthesized TiO₂ and Ce/TiO₂ nanostructures. *Physica B*, 407, 2915–2918.
- Soult M. C., Siller, V., Zhu, X., Gehlhaar, R., Wojcik, P. J., Morata, A., Tarancón, A., Vereecken, P. M., and Hubin, A. (2022) Spectroscopic Ellipsometry for Operando Monitoring of (De)Lithiation-Induced Phenomena on LiMn₂O₄ and LiNi_{0.5}Mn_{1.5}O₄ Electrodes. *Journal of The Electrochemical Society*, 169(4), 040501
- Stabrawa, I., Kubala-Kuku, A., Bana, D., Pepponi, G., Braziewicz, J., Pajek, M., and Teodorczyk, M. (2019). Characterization of the morphology of titanium and titanium (IV) oxide nanolayers deposited on different substrates by application of grazing incidence X-ray diffraction and X-ray reflectometry techniques. *Thin Solid Films*, 671, 103–110.
- Sultan, Md. Z. and Sultana N. (2015). Analysis of Reflectance and Transmittance Characteristics of Optical Thin Film for Various Film Materials, Thicknesses and Substrates. *Journal of Electrical & Electronic Systems*, 4(3), 160-163.
- Sungthong, A., Nukeaw, J., and Pratontep, S. (2015). Silicon nitride thin Films deposited by reactive gas-timing magnetron sputtering for protective coating applications. *Advanced Materials Letters*, 6, 554-559.
- Tripathi, A. K., Singh, M. K., Mathpal, M. C., Mishra, S. K., and Agarwal, A. (2013). Study of structural transformation in TiO₂ nanoparticles and its optical properties. *Journal of Alloys and Compounds*, 549, 114–120.
- Wang, B., Qi, H., Wang, H., Cui, Y., Zhao, J., Guo, J., Cui, Y., Liu, Y., Yi, K., and Shao, J. (2015). Morphology, structure and optical properties in TiO₂ nanostructured films annealed at various temperatures. *OPTICAL MATERIALS EXPRESS*, 5(11), 1410-1418.
- Wang, B., Wei, S., Guo, L., Wang, Y., Liang, Y., Xu, B., Pan, F., Tang, A., and Chen, X. (2015). Effect of deposition parameters on properties of TiO₂ films deposited by reactive magnetron sputtering. *Ceramics International* 43(14), 10991-10998.

- Wang, D., Zhao, J., Chen, B., and Zhu, C. (2008). Lattice vibration fundamentals in nanocrystalline anatase investigated with Raman scattering. *Journal of Physics. Condensed Matter*, 20(8), 085212.
- Wang, L., Jiang, Y., Jiang, C., Liu, H., Ji, Y., Zhang, F., Fan, R., and Chen, D. (2018). Effect of oxygen flow rate on microstructure properties of SiO₂ thin films prepared by ion beam sputtering. *Journal of Non-Crystalline Solids*, 482, 203-207.
- Wang, L., Liu, H., Jiang, Y., Yang, X., Liu, D., Ji, Y., Zhang, F., and Chen, D. (2017). Effects of hot-isostatic pressing and annealing post-treatment on HfO₂ and Ta₂O₅ films prepared by ion beam sputtering. *Optik*, 142, 33-41.
- Xiong, Z., Wu, H., Zhang, L., Gu, Y., and Zhao, X. S. (2014). Synthesis of TiO₂ with controllable ratio of anatase to rutile. *Journal of Materials Chemistry A*, 2, 9291-9297.
- Xiong, Z., Wu, H., Zhang, L., Gu, Y., and Zhao, X. S. (2014). Synthesis of TiO₂ with controllable ratio of anatase to rutile. *Journal of Materials Chemistry. A*, 2(24), 9291.
- Yoshiya, M., Tanaka, I., Kaneko, K., and Adachi, H. (1999). First principles calculation of chemical shifts in ELNES/NEXAFS of titanium oxides. *J. Phys.: Condens. Matter* 11, 3217–3228.
- Zhan, C., Ke, W. J., Li, X. M., Du, W. L., Wang, L. J., and Ye, C. (2013). The Influence of Substrate Temperature on the Morphological and Optical Properties of ZnTiO₃ Thin Films Prepared by Magnetron Sputtering. *Advanced Materials Research*, 804, 3-7.
- Zhang, H., Chen, B., and Banfeld, J. F. (2008). Atomic structure of nanometer-sized amorphous TiO₂. *Phys Rev B*, 78, 214106.
- Zhang, J., Li, M., Feng, Z., Chen, J., and Li, C. (2005). UV Raman Spectroscopic Study on TiO₂. I. Phase Transformation at the Surface and in the Bulk. *the Journal of Physical Chemistry. B*, 110(2), 927–935.
- Zhang, Y., Jiang, Z., Huang, J., Lim, Y. L., Li, W., Deng, J., Gong, D., Tang, Y., Lai, Y., and Chen, Z. (2015). Titanate and Titania Nanostructured Materials for Environmental and Energy Applications: A Review. *RSC Advances*, 1-31.

Zhao, Y., Zhao, Y., Shi, R., Wang, B., Waterhouse, H. I. N., Wu, L. Z., Tung, C. H., and Zhang, T. (2019). Tuning Oxygen Vacancies in Ultrathin TiO₂ Nanosheets to Boost Photocatalytic Nitrogen Fixation up to 700 nm. *Advanced Materials*, 31(16), 1806482.