LIST OF TABLES

Tab	le	Page
2.1	Roles of non-coding Rnas in regulating gene expression	20
3.1	Ingredients and chemical composition (g kg-1) of the commercial diets	
	(diets during nursing) and for stimulus diets	50
3.2	Growth performances of juvenile offspring from Nile tilapia broodstock	
	fed with low-carbohydrate/high-protein (LC/HP) diet and	
	high-carbohydrate/low-protein (HC/LP) diet	51
3.3	Plasma metabolites and proximate composition of liver, muscle and	
	whole body in juvenile offspring before (week 17) and after (week 21)	
	challenging with HC/LP diet for 4weeks. Juvenile offspring were obtained	
	from broodstock fed with low-carbohydrate/high-protein (LC/HP) diet	
	and high-carbohydrate/low-protein (HC/LP) diets	52
3.4	mRNA levels of genes related to carbohydrate and its related metabolism	
	inthe liver and muscle of juvenile offspring before (week 17) and after	
	(week 21) challenging with HC/LP diet for 4weeks. Juvenile offspring were	
	obtained from broodstock fed with low-carbohydrate/high-protein (LC/HP)	
	diet and high-carbohydrate/low-protein (HC/LP) diets	53
3.5	mRNA levels of genes related to DNA methylation in the liver and muscle	
	of juvenile offspring before (week 17) and after (week 21) challenging with	
	HC/LP diet for 4weeks. Juvenile offspring were obtained from broodstock	
	fed with low-carbohydrate/high-protein (LC/HP) diet and high-carbohydrate/	
	low-protein (HC/LP) diets	54
3.6	mRNA levels of genes related to histone modifications in the liver and	
	muscle of juvenile offspring before (week 17) and after (week 21)	
	challenging with HC/LP diet for 4weeks. Juvenile offspring were obtained from	n
	broodstock fed with low-carbohydrate/high-protein (LC/HP) diet and high-	
	carbohydrate/low-protein (HC/LP) diets	55

LIST OF TABLES (Continued)

Tab	le	Page
3.7	List of primers used for qRT-PCR of genes related to carbohydrate and	
	intermediary metabolism in the liver and muscle	56
3.8	List of primers used for qRT-PCR of genes related to epigenetic	
	modification-related enzymes expressed in liver and muscle tissues	57
4.1	Ingredients and chemical compositions (%) of the challenge diets	81
4.2	Growth performances of adult offspring before (week 25) and after	
	(week 29) fed with HC/LP diet for 4 weeks	82
4.3	Plasma metabolites in adult offspring before (week 25) and after	
	(week 29)	00
	fed with HC/LP diet for 4 weeks	82
4.4	Proximate composition of liver, muscle and whole body in adult	
	offspring before (week 25) and after (week 29) fed with HC/LP diet for	
	4 weeks	83
4.5	mRNA levels of genes related to intermediary CHO metabolism in the	
	liver and muscle of adult offspring before (week 25) and after (week 29)	
	fed with HC/LP diet for 4 weeks	84
4.6	mRNA levels of genes related to DNA methylation in the liver and	
	muscle of adult offspring fed with HC/LP diet for 4 weeks (week 26-29)	85
4.7	mRNA levels of genes related to histone modifications in the liver and	
	muscle of adult offspring fed with HC/LP diet for 4 weeks (week 26-29)	86
4.8	List of primers used for qRT-PCR of genes related to carbohydrate and	
	intermediary metabolism in the liver and muscle	87
4.9	List of primers used for qRT-PCR of genes related to epigenetic	
	modification-related enzymes expressed in liver and muscle tissues	88
5.1	Ingredients and chemical compositions (%) of the experiment diets	116
5.2	Growth performances of adult offspring fed with PBMC and PBHC diets	
	for 4 weeks (week 57-60)	117

LIST OF TABLES (Continued)

Tabl	Table Table	
5.3	Plasma metabolites in adult offspring before (week 56) and after	
	(week 60) fed with PBMC and PBHC diets for 4 weeks	118
5.4	Proximate composition of liver, muscle and whole body in adult	
	offspring before (week 25) and after (week 29) fed with HC/LP diet for	
	4 weeks	119
5.5	mRNA levels of genes related to intermediary CHO metabolism in the	
	liver and muscle of adult offspring before (week 56) and after (week 60)	
	fed with PBMC and PBHC diets for 4 weeks	120
5.6	mRNA levels of genes related to DNA methylation in the liver of adult	
	offspring before (week 56) and after (week 60) fed with PBMC and PBHC	
	diets for 4 weeks	121
5.7	mRNA levels of genes related to DNA methylation in the muscle of adult	
	offspring before (week 56) and after (week 60) fed with PBMC and PBHC	
	diets for 4 weeks	122
5.8	mRNA levels of genes related to histone modifications in the muscle of	
	adult offspring before (week 56) and after (week 60) fed with PBMC and	
	PBHC diets for 4 weeks	123
5.9	mRNA levels of genes related to histone modifications in the muscle of	
	adult offspring before (week 56) and after (week 60) fed with PBMC and	
	PBHC diets for 4 weeks	125
5.10	List of primers used for qRT-PCR of genes related to carbohydrate and	
	intermediary metabolism in the liver and muscle	127
5.11	List of primers used for qRT-PCR of genes related to epigenetic	
	modification-related enzymes expressed in liver and muscle tissues	128