

รายการอ้างอิง

- กรมอนามัย กระทรวงสาธารณสุข. (2025). อัตราส่วนการตายมารดา. สืบค้นจาก https://datacatalog.anamai.moph.go.th/dataset/mchboard_mmr_01
- ปวีณา บุตรดีวงศ์. (ม.ป.ป.). "ภาวะครรภ์เป็นพิษ" ความเสี่ยงต่อชีวิตของคุณแม่และทารกในครรภ์. สืบค้นจาก https://www.phyathai.com/th/article/2615-%E0%B8%A0%E0%B8%B2%E0%B8%A7%E0%B8%B0%E0%B8%84%E0%B8%A3%E0%B8%A3%E0%B8%A0%E0%B9%8C%E0%B9%80%E0%B8%9B%E0%B9%87%E0%B8%99%E0%B8%9E%E0%B8%B4%E0%B8%A9_%E0%B8%84%E0%B8%A7%E0%B8%B2
- อรรณพ พินิจเลิศกุล และ ศุภาวดี วาญเหือด. (2021). ภาวะน้ำหนักรุนเกินและอ้วนในสตรีตั้งครรภ์: บทบาทที่ท้าทายของพยาบาลผดุงครรภ์. วารสารการพยาบาลและการดูแลสุขภาพ, 39(1). สืบค้นจาก <https://he01.tci-thaijo.org/index.php/jnated/article/view/247475/168300>
- สิริยา กิติโยดม. (2018). การศึกษาภาวะชักในสตรีตั้งครรภ์ที่มีภาวะครรภ์เป็นพิษชนิดรุนแรง. วารสารการแพทย์โรงพยาบาลศรีสะเกษ สุรินทร์ บุรีรัมย์, 29(3), 129–138. สืบค้นจาก <https://he02.tci-thaijo.org/index.php/MJSSBH/article/view/122515>
- เกษมศรี ศรีสุพรรณดิฐ. (ม.ป.ป.). ครรภ์เป็นพิษและโรคพิษแห่งครรภ์ระยะชัก: Preeclampsia with Severe Features and Eclampsia. สืบค้นจาก <https://w1.med.cmu.ac.th/obgyn/lessons/33344/>
- Batista, G. E., Prati, R. C., & Monard, M. C. (2004). A study of the behavior of several methods for balancing machine learning training data. ACM SIGKDD Explorations Newsletter, 20-29. <https://doi.org/10.1145/1007730.1007735>
- Bhandari, S. M., & Patel, K. (2015). A review on using clustering and classification techniques to predict student failure with high dimensional and imbalanced data.

- Briceño-Pérez, C., Briceño-Sanabria, L., & Vigil-De Gracia, P. (2009). Prediction and Prevention of Preeclampsia. *Hypertension in Pregnancy*, 138–155. <https://doi.org/10.1080/10641950802022384>
- Broder, A. Z., Bruckstein, A. M., & Koplowitz, J. (1985). On the performance of edited nearest neighbor rules in high dimensions. *IEEE Transactions on Systems, Man, and Cybernetics*, 136-139. <https://doi.org/10.1109/TSMC.1985.6313401>
- Chawla, N. V., Bowyer, K. W., Hall, L. O., & Kegelmeyer, W. P. (2002). SMOTE: Synthetic minority over-sampling technique. *Journal of Artificial Intelligence Research*, 321-357. <https://doi.org/10.1613/jair.953>
- De Kat, A. C., Hirst, J., Woodward, M., Kennedy, S., & Peters, S. A. (2019). Prediction models for preeclampsia: A systematic review. *Pregnancy Hypertension*, 48–66. <https://doi.org/10.1016/j.preghy.2019.03.005>
- Fotouhi, S., Asadi, S., & Kattan, M. W. (2019). A comprehensive data level analysis for cancer diagnosis on imbalanced data. *Journal of Biomedical Informatics*. <https://doi.org/10.1016/j.jbi.2018.12.003>
- Fu, K., Cheng, D., Tu, Y., & Zhang, L. (2016). Credit card fraud detection using convolutional neural networks. In *Proceedings of the International Conference on Neural Information Processing* (pp. 483–490). Springer.
- Guo, X., Yin, Y., Dong, C., Yang, G., & Zhou, G. (2008). On the Class Imbalance Problem. In *IEEE 2008 Fourth International Conference on Natural Computation* (pp. 192–201). <https://doi.org/10.1109/ICNC.2008.871>
- Han, H., Wang, W. Y., & Mao, B. H. (2005). Borderline-SMOTE: A New Over-Sampling Method in Imbalanced Data Sets Learning. In D. S. Huang, X. P. Zhang, & G. B. Huang (Eds.), *Advances in Intelligent Computing. ICIC 2005* (Vol. 3644). https://doi.org/10.1007/11538059_91

- He, H., Bai, Y., Garcia, E. A., & Li, S. (2008). ADASYN: Adaptive synthetic sampling approach for imbalanced learning. In 2008 IEEE International Joint Conference on Neural Networks (IEEE World Congress on Computational Intelligence) (pp. 1322-1328). <https://doi.org/10.1109/IJCNN.2008.4633969>
- Herndon, N., & Caragea, D. (2016). A Study of Domain Adaptation Classifiers Derived From Logistic Regression for the Task of Splice Site Prediction. *IEEE Transactions on NanoBioscience*, 75-83. <https://doi.org/10.1109/TNB.2016.2522400>
- Jeatrakul, P., Wong, K. W., & Fung, C. C. (2010). Classification of imbalanced data by combining the complementary neural network and SMOTE algorithm. In *Proceedings of the International Conference on Neural Information Processing* (pp. 152–159). Springer.
- Kaur, H., Pannu, H. S., & Malhi, A. K. (2019). A Systematic Review on Imbalanced Data Challenges in Machine Learning: Applications and Solutions. *ACM Computing Surveys*. <https://doi.org/10.1145/3343440>
- Khabsa, M., Elmagarmid, A., Ilyas, I., Hammady, H., & Ouzzani, M. (2016). Learning to identify relevant studies for systematic reviews using random forest and external information. *Machine Learning*, 465–482. <https://doi.org/10.1007/s10994-015-5535-7>
- Khushi, M., Shaukat, K., Alam, T. M., Hameed, I. A., Uddin, S., Luo, S., Yang, X., & Reyes, M. C. (2021). A Comparative Performance Analysis of Data Resampling Methods on Imbalance Medical Data. *IEEE Access*. <https://doi.org/10.1109/access.2021.3102399>
- Krawczyk, B., Woźniak, M., & Schaefer, G. (2014). Cost-sensitive decision tree ensembles for effective imbalanced classification. *Applied Soft Computing*, 554-562. <https://doi.org/10.1016/j.asoc.2013.08.014>

- Li, Q., & Mao, Y. (2014). A review of boosting methods for imbalanced data classification. *Pattern Analysis and Applications*, 679–693.
<https://doi.org/10.1007/s10044-014-0392-8>
- Lim, K.-H. (2022). Preeclampsia. สืบค้นจาก
<https://emedicine.medscape.com/article/1476919-overview?form=fpf>
- Liu, M., Wang, M., Wang, J., & Li, D. (2013). Comparison of random forest, support vector machine and back propagation neural network for electronic tongue data classification: Application to the recognition of orange beverage and Chinese vinegar. *Sensors and Actuators B: Chemical*, 177, 970–980.
- Longadge, R., & Dongre, S. (2013). Class imbalance problem in data mining review.
<https://doi.org/10.48550/arXiv.1305.1707>
- Majid, A., Ali, S., Iqbal, M., & Kausar, N. (2014). Prediction of human breast and colon cancers from imbalanced data using nearest neighbor and support vector machines. *Computer Methods and Programs in Biomedicine*, 113(3), 792–808.
- Noorhalim, N., Ali, A., & Shamsuddin, S. M. (2019). Handling Imbalanced Ratio for Class Imbalance Problem Using SMOTE. In *Proceedings of the Third International Conference on Computing, Mathematics and Statistics (iCMS2017)* (pp. 19-43). <https://doi.org/10.1007/978-981-13-7279-7>
- Ogunleye, A., & Wang, Q.-G. (2020). XGBoost Model for Chronic Kidney Disease Diagnosis. *IEEE/ACM Transactions on Computational Biology and Bioinformatics*, 2131-2140. <https://doi.org/10.1109/TCBB.2019.2911071>
- Papacharalampous, G., Tyrallis, H., Doulamis, A., & Doulamis, N. (2021). Comparison of tree-based ensemble algorithms for merging satellite and earth-observed precipitation data at the daily time scale. *Hydrology*.
<https://doi.org/10.3390/hydrology10020050>

- Park, Y., & Ghosh, J. (2014). Ensembles of (α)-Trees for Imbalanced Classification Problems. *IEEE Transactions on Knowledge and Data Engineering*, 131-143. <https://doi.org/10.1109/TKDE.2012.255>
- Patel, H., & Thakur, G. S. (2016). A hybrid weighted nearest neighbor approach to mine imbalanced data. In *Proceedings of the International Conference on Data Mining (DMIN'16)* (p. 106). The Steering Committee of The World Congress in Computer Science, Computer Engineering and Applied Computing (WorldComp).
- Prusa, J., Khoshgoftaar, T. M., Dittman, D. J., & Napolitano, A. (2015). Using Random Undersampling to Alleviate Class Imbalance on Tweet Sentiment Data. In *2015 IEEE International Conference on Information Reuse and Integration* (pp. 197-202). <https://doi.org/10.1109/IRI.2015.39>
- Santiso, S., Casillas, A., & Pérez, A. (2019). The class imbalance problem detecting adverse drug reactions in electronic health records. *Health Informatics Journal*, 1768-1778. <https://doi.org/10.1177/14604582187994>
- Sanz, J. A., Bernardo, D., Herrera, F., Bustince, H., & Hągras, H. (2015). A Compact Evolutionary Interval-Valued Fuzzy Rule-Based Classification System for the Modeling and Prediction of Real-World Financial Applications With Imbalanced Data. *IEEE Transactions on Fuzzy Systems*, 973-990. <https://doi.org/10.1109/TFUZZ.2014.2336263>
- Tomek, I. (1976). Two modifications of CNN.
- Vata, P. K., Chauhan, N., Nallathambi, A., & Hussein, F. E. R. (2015). Assessment of prevalence of preeclampsia from Dilla region of Ethiopia. <https://doi.org/10.1186/s13104-015-1821-5>
- Wilson, D. L. (1972). Asymptotic Properties of Nearest Neighbor Rules Using Edited Data. *IEEE Transactions on Systems, Man, and Cybernetics*, 408-421. <https://doi.org/10.1109/TSMC.1972.4309137>

- World Health Organization. (2025). Pre-eclampsia. สืบค้นจาก https://www-who-int.translate.goog/news-room/fact-sheets/detail/pre-eclampsia?_x_tr_sl=en&_x_tr_tl=th&_x_tr_hl=th&_x_tr_pto=tc
- Wu, Q., Ye, Y., Zhang, H., Ng, M. K., & Ho, S.-S. (2014). ForesTexter: An efficient random forest algorithm for imbalanced text categorization. *Knowledge-Based Systems*, 105–116. <https://doi.org/10.1016/j.knosys.2014.06.004>
- Yap, B. W., Rani, K. A., Rahman, H. A. A., Fong, S., Khairudin, Z., & Abdullah, N. N. (2014). An application of oversampling, undersampling, bagging and boosting in handling imbalanced datasets. In *Proceedings of the 1st International Conference on Advanced Data and Information Engineering* (pp. 13–22). https://doi.org/10.1007/978-981-4585-18-7_2