

REFERENCES

- Abdallah, E. S. H., Metwally, W. G. M., Abdel-Rahman, M. A. M., Albano, M., & Mahmoud, M. M. (2024). *Streptococcus agalactiae* Infection in Nile Tilapia (*Oreochromis niloticus*): A Review. **Biology**, 13(11), 914.
- Abdel-Latif, H. M., Shukry, M., & Abd-Elaziz, R. A. (2022). Clinico-pathological findings and expression of inflammatory cytokines, apoptosis, and oxidative stress-related genes draw mechanistic insights in Nile tilapia reared under ammonia-N exposure and *Aeromonas hydrophila* challenge. **Fish & Shellfish Immunology**, 127, 1-12.
- Abo-Al-Ela, H. G., El-Nahas, A. F., Mahmoud, S., & Ibrahim, E. M. (2017). Vitamin C modulates the immunotoxic effect of 17 α -methyltestosterone in Nile tilapia. **Biochemistry**, 56(14), 2042-2050.
- Adorian, T. J., Jamali, H., Farsani, H. G., Darvishi, P., Hasanpour, S., Bagheri, T., & Roozbehfar, R. (2019). Effects of probiotic bacteria *Bacillus* on growth performance, digestive enzyme activity, and hematological parameters of Asian sea bass, *Lates calcarifer* (Bloch). **Probiotics and antimicrobial proteins**, 11, 248-255.
- Agwu, E., Ezihe, C., & Kaigama, G., (2023). Antioxidant roles/functions of ascorbic acid (vitamin C). In **Ascorbic Acid-Biochemistry and Functions**. IntechOpen
- Ai, Q., Mai, K., Zhang, C., Xu, W., Duan, Q., Tan, B., & Liufu, Z. (2004). Effects of dietary vitamin C on growth and immune response of Japanese seabass, *Lateolabrax japonicus*. **Aquaculture**, 242(1-4), 489-500.
- Akbari, A. (2016). An overview of the characteristics and function of vitamin C in various tissues: relying on its antioxidant function. **Zahedan Journal of Research in Medical Sciences**, 18(11), e4037.
- Al-Fataftah, A. R., & Abdelqader, A. (2014). Effects of dietary *Bacillus subtilis* on heat-stressed broilers performance, intestinal morphology and microflora composition. **Animal feed science and technology**, 198, 279-285.

- Aly, S. M., Ahmed, Y. A. G., Ghareeb, A. A. A., & Mohamed, M. F. (2008). Studies on *Bacillus subtilis* and *Lactobacillus acidophilus*, as potential probiotics, on the immune response and resistance of Tilapia nilotica (*Oreochromis niloticus*) to challenge infections. **Fish & shellfish immunology**, 25(1-2), 128-136.
- Amal, M. N. A., & Zamri-Saad, M. (2011). Streptococcosis in tilapia (*Oreochromis niloticus*): a review. **Pertanika Journal of Tropical Agricultural Science**, 34, 195–206.
- Assefa, A., & Abunna, F. (2018). Maintenance of fish health in aquaculture: review of epidemiological approaches for prevention and control of infectious disease of fish. **Veterinary medicine international**, 2018(1), 5432497.
- Association of Official Analytical Chemists (AOAC). (1990). **Official methods of analysis of the association of official analytical chemists**. (14th ed.). AOAC: Arlington, VA, USA.
- Bae, J. Y., Park, G.H., Yoo, K. Y., Lee, J. Y., Kim, D. J., & Bai, S.C. (2012). Re-evaluation of the optimum dietary vitamin C requirement in juvenile eel, *Anguilla japonica* by using L-ascorbyl-2-monophosphate. **Asian-Australasian journal of animal sciences**, 25(1), 98.
- Balcázar, J. L., De Blas, I., Ruiz-Zarzuela, I., Cunningham, D., Vendrell, D., & Múzquiz, J. L. (2006). The role of probiotics in aquaculture. **Veterinary microbiology**, 114(3-4), 173-186.
- Barros, M. M., Falcon, D. R., de Oliveira Orsi, R., Pezzato, L. E., Fernandes Jr, A. C., Guimarães, I. G., ... & Sartori, M. M. P. (2014). Non-specific immune parameters and physiological response of Nile tilapia fed β -glucan and vitamin C for different periods and submitted to stress and bacterial challenge. **Fish & Shellfish Immunology**, 39(2), 188-195.
- Belkaaloul, K., Haertlé, T., Chobert, J. M., Merah, R., Taibi, K., El Hachemi, H. S., ... & Kheroua, O. (2015). Protective effect of *Enterococcus faecalis* DAPTO 512 on the intestinal tract and gut mucosa: milk allergy application. **Beneficial Microbes**, 6(5), 679-686.
- Belton, B., Turongruang, D., Bhujel, R., & Little, D. C. (2009). The history, status, and future prospects of monosex tilapia culture in Thailand. **Aquaculture Asia**, 14(2), 16-19.

- Bremus, C., Herrmann, U., Bringer-Meyer, S., & Sahm, H. (2006). The use of microorganisms in L-ascorbic acid production. **Journal of biotechnology**, 124(1), 196-205.
- Carr, A. C., & Maggini, S., (2017). Vitamin C and immune function. **Nutrients**, 9(11), 1211.
- Castro, R., & Tafalla, C. (2015). Overview of fish immunity. In **Mucosal health in Aquaculture**, 3-54.
- Caxico Vieira, C. A. S., Vieira, J. S., Bastos, M. S., Zancanela, V., Barbosa, L. T., Gasparino, E., & Del Vesco, A. P. (2018). Expression of genes related to antioxidant activity in Nile tilapia kept under salinity stress and fed diets containing different levels of vitamin C. **Journal of toxicology and environmental health, part A**, 81(1-3), 20-30.
- Chan, J., Carmen, L. C. P., Lee, S. Q., & Prabakaran, M. (2023). Identification and characterization of immunoglobulin tau (IgT) in Asian Seabass (*Lates calcarifer*) and mucosal immune response to nervous necrosis virus. **Frontiers in Immunology**, 14, 1146387.
- Chandra, G., Saini, V. P., Kumar, S., & Fopp-Bayat, D. (2024). Deformities in fish: A barrier for responsible aquaculture and sustainable fisheries. **Reviews in Aquaculture**, 16(2), 872-891.
- Chen, M., Daha, M. R., & Kallenberg, C. G. (2010). The complement system in systemic autoimmune disease. **Journal of autoimmunity**, 34(3), J276-J286.
- Chen, M., Li, L. P., Wang, R., Liang, W. W., Huang, Y., Li, J., ... & Gan, X. (2012). PCR detection and PFGE genotype analyses of streptococcal clinical isolates from tilapia in China. **Veterinary microbiology**, 159(3-4), 526-530.
- Chen, R., Lochmann, R., Goodwin, A., Praveen, K., Dabrowski, K., & Lee, K. J. (2004). Effects of dietary vitamins C and E on alternative complement activity, hematology, tissue composition, vitamin concentrations and response to heat stress in juvenile golden shiner (*Notemigonus crysoleucas*). **Aquaculture**, 242(1-4), 553-569.

- Ciccarelli, F. D., Doerks, T., Von Mering, C., Creevey, C. J., Snel, B., & Bork, P. (2006). Toward automatic reconstruction of a highly resolved tree of life. **Science**, 311(5765), 1283-1287.
- Comunian, T. A., Abbaspourrad, A., Favaro-Trindade, C. S., & Weitz, D. A. (2014). Fabrication of solid lipid microcapsules containing ascorbic acid using a microfluidic technique. **Food chemistry**, 152, 271-275.
- Crawford, T.C. (1982). Synthesis of L-ascorbic acid. **ACS Publications**, 200, 1–36.
- Cui, W., Han, L., Suo, F., Liu, Z., Zhou, L., & Zhou, Z. (2018). Exploitation of *Bacillus subtilis* as a robust workhorse for production of heterologous proteins and beyond. **World Journal of Microbiology and Biotechnology**, 34, 1-19.
- Cutting, S. M., Hong, H. A., Baccigalupi, L., & Ricca, E. (2009). Oral vaccine delivery by recombinant spore probiotics. **International reviews of immunology**, 28(6), 487-505.
- Dangwetngam, M., Suanyuk, N., Kong, F., & Phromkunthong, W. (2016). Serotype distribution and antimicrobial susceptibilities of *Streptococcus agalactiae* isolated from infected cultured tilapia (*Oreochromis niloticus*) in Thailand: Nine-year perspective. **Journal of Medical Microbiology**, 65(3), 247-254.
- Dawood, M. A., & Koshio, S. (2018). Vitamin C supplementation to optimize growth, health and stress resistance in aquatic animals. **Reviews in Aquaculture**, 10(2), 334-350.
- Dawood, M. A., Zommara, M., Eweedah, N. M., Helal, A. I., & Aboel-Darag, M. A. (2020). The potential role of nano-selenium and vitamin C on the performances of Nile tilapia (*Oreochromis niloticus*). **Environmental Science and Pollution Research**, 27, 9843-9852.
- Debnath, S. C., McMurtrie, J., Temperton, B., Delamare-Deboutteville, J., Mohan, C. V., & Tyler, C. R. (2023). Tilapia aquaculture, emerging diseases, and the roles of the skin microbiomes in health and disease. **Aquaculture International**, 31(5), 2945-2976.
- Declercq, A.M., Haesebrouck, F., Van den Broeck, W., Bossier, P., & Decostere, A. (2013). Columnaris disease in fish: A review with emphasis on bacterium-host interactions. **Veterinary Research**, 44, 27.

- Doseděl, M., Jirkovský, E., Macáková, K., Krčmová, L. K., Javorská, L., Pourová, J., ... & Oemonom. (2021). Vitamin C—sources, physiological role, kinetics, deficiency, use, toxicity, and determination. **Nutrients**, 13(2), 615.
- Drouin, G., Godin, J. R., & Pagé, B. (2011). The genetics of vitamin C loss in vertebrates. **Current genomics**, 12(5), 371-378.
- Ellis, A. E. (1999). Immunity to bacteria in fish. **Fish & shellfish immunology**, 9(4), 291-308.
- El-Noby, G., Hassanin, M., El-Hady, M., & Aboshabana, S. (2021). Streptococcus: a review article on an emerging pathogen of farmed fishes. **Egyptian Journal of Aquatic Biology and Fisheries**, 25(1), 123-139.
- Elsabagh, M., Mohamed, R., Moustafa, E. M., Hamza, A., Farrag, F., Decamp, O., ... & Eltholth, M. (2018). Assessing the impact of *Bacillus* strains mixture probiotic on water quality, growth performance, blood profile and intestinal morphology of Nile tilapia, *Oreochromis niloticus*. **Aquaculture nutrition**, 24(6), 1613-1622.
- El-Sherif, M. S., & El-Feky, A. M. I. (2009). Performance of Nile tilapia (*Oreochromis niloticus*) fingerlings. I. Effect of pH. **International journal of Agriculture and Biology**, 11(3), 297-300.
- Eo, J., & Lee, K. J. (2008). Effect of dietary ascorbic acid on growth and non-specific immune responses of tiger puffer, *Takifugu rubripes*. **Fish & shellfish immunology**, 25(5), 611-616.
- FAO, (2021). **Cultured Aquatic Species Information Programme: *Oreochromis niloticus* (Linnaeus, 1758)**. Food Agric. Organ, United Nations.
- Fisheries Development Policy and Planning Division Department of Fisheries. (2022). **Fisheries statistics of Thailand 2021**. Retrieved from https://www4.fisheries.go.th/local/file_document/20221file.pdf.
- Fong, F. L. Y., Shah, N. P., Kirjavainen, P., & El-Nezami, H. (2016). Mechanism of action of probiotic bacteria on intestinal and systemic immunities and antigen-presenting cells. **International Reviews of Immunology**, 35(3), 179-188.
- Food and Agriculture Organization (FAO). (2022). **The State of World Fisheries and Aquaculture 2022**. Retrieved from <https://openknowledge.fao.org/server/api/core/bitstreams/a2090042-8cda-4f35-9881-16f6302ce757/content>.

- Food and Agriculture Organization (FAO). (2023). **Demand for tilapia resumes growth despite higher prices**. Retrieved from <https://www.fao.org/in-action/globefish/news-events/news/news-detail/Demand-for-tilapia-resumes-growth-despite-higher-prices-/en>.
- Food and Agriculture Organization of the United Nations Rome. (2022). **Thailand GLOBEFISH Market Profile 2018**. Retrieved from <https://www.fao.org/3/cb5866en/cb5866en.pdf>.
- Fracalossi, D. M., Allen, M. E., Yuyama, L. K., & Oftedal, O. T. (2001). Ascorbic acid biosynthesis in Amazonian fishes. **Aquaculture**, 192(2-4), 321-332.
- Gad, A. A. M., & Sirko, A. (2024). L-gulonolactone Oxidase, the Key Enzyme for L-Ascorbic Acid Biosynthesis. **Current Issues in Molecular Biology**, 46(10), 11057-11074.
- Garcia, D., Lima, D., da Silva, D. G. H., & de Almeida, E. A. (2020). Decreased malondialdehyde levels in fish (*Astyanax altiparanae*) exposed to diesel: Evidence of metabolism by aldehyde dehydrogenase in the liver and excretion in water. **Ecotoxicology and Environmental Safety**, 190, 110107.
- Gasco, L., Gai, F., Maricchiolo, G., Genovese, L., Ragonese, S., Bottari, T., ... & Caruso, G. (2018). Supplementation of vitamins, minerals, enzymes and antioxidants in fish feeds. **Feeds for the Aquaculture Sector: Current Situation and Alternative Sources**, 63-103.
- Gęgotek, A., & Skrzydlewska, E., (2022). Antioxidative and anti-inflammatory activity of ascorbic acid. **Antioxidants**, 11(10), 1993.
- Getnet, M. A., Mekonnen, M. Y., Yimam, H. M., Berihun, A. M., & Maleda, B. A. (2024). Histopathology based study of Nile tilapia fish (*Oreochromis niloticus*) as a biomarker for water pollution evaluation in the southern gulf of Lake Tana, Ethiopia. **BMC Veterinary Research**, 20(1), 409.
- Gheziel, C., Russo, P., Arena, M. P., Spano, G., Ouzari, H. I., Kheroua, O., ... & Capozzi, V. (2019). Evaluating the probiotic potential of *Lactobacillus plantarum* strains from Algerian infant feces: towards the design of probiotic starter cultures tailored for developing countries. **Probiotics and antimicrobial proteins**, 11, 113-123.

- Gouda, A., Amer, S. A., Gabr, S., & Tolba, S. A. (2020). Effect of dietary supplemental ascorbic acid and folic acid on the growth performance, redox status, and immune status of broiler chickens under heat stress. **Tropical Animal Health and Production**, 52, 2987-2996.
- Han, B., Long, W. Q., He, J. Y., Liu, Y. J., Si, Y. Q., & Tian, L. X. (2015). Effects of dietary *Bacillus licheniformis* on growth performance, immunological parameters, intestinal morphology and resistance of juvenile Nile tilapia (*Oreochromis niloticus*) to challenge infections. **Fish & shellfish immunology**, 46(2), 225-231.
- Haque, M. M., Hasan, N. A., Eltholth, M. M., Saha, P., Mely, S. S., Rahman, T., & Murray, F. J. (2021). Assessing the impacts of in-feed probiotic on the growth performance and health condition of pangasius (*Pangasianodon hypophthalmus*) in a farm trial. **Aquaculture reports**, 20, 100699.
- Hardie, L. J., Fletcher, T. C., & Secombes, C. J. (1991). The effect of dietary vitamin C on the immune response of the Atlantic salmon (*Salmo salar* L.). **Aquaculture**, 95(3-4), 201-214.
- Harsij, M., Kanani, H. G., & Adineh, H. (2020). Effects of antioxidant supplementation (nano-selenium, vitamin C and E) on growth performance, blood biochemistry, immune status and body composition of rainbow trout (*Oncorhynchus mykiss*) under sub-lethal ammonia exposure. **Aquaculture**, 521, 734942.
- Hong, H. A., Duc, L. H., & Cutting, S. M. (2005). The use of bacterial spore formers as probiotics. **FEMS microbiology reviews**, 29(4), 813-835.
- Ibrahim, T. (2020). Diseases of Nile tilapia with special emphasis on water pollution. **Journal of Environmental Science and Technology**, 13, 29-56.
- Janda, J.M., & Abbott, S.L. (2010). The genus *Aeromonas*: Taxonomy, pathogenicity, and infection. **Clinical Microbiology Reviews**, 23(1), 35–73.
- Jauncey, K., Soliman, A., & Roberts, R. J. (1985). Ascorbic acid requirements in relation to wound healing in the cultured tilapia *Oreochromis niloticus* (Trewavas). **Aquaculture Research**, 16(2), 139-149.
- Jiménez-Fernández, E., Ruyra, A., Roher, N., Zuasti, E., Infante, C., & Fernández-Díaz, C. (2014). Nanoparticles as a novel delivery system for vitamin C administration in aquaculture. **Aquaculture**, 432, 426-433.

- John, T. M., George, J. C., Hilton, J. W., & Slinger, S. J. (1979). Influence of dietary ascorbic acid on plasma lipid levels in the rainbow trout. *International Journal for Vitamin and Nutrition research. Internationale Zeitschrift fur Vitamin-und Ernährungsforschung. Journal International de Vitaminologie et de Nutrition*, 49(4), 400-405.
- Keysami, M. A., & Mohammadpour, M. (2013). Effect of *Bacillus subtilis* on *Aeromonas hydrophila* infection resistance in juvenile freshwater prawn, *Macrobrachium rosenbergii* (de Man). *Aquaculture International*, 21, 553-562.
- Kuebutornye, F. K., Abarike, E. D., & Lu, Y. (2019). A review on the application of *Bacillus* as probiotics in aquaculture. *Fish & shellfish immunology*, 87, 820-828.
- Kuebutornye, F. K., Wang, Z., Lu, Y., Abarike, E. D., Sakyi, M. E., Li, Y., ... & Hlordzi, V. (2020). Effects of three host-associated *Bacillus* species on mucosal immunity and gut health of Nile tilapia, *Oreochromis niloticus* and its resistance against *Aeromonas hydrophila* infection. *Fish & shellfish immunology*, 97, 83-95
- Laosam, P., Luasiri, P., Nakharuthai, C., Boonanuntanasarn, S., Suwanangul, S., Sarnthima, R., ... & Sangsawad, P. (2024). Enzymatic hydrolysis of duck blood protein produces stable bioactive peptides: Pilot-scale production, identification, and stability during gastrointestinal and plasma digestion. *International journal of biological macromolecules*, 283, 137864.
- Li, Y., & Lovell, R. T. (1985). Elevated levels of dietary ascorbic acid increase immune responses in channel catfish1. *The Journal of nutrition*, 115(1), 123-131.
- Lim, C., Yildirim-Aksoy, M., Welker, T., Klesius, P. H., & Li, M. H. (2010). Growth performance, immune response, and resistance to *Streptococcus iniae* of Nile tilapia, *Oreochromis niloticus*, fed diets containing various levels of vitamins C and E. *Journal of the world aquaculture society*, 41(1), 35-48.
- Lin, M. F., & Shiau, S. Y. (2005). Dietary L-ascorbic acid affects growth, nonspecific immune responses and disease resistance in juvenile grouper, *Epinephelus malabaricus*. *Aquaculture*, 244(1-4), 215-221.

- Liu, C. H., Chiu, C. H., Wang, S. W., & Cheng, W. (2012). Dietary administration of the probiotic, *Bacillus subtilis* E20, enhances the growth, innate immune responses, and disease resistance of the grouper, *Epinephelus coioides*. **Fish & shellfish immunology**, 33(4), 699-706.
- Liu, H., Wang, S., Cai, Y., Guo, X., Cao, Z., Zhang, Y., ... & Zhou, Y. (2017). Dietary administration of *Bacillus subtilis* HAINUP40 enhances growth, digestive enzyme activities, innate immune responses and disease resistance of tilapia, *Oreochromis niloticus*. **Fish & shellfish immunology**, 60, 326-333.
- Liu, L., Liu, Y., Shin, H. D., Chen, R. R., Wang, N. S., Li, J., ... & Chen, J. (2013). Developing *Bacillus* spp. as a cell factory for production of microbial enzymes and industrially important biochemicals in the context of systems and synthetic biology. **Applied Microbiology and Biotechnology**, 97, 6113-6127.
- Liu, Q., Wen, L., Pan, X., Huang, Y., Du, X., Qin, J., ... & Lin, Y. (2021). Dietary supplementation of *Bacillus subtilis* and *Enterococcus faecalis* can effectively improve the growth performance, immunity, and resistance of tilapia against *Streptococcus agalactiae*. **Aquaculture Nutrition**, 27(4), 1160-1172.
- Liu, Y., Liu, C., & Li, J. (2020). Comparison of vitamin C and its derivative antioxidant activity: evaluated by using density functional theory. **ACS omega**, 5(39), 25467-25475.
- Mæland, A., & Waagbø, R. (1998). Examination of the qualitative ability of some cold water marine teleosts to synthesise ascorbic acid. **Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology**, 121(3), 249-255.
- Magnadottir, B. (2010). Immunological control of fish diseases. **Marine biotechnology**, 12, 361-379.
- Mathern, D. R., & Heeger, P. S. (2015). Molecules great and small: the complement system. **Clinical Journal of the American Society of Nephrology**, 10(9), 1636-1650.
- Medagoda, N., Chotikachinda, R., Hasanthi, M., & Lee, K. J. (2023). Dietary supplementation of a mixture of nucleotides, β -glucan and vitamins c and e improved the growth and health performance of olive flounder, *Paralichthys olivaceus*. **Fishes**, 8(6), 302.

- Milla, S., Mathieu, C., Wang, N., Lambert, S., Nadzialek, S., Massart, S., ... & Kestemont, P. (2010). Spleen immune status is affected after acute handling stress but not regulated by cortisol in Eurasian perch, *Perca fluviatilis*. **Fish & shellfish immunology**, 28(5-6), 931-941.
- Moriarty, D. J. (1999, August). Disease control in shrimp aquaculture with probiotic bacteria. *In Proceedings of the 8th international symposium on microbial ecology* (pp. 237-243). Atlantic Canada Society for Microbial Ecology, Halifax, Canada.
- Munguti, J. M., Nairuti, R., Iteba, J. O., Obiero, K. O., Kyule, D., Opiyo, M. A., ... & Ogello, E. O. (2022). Nile tilapia (*Oreochromis niloticus* Linnaeus, 1758) culture in Kenya: Emerging production technologies and socio-economic impacts on local livelihoods. **Aquaculture, Fish and Fisheries**, 2(4), 265-276.
- Nakharuthai, C., & Srisapoome, P. (2020). Molecular identification and dual functions of two different CXC chemokines in Nile tilapia (*Oreochromis niloticus*) against *Streptococcus agalactiae* and *Flavobacterium columnare*. **Microorganisms**, 8(7), 1058.
- Nakharuthai, C., Areechon, N., & Srisapoome, P. (2016). Molecular characterization, functional analysis, and defense mechanisms of two CC chemokines in Nile tilapia (*Oreochromis niloticus*) in response to severely pathogenic bacteria. **Developmental & Comparative Immunology**, 59, 207-228.
- Nakharuthai, C., Boonanuntanasarn, S., Kaewda, J., & Manassila, P. (2023). Isolation of potential probiotic *Bacillus* spp. from the intestine of Nile tilapia to construct recombinant probiotic expressing CC chemokine and its effectiveness on innate immune responses in Nile tilapia. **Animals**, 13(6), 986.
- Nayak, S. K. (2010). Probiotics and immunity: a fish perspective. **Fish & shellfish immunology**, 29(1), 2-14.
- Nayak, S. K., Swain, P., & Mukherjee, S. C. (2007). Effect of dietary supplementation of probiotic and vitamin C on the immune response of Indian major carp, *Labeo rohita* (Ham.). **Fish & shellfish immunology**, 23(4), 892-896.
- Njiru, M., Ojuok, J. E., Okeyo-Owuor, J. B., Muchiri, M., Ntiba, M. J., & Cowx, I. G. (2006). Some biological aspects and life history strategies of Nile tilapia

- Oreochromis niloticus* (L.) in Lake Victoria, Kenya. **African Journal of Ecology**, 44(1), 30-37.
- Omoniyi, A. D., Ovie, I. A. (2018). Vitamin C: An important nutritional factor in fish diets. **Journal of Agriculture and Ecology Research International**, 16(2), 1-7.
- Panase, A., Thirabunyanon, M., Promya, J., & Chitmanat, C. (2023). Influences of *Bacillus subtilis* and fructooligosaccharide on growth performances, immune responses, and disease resistance of Nile tilapia, *Oreochromis niloticus*. **Frontiers in Veterinary Science**, 9, 1094681.
- Panigrahi, A., Kiron, V., Kobayashi, T., Puangkaew, J., Satoh, S., & Sugita, H. (2004). Immune responses in rainbow trout *Oncorhynchus mykiss* induced by a potential probiotic bacteria *Lactobacillus rhamnosus* JCM 1136. **Veterinary immunology and immunopathology**, 102(4), 379-388.
- Pehlivan, F. E. (2017). Vitamin C: An antioxidant agent. **Vitamin C**, 2, 23-35.
- Pereira, W. A., Mendonça, C. M. N., Urquiza, A. V., Marteinsson, V. P., LeBlanc, J. G., Cotter, P. D., ... & Oliveira, R. P. (2022). Use of probiotic bacteria and bacteriocins as an alternative to antibiotics in aquaculture. **Microorganisms**, 10(9), 1705.
- Pérez-Sánchez, T., Mora-Sánchez, B., & Balcázar, J. L. (2018). Biological approaches for disease control in aquaculture: advantages, limitations and challenges. **Trends in microbiology**, 26(11), 896-903.
- Pitaksong, T., Kupittayanant, P., & Boonanuntanasarn, S. (2013). The effects of vitamins C and E on the growth, tissue accumulation and prophylactic response to thermal and acidic stress of hybrid catfish. **Aquaculture Nutrition**, 19(2), 148-162.
- Pretto-Giordano, L. G., Müller, E. E., Freitas, J. C. de., & Silva, V. G. da. (2010). Evaluation on the Pathogenesis of *Streptococcus agalactiae* in Nile Tilapia (*Oreochromis niloticus*). **Brazilian Archives of Biology and Technology**, 53(1), 87-92.
- Puangkaew, J., Kiron, V., Somamoto, T., Okamoto, N., Satoh, S., Takeuchi, T., & Watanabe, T. (2004). Nonspecific immune response of rainbow trout (*Oncorhynchus mykiss* Walbaum) in relation to different status of vitamin E and highly unsaturated fatty acids. **Fish & shellfish immunology**, 16(1), 25-39.

- Rai, M., & Padh, H. (2001). Expression systems for production of heterologous proteins. **Current science**, 1121-1128.
- Rinkinen, M., Jalava, K., Westermarck, E., Salminen, S., & Ouwehand, A. C. (2003). Interaction between probiotic lactic acid bacteria and canine enteric pathogens: a risk factor for intestinal *Enterococcus faecium* colonization? **Veterinary microbiology**, 92(1-2), 111-119.
- Roosta, Z., Hajimoradloo, A., Ghorbani, R., & Hoseinifar, S. H. (2014). The effects of dietary vitamin C on mucosal immune responses and growth performance in Caspian roach (*Rutilus rutilus caspicus*) fry. **Fish physiology and biochemistry**, 40, 1601-1607.
- Santos-Sánchez, N. F., Salas-Coronado, R., Villanueva-Cañongo, C., & Hernández-Carlos, B. (2019). Antioxidant compounds and their antioxidant mechanism. **IntechOpen**.
- Serwecińska, L. (2020). Antimicrobials and antibiotic-resistant bacteria: a risk to the environment and public health. **Water**, 12(12), 3313.
- Shahkar, E., Yun, H., Kim, D. J., Kim, S. K., Lee, B. I., & Bai, S. C. (2015). Effects of dietary vitamin C levels on tissue ascorbic acid concentration, hematology, non-specific immune response and gonad histology in broodstock Japanese eel, *Anguilla japonica*. **Aquaculture**, 438, 115-121.
- Shanaka, K. A. S. N., Jung, S., Janson, N. D., Jayasingha, J. R. P., Madushani, K. P., Kim, M. J., & Lee, J. (2021). Growth and antioxidant-related effects of the reestablished ascorbic acid pathway in Zebrafish (*Danio rerio*) by genomic integration of L-gulonolactone oxidase from cloudy catshark (*Scyliorhinus torazame*). **Frontiers in Physiology**, 12, 685595.
- Sheraz, M. A. L. I., Khan, M. F., Ahmed, S. O. F. I. A., Kazi, S. H., & Ahmad, I. Q. B. A. L. (2015). Stability and stabilization of ascorbic acid. **Household and Personal Care Today**, 10, 22-25.
- Shi, M., Gao, M., Sun, H., Yang, W., Zhao, H., Zhang, L., & Xu, H. (2023). Exogenous 2-keto-L-gulonic acid supplementation as a novel approach to enhancing L-ascorbic acid biosynthesis in zebrafish (*Danio rerio*). **Animals**, 13(15), 2502.

- Shinn, A. P., Avenant-Oldewage, A., Bondad-Reantaso, M. G., Cruz-Laufer, A. J., García-Vásquez, A., Hernández-Orts, J. S., ... & Deveney, M. R. (2023). A global review of problematic and pathogenic parasites of farmed tilapia. **Reviews in Aquaculture**, 15, 92-153.
- Siwicki, A., & Studnicka, M. (1987). The phagocytic ability of neutrophils and serum lysozyme activity in experimentally infected carp, *Cyprinus carpio* L. **Journal of Fish Biology**, 31, 57-60.
- Smirnoff, N. (2001). L-ascorbic acid biosynthesis. **Vitamins & Hormones**, 61, 241-266.
- Ssekyewa, C. & Muwanga, M.K. (2009). Biotechnology in Organic Agriculture in Africa: Myth or Oversight. **Journal of Science and Sustainable Development**, 2(1), 33-38.
- Suanyuk, N., Kong, F., Ko, D., Gilbert, G. L., & Supamattaya, K. (2008). Occurrence of rare genotypes of *Streptococcus agalactiae* in cultured red tilapia *Oreochromis* sp. and Nile tilapia *O. niloticus* in Thailand—relationship to human isolates? **Aquaculture**, 284(1-4), 35-40.
- Subramani, P. A., Narasimha, R. V., Balasubramanian, R., Narala, V. R., Ganesh, M. R., & Michael, R. D. (2016). Cytotoxic effects of *Aeromonas hydrophila* culture supernatant on peripheral blood leukocytes of Nile tilapia (*Oreochromis niloticus*): Possible presence of a secreted cytotoxic lectin. **Fish & Shellfish Immunology**, 58, 604-611.
- Sunarto, A., Grimm, J., McColl, K. A., Ariel, E., Nair, K. K., Corbeil, S., ... & Holmes, B. (2022). Bioprospecting for biological control agents for invasive tilapia in Australia. **Biological Control**, 105020.
- Suwanangul, S., Jaichakan, P., Narkprasom, N., Kraithong, S., Narkprasom, K., & Sangsawad, P. (2023). Innovative Insights for Establishing a Synbiotic Relationship with *Bacillus coagulans*: Viability, Bioactivity, and *In Vitro*-Simulated Gastrointestinal Digestion. **Foods**, 12(19), 3692.
- Tian, Y. S., Deng, Y. D., Zhang, W. H., Xu, J., Gao, J. J., Fu, X. Y., ... & Yao, Q. H. (2022). Metabolic engineering of *Escherichia coli* for direct production of vitamin C from D-glucose. **Biotechnology for Biofuels and Bioproducts**, 15(1), 86.

- Toyohara, H., Nakata, T., Touhata, K., Hashimoto, H., Kinoshita, M., Sakaguchi, M., ... & Ozato, K. (1996). Transgenic expression of L-gulonolactone oxidase in medaka (*Oryzias latipes*), a teleost fish that lacks this enzyme necessary for L-ascorbic acid biosynthesis. **Biochemical and Biophysical Research Communications**, 223(3), 650-653.
- Uni, Z. (2006). Early development of small intestinal function. Perry GC, (Ed). **28th Poultry Science Symposium of the World's Poultry Science Association** (pp. 29-42). Wallingford UK: CABI.
- Verlhac, V., Gabaudan, J., Obach, A., Schüep, W., & Hole, R. (1996). Influence of dietary glucan and vitamin C on non-specific and specific immune responses of rainbow trout (*Oncorhynchus mykiss*). **Aquaculture**, 143(2), 123-133.
- Verschuere, L., Rombaut, G., Sorgeloos, P., & Verstraete, W. (2000). Probiotic bacteria as biological control agents in aquaculture. **Microbiology and Molecular Biology Reviews**, 64, 655–671.
- Wang, B., Thompson, K. D., Wangkahart, E., Yamkasem, J., Bondad-Reantaso, M. G., Tattiyapong, P., ... & Surachetpong, W. (2023). Strategies to enhance tilapia immunity to improve their health in aquaculture. **Reviews in Aquaculture**, 15, 41-56.
- Wang, J., Law, C.L., Mujumdar, A.S., & Xiao, H.W. (2017). The degradation mechanism and kinetics of vitamin C in fruits and vegetables during thermal processing. Nema, PK, Kaur, BP and Mujumdar, (Eds). **AS Fundamentals & applications (Part III)**, 227-253.
- Wang, L., Chen, D., Lou, B., Zhan, W., Chen, R., Liu, F., & Mao, G. (2017). The effects of dietary vitamin C on growth performance, serum enzymes activities and resistance to *Vibrio alginolyticus* challenge of yellow drum *Nibea albiflora*. **Aquaculture Research**, 48(9), 4684-4695.
- Wang, X., Kim, K. W., Bai, S. C., Huh, M. D., & Cho, B. Y. (2003). Effects of the different levels of dietary vitamin C on growth and tissue ascorbic acid changes in parrot fish (*Oplegnathus fasciatus*). **Aquaculture**, 215(1-4), 203-211.
- Won, S., Hamidoghli, A., Choi, W., Park, Y., Jang, W. J., Kong, I. S., & Bai, S. C. (2020). Effects of *Bacillus subtilis* WB60 and *Lactococcus lactis* on growth, immune

- responses, histology and gene expression in Nile tilapia, *Oreochromis niloticus*. **Microorganisms**, 8(1).
- Wu, D., Hugenholtz, P., Mavromatis, K., Pukall, R., Dalin, E., Ivanova, N. N., ... & Eisen, J. A. (2009). A phylogeny-driven genomic encyclopaedia of Bacteria and Archaea. **Nature**, 462(7276), 1056-1060.
- Wu, Z. X., Feng, X., Xie, L. L., Peng, X. Y., Yuan, J., & Chen, X. (2012). Effect of probiotic *Bacillus subtilis* Ch9 for grass carp, *Ctenopharyngodon idella* (Valenciennes, 1844), on growth performance, digestive enzyme activities and intestinal microflora. **Journal of Applied Ichthyology**, 28(5), 721-727.
- Xu, C. M., Yu, H. R., Li, L. Y., Li, M., Qiu, X. Y., Fan, X. Q., ... & Shan, L. L. (2022). Effects of dietary vitamin C on the growth performance, biochemical parameters, and antioxidant activity of coho salmon *Oncorhynchus kisutch* (Walbaum, 1792) Postsmolts. **Aquaculture nutrition**, 2022(1), 6866578.
- Yang, Y., Zhang, G., Wu, J., Chen, X., Tong, D., Yang, Y., ... & Du, A. (2020). Recombinant HcGAPDH protein expressed on probiotic *Bacillus subtilis* spores protects sheep from *Haemonchus contortus* infection by inducing both humoral and cell-mediated responses. **Msystems**, 5(3), 10-1128.
- Yanong, R. P. E., Francis-Floyd, R., & Petty, B. D. (2021). **Infectious diseases in aquaculture**. Retrieved from <https://www.msdsvetmanual.com/exotic-and-laboratory-animals/aquaculture/infectious-diseases-in-aquaculture>.
- Yin, X., Chen, K., Cheng, H., Chen, X., Feng, S., Song, Y., & Liang, L. (2022). Chemical stability of ascorbic acid integrated into commercial products: A review on bioactivity and delivery technology. **Antioxidants**, 11(1), 153.
- Zafar, N., & Khan, M. A. (2020). Effects of dietary iron on growth, haematology, oxidative stress and hepatic ascorbic acid concentration of stinging catfish *Heteropneustes fossilis*. **Aquaculture**, 516, 734642.
- Zahran, E., Hafez, E. E., Mohd Altaf Hossain, F., Elhadidy, M., & Shaheen, A. A. (2017). Saprolegniosis in Nile tilapia: identification, molecular characterization, and phylogenetic analysis of two novel pathogenic *Saprolegnia* strains. **Journal of Aquatic Animal Health**, 29(1), 43-49.
- Zehra, S., & Khan, M. A. (2021). Dietary vitamin C requirement based on growth performance, non-specific immune response, antioxidant capacity, and liver

- vitamin C concentration of fingerling *Channa punctatus* (Bloch). **Animal Feed Science and Technology**, 280, 115058.
- Zhang, C., Wohlueter, R. & Zhang, H. (2016). Genetically modified foods: A critical review of their promise and problems. **Food Science and Human Wellness**, 5(3), 116-123.
- Zhao, Y., Yuan, L., Wan, J., Sun, Z., Wang, Y., & Sun, H. (2016). Effects of potential probiotic *Bacillus cereus* EN25 on growth, immunity and disease resistance of juvenile sea cucumber *Apostichopus japonicus*. **Fish & Shellfish Immunology**, 49, 237-242.
- Zhu, C. B., Ren, H. C., Wu, Y. J., Yang, S., & Fei, H. (2024). Benefits and applications of vitamin C in farmed aquatic animals: An updated review. **Aquaculture International**, 32(2), 1295-1315.