

REFERENCES

- Abushik, A. F., Ivanova, V. A., Kotchetkova, N. M., Martinova, G. P., Neckaja, A. I., & Rozhdestvenskaja, A. A. (1960). New Palaeozoic ostracodes of the Russian and Siberian platforms, the Urals and Pechora Range. In: *New Species of Ancient Plants and Invertebrates of the USSR, Moscow*, 2: 280–366, 492-517 [in Russian].
- Adamczak, F. (1976). Middle Devonian Podocopida (ostracoda) from Poland; Their morphology, systematics, and occurrence. *Senckenbergiana Lethaea*, 57: 265-467.
- Agematsu, S., Sashida, K., Salyapongse, S., & Sardsud, A. (2006a). Lower Devonian tentaculite bed in the Satun area, Southern Peninsular Thailand. *Journal of Asian Earth Sciences*, 26(6): 605-611.
- Agematsu, S., Sashida, K., Salyapongse, S., & Sardsud, A. (2006b). Ordovician-Silurian boundary graptolites of the Satun area, Southern Peninsular Thailand. *Paleontological Research*, 10: 207-214.
- Agematsu, S., Sashida, K., Salyapongse, S., & Sardsud, A. (2007). Ordovician conodonts from the Satun area, Southern Peninsular Thailand. *Journal of Paleontology*, 81(1): 19-37.
- Agematsu, S., Sashida, K., Sardsud, S. and Machida, N., 2017. Ordovician-Silurian-Devonian: Significance of fossil assemblages at Tarutao, Khao Noi, and Kuan Tung, Satun Aspiring Geopark. In S. Techawan and A. Surinkum (eds). *DMR-CCOP-TNCU Technical Seminar on "Biostratigraphy and Karst Morphology of Satun Aspiring Geopark"*, Department of Mineral Resource, Thailand: 23-27.
- Al Omari, M. M. H., Rashid, I. S., Qinna, N. A., Jaber, A. M., & Badwan, A. A. (2016). Chapter two - calcium carbonate. In: H. G. Brittain (Ed.), *Profiles of drug substances, excipients and related methodology*. Academic Press, pp. 31-132.
- Allison, P. A., Wignall, P. B., & Brett, C. E. (1995). Palaeo-Oxygenation: Effects and Recognition. *Geological Society, London, Special Publications*, 83(1): 97-112.

- Anderson, M. A. (2003). A study of conodont genera *Belodella* and *Neopanderodus* with emphasis on faunas from Eastern Australia. *CFS Courier Forschungsinstitut Senckenberg*: 463-491.
- Bancroft, A. M., & Cramer, B. D. (2020). Silurian conodont biostratigraphy of the East-Central Appalachian Basin (Eastern USA): Re-examination of the C.T. Helfrich collection. *Bulletin of Geosciences*, 95(1): 1-22.
- Bandel, K., & Becker, G. (1975). Ostracoden aus Paläozoischen pelagischen kalken der Karnischen Alpen (Silurium bis Unterkarbon). *Senckenbergiana lethaea*, 56: 1-83.
- Barrande, J. (1852). Système silurien du centre de la Bohême: 1re partie: *Recherches paléontologiques*. Prague: Chez l'auteur et éditeur.
- Bateson, W. (1886). The ancestry of the chordata. *Quarterly Journal of Microscopical Science*. 26: 535-571
- Becker, G. (1964). Palaeocopida (Ostracoda) aus dem Mitteldevon der Sötenicher Mulde (N-Eifel). *Senckenbergiana lethaea*, 45: 43-113.
- Becker, R. T., Marshall, J. E. A., Da Silva, A. C., Agterberg, F. P., Gradstein, F. M., & Ogg, J. G. (2020). Chapter 22 - the Devonian Period. In: F. M. Gradstein, J. G. Ogg, M. D. Schmitz, & G. M. Ogg (Eds.), *Geologic time scale 2020*. Elsevier, pp. 733-810.
- Bennett, C., Siveter, D., Davies, S., Williams, M., Wilkinson, I., Browne, M., & Miller, C. (2012). Ostracods from freshwater and brackish environments of the Carboniferous of the Midland Valley of Scotland: The early colonization of terrestrial water bodies. *Geological Magazine*, 149: 366-396.
- Benson, R. H., Berdan, J. M., van den Bold, W. A., Hanai, T., Hessland, I., Howe, H. V., Kesling, R. V., Levinson, S. A., Reymont, R. A., Moore, R. C., Scott, H. W., Shaver, R. H., Sohn, I. G., Stover, L. E., Swain, F. M., & Sylvester-Bradley, P. C. (1961). Systematic description. In: R. C. Moore and C. W. Pitrat (Eds.), *Treatise on invertebrate paleontology, part Q arthropoda 3 crustacea ostracoda*. Geological Society of America, Boulder and University of Kansas Press, Lawrence, pp. 99-421.
- Berdan, J. M., & Sohn, I. G. (1961). Family Pachydomellidae Berdan & Sohn, N. Fam. In: R. C. Moore (Ed.), *Treatise on invertebrate paleontology, part Q, arthropoda 3*

- crustacea ostracoda*. Geological Society of America and University of Kansas Press., Lawrence, pp. 373.
- Berner, R. A. (1984): Sedimentary pyrite formation: an update. *Geochim. Cosmochim. Acta*, 48: 605-615
- Bergström, S. M. (1981). Family Balognathidae - Family Ulrichodinidae. In: R. A. Robison (Ed.), *Treatise on invertebrate paleontology, part w, supplement 2 conodonta*. Geological Society of America and the University of Kansas, Lawrence.
- Bischoff, G., & Sannemann, D. (1958). Unterdevonische conodonten aus dem Frankenwald. *Notizblatt des hessisches Landesamt für Bodenforschung zu Wiesbaden*, 86: 87-110.
- Blumenstengel, H. (1970). Zur paläontologie und biostratigraphie des paläozoikums und mesozoikums europas. *Freiberger Forschungshefte*, C256: 7-63.
- Boomer, I., Horne, D. J., & Slipper, I. J. (2003). The use of ostracods in palaeoenvironmental studies, or what can you do with an ostracod shell?. *The Paleontological Society Papers*, 9: 153-180.
- Boomer, I., Whatley, R., Bassi, D., Fugagnoli, A., & Loriga, C. (2001). An Early Jurassic Oligohaline ostracod assemblage within the marine carbonate platform sequence of the Venetian Prealps, Northeast Italy. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 166(3): 331-344.
- Bouček, B. (1964). The tentaculites of Bohemia: Their morphology, taxonomy, ecology, phylogeny and biostratigraphy. *Publishing House of the Czechoslovak Academy of Sciences, Prague*: 215.
- Bouček, B., & Prantl, F. (1960). Nekolik nomenklatorických poznámek k nadržadu tentaculitoidea (Ljašenko). *Časopis Národního Musea – Oddíl Přírodovědný*: 198-199.
- Bouček, B., & Prantl, F. (1961). Über einige neue tentaculiten-gattungen aus dem böhmische Devon. *Vest. Ustr. ust. geol.*, 36: 385-388.
- Boucot, A. J., Cocks, L. R. M., & Racheboeuf, P. R. (1999). Early Devonian brachiopods from Satun Province, Southern Thailand. *Journal of Paleontology*, 73(5): 850 – 859.

- Brandão, S. N., Hoppema, M., Kamenev, G. M., Karanovic, I., Riehl, T., Tanaka, H., Vital, H., Yoo, H., & Brandt, A. (2019). Review of ostracoda (Crustacea) living below the carbonate compensation depth and the deepest record of a calcified ostracod. *Progress in Oceanography*, 178: 102144.
- Branson, E. B., & Mehl, M. G. (1933). Conodont studies. *University of Missouri Studies*, 8: 1-343.
- Briggs, D. E. G. (1992). Conodonts: A major extinct group added to the vertebrates. *Science*, 256(5061): 1285-1286.
- Bunopas, S. (1981). *Paleogeographic history of Western Thailand and adjacent parts of Southeast Asia – a plate tectonic interpretation*. PhD thesis, Victoria University of Wellington, New Zealand. (Reprinted in 1982 as Geological Survey Division, Department of Mineral Resources, Geological Survey Paper, No.5, special issue).
- Burrett, C., Fang, X., Li, W., Thassanapak, H., & Udchachon, M. (2024). The first scyphocrinitid loboliths from Thailand. *Proceedings of the Geologists' Association*, 135(1): 131-136.
- Burrett, C., Udchachon, M., & Thassanapak, H. (2021). The Truong Son, Loei-Phetchabun, and Kontum Terranes in Indochina: Provenance, rifting, and collisions. *Frontiers in Earth Science*, 9.
- Casier, J-G., (1988). Présence de Cypridinacea (ostracodes) dans la partie Supérieure du Frasnien du Bassin de Dinant. *Bulletin de l'Institut Royal des Sciences Naturelles de Belgique, Sciences de la Terre*, 58: 89-94.
- Casier, J-G. (2004). The mode of life of Devonian Entomozoacean ostracods and the Myodocopid mega-assemblage proxy for hypoxic events. *Bulletin de l'Institut Royal des Sciences Naturelles de Belgique, Sciences de la Terre*, 74-suppl.: 73-80.
- Casier, J-G. (2007). Guide de l'excursion: Les ostracodes du Dévonien moyen et Supérieur du Synclitorium de Dinant. In: J. G. Casier (Ed.), *Résumé des communications et guide de l'excursion de la 22^{ième} Réunion des ostracodologues de langue française*, Bruxelles: Institut royal des Sciences naturelles de Belgique, pp. 25-79.

- Casier, J-G. (2017). Ecology of Devonian ostracods: Application to the Frasnian/Famennian boundary bioevent in the type region (Dinant Synclinorium, Belgium). *Palaeobiodiversity and Palaeoenvironments*, 97(3): 553-564.
- Casier, J-G., & Lethiers, F. (1997). *Micronewsomites* et *Decoranewsomites*, deux nouveaux genres d'ostracodes Dévonien. *Revue de micropaléontologie*, 40(2): 125-130.
- Casier, J-G., & Pr  at, A., (1996). Ostracods and sedimentology from the Eifelian-Givetian transition in the marble quarry of Pic De Vissou (Montagne Noire, France). *Bulletin des Centres de Recherches Elf Exploration Production*, 20: 367-387.
- Casier, J-G., Kasimi, R., & Preat, A. (1995). Les ostracodes au passage Eifelien/Givetien a Glageon (Avesnois, France). *Geobios*, 28(4): 487-499.
- Casier, J-G., Lethiers, F., & Baudin, F. (1999). Ostracods, organic matter and anoxic events associated with the Frasnian/Famennian boundary in the Schmidt quarry (Germany). *Geobios*, 32(6): 869-881.
- Casier, J-G., Lebon, A., Mamet, B., & Pr  at, A. (2005). Ostracods and lithofacies close to the Devonian-Carboniferous boundary in the Chauxhe and Rivage sections, northeastern part of the Dinant Basin, Belgium. *Bulletin de l'Institut Royal des Sciences Naturelles de Belgique, Sciences de la Terre*. 75. 95-126.
- Casier, J.-G., Devleeschouwer, X., Petitclerc, E., & Pr  at, A. (2011). Ostracods, rock facies and magnetic susceptibility of the Hanonet Formation/Trois-Fontaines Formation boundary interval (Early Givetian) at the Mont D'Hairs (Givet, France). *Bulletin de l'Institut royal des Sciences naturelles de Belgique*, 81: 63–96.
- Chaodumrong, P., Assavapatchara, S., & Jongautchariyakul, S. (2004). *Final report on comparative research on Permian strata and fauna between West Yunnan and West Thailand*: Research project funded by national research council of Thailand. 1-235.
- Chaodumrong, P., Xiangdong, W., & Shuzhong, S. (2007). Permian lithostratigraphy of the Shan-Thai Terrane in Thailand: Reservoir of the Kaeng Krachan and Ratburi Groups, in Tantiwanit, W., Ed. In Chief. *Proceedings of the International*

Conference on Geology of Thailand: Towards sustainable development and sufficiency economy, Bangkok, November 21-22, 2007, Department of Mineral Resources.

- Chapman, F. (1904). New or little-known Victorian fossils in the National Museum. Part III: Some Palaeozoic Pteropoda. *Proceedings of the Royal Society of Victoria*, 16, 336–342.
- Chitnarin, A., & Ketwetsuriya, C. (2021). Middle Permian ostracod fauna from the Khao Khad Formation (Indochina Terrane), Central Thailand. *Annales de Paléontologie*, 107: 102521.
- Chitnarin, A., Crasquin, S., Forel, M-B., & Tepnarong, P. (2017). Ostracods (Crustacea) of the Early-Middle Permian (Cisrulian-Guadalupian) from Central Thailand (Indochina Block): Part II, Orders Podocopida, Platycopida and Myodocopida. *Geodiversitas*, 39(4): 651-690.
- Chitnarin, A., Crasquin, S., Charoentitirat, T., Tepnarong, P., & Thanee, N. (2012). Ostracods (Crustacea) of the Early - Middle Permian from Central Thailand (Indochina Block). Part I.: Order Palaeocopida. *Geodiversitas*, 34: 801-835.
- Chitnarin, A., Crasquin, S., Chonglakmani, C., Broutin, J., Grote, P. J., & Thanee, N. (2008). Middle Permian ostracods from Tak Fa limestone, Phetchabun Province, Central Thailand. *Geobios*, 41: 341-353.
- Cocks, L. R. M., & Fortey, R. A. (1997). A new Hirnantia fauna from Thailand and the biogeography of the Latest Ordovician of South-East Asia. *Geobios*, 20: 117-126.
- Cooper, B. J. (1974). New forms of *Belodella* (Conodonta) from the Silurian of Australia. *Journal of Paleontology*, 48(6): 1120-1125.
- Cooper, C. L. (1946). Pennsylvanian ostracodes of Illinois. *Illinois State Geological Survey Bulletin*, 70: 1-177.
- Cornell, S. R., Brett, C. E., & Sumrall, C. D. (2003). Paleoecology and taphonomy of an Edrioasteroid-dominated hardground association from tentaculitid limestones in the Early Devonian of New York: A paleozoic Rocky Peritidal Community. *PALAIOS*, 18(3): 212-224.

- Corradini, C. (2007). The conodont genus *Pseudooneotodus* Drygant from the Silurian and Lower Devonian of Sardinia and the Carnic Alps (Italy). *Bollettino della Società Paleontologica Italiana*, 46: 139–148.
- Corradini, C., & Corriga, M. G. (2010). Silurian and Lowermost Devonian conodonts from the Passo Volaia Area (Carnic Alps, Italy). *Bollettino della Società Paleontologica Italiana*, 49: 237-253.
- Corradini, C., Corriga, M. G., Männik, P., & Schönlaub, H. P. (2015). Revised conodont stratigraphy of the Cellon Section (Silurian, Carnic Alps). *Lethaia*, 48(1): 56-71.
- Corradini, C., Corriga, M. G., Pondrelli, M., & Suttner, T. J. (2020). Conodonts across the Silurian/Devonian boundary in the Carnic Alps (Austria and Italy). *Palaeogeography, Palaeoclimatology, Palaeoecology*, 549: 109097.
- Corriga, M. G., & Corradini, C. (2019). The conodont apparatus of *Zieglerodina Eladioi* (Valenzuela-Rios, 1994). *Bollettino della Società Paleontologica Italiana*, 58: 181-185.
- Corriga, M. G., Corradini, C., & Walliser, O. (2014). Upper Silurian and Lower Devonian conodonts from Tafilalt, Southeastern Morocco. *Bulletin of Geosciences*, 89: 183-200.
- Coryell, H. N., & Billings, G. D. (1932). Pennsylvanian ostracoda of the Wayland Shale of Texas. *American Midland Naturalist*, 13(4): 170-189.
- Crasquin-Soleau, S., Vaslet, D., & Le Nindre, Y-M. (2005). Ostracods as markers of the Permian/Triassic boundary in the Khuff Formation of Saudi Arabia. *Palaeontology*, 48(4): 853-868.
- Crasquin, S. (1985). Nouvelles especes d'ostracodes Dinantiens (France, Belgique, Canada). *Revue de Paleobiologie*, 4: 79-109.
- Crasquin, S., & Horne, D. J. (2018). The palaeopsychrosphere in the Devonian. *Lethaia*, 51(4): 547-563.
- Crônier, C., & Fortey, R. A. (2006). Morphology and ontogeny of an Early Devonian Phacopid trilobite with reduced sight from Southern Thailand. *Journal of Paleontology*, 80(3): 529-536.
- Delo, D. M. (1930). Some Upper Carboniferous ostracods from the shale basin of Western Texas. *Journal of Paleontology*, 4: 152-178.

- Department of Mineral Resources. (2013). Zoning for geological and mineral resource managements, Satun Province, Peninsular Thailand. Department of Mineral Resources, Bangkok, Thailand: 123.
- Department of Mineral Resources. (2014). Lithostratigraphy, faunal assemblages, biodiversity, paleocology and environment of deposition of the Cambrian-Permian rocks in Satun Province, Peninsular Thailand. Bureau of Geological Survey, Department of Mineral Resources, Bangkok, Thailand: 221.
- Department of Mineral Resources. (2018). Summary of the geology and palaeontology of the proposed Satun Geopark Peninsular Thailand, Burrett, C. F., Chaodumrong, P. Mineral Resources Research and Development Center, Bangkok, pp. 100.
- Dill, H. G., Luppold, F. W., Techmer, A., Chaodumrong, P., & Phoonphun, S. (2004). Lithology, micropaleontology and chemical composition of calcareous rocks of Paleozoic through Cenozoic Age (Surat Thani Province, Central Peninsular Thailand): Implications concerning the environment of deposition and the economic potential of limestones. *Journal of Asian Earth Sciences*, 23(1): 63-89.
- Donoghue, P. C. J., Forey, P. L., & Aldridge, R. J. (2000). Conodont affinity and chordate phylogeny. *Biological Reviews*, 75(2): 191-251.
- Drygant, D. M., (1974). Simple Silurian and Lower Devonian conodonts from the Volyn-Podolia. *Paleontologičeskij Sbornik*, 10(2): 64-70.
- Dunham, R. J. (1962). Classification of Carbonate Rocks According to Depositional Texture. In: Ham, W. E. (Ed.), *Classification of Carbonate Rocks*, Aapg, Tulsa, 108-121.
- Dzik, J. (1976). Remarks on the evolution of Ordovician conodonts. *Acta Palaeontologica Polonica*, 21: 395-455.
- Egorov, V. G. (1950). Ostracoda of the Frasnian stage of the Russian Platform, I, Kloedenellidae. *Ministry of Oil Industry, Moscow Office All-Soviet Sci. Research Geol. Prospecting Inst.*: 1-175 [In Russian].
- Egorov, V. G. (1953). Ostracods of the Frasnian stage of the Russian Platform. Volume 2: Bairdiidae, Hollinidae, Kirkbyidae. *Moscow — Ibid.*, 1-135 [In Russian].

- Ethington, R. L. (1959). Conodonts of the Ordovician Galena Formation. *Journal of Paleontology*, 25: 257-292.
- Farrell, J. (2004). Siluro-Devonian conodonts from the Camelford limestone, Wellington, New South Wales, Australia. *Palaeontology*, 47: 937-982.
- Farsan, N. M. (1994). Tentaculiten: ontogenese, systematik, phylogene, biostratonomie und morphologie. *Abhandlungen der Senckenbergische Naturforschende Gesellschaft*, 547: 1-128.
- Ferretti, A., Corrigan, M. G., Slavik, L., & Corradini, C. (2022). Running across the Silurian/Devonian boundary along Northern Gondwana: A conodont perspective. *Geosciences*, 12(43): 1-25.
- Fisher, D. W. (1962). Small conoidal shells of uncertain affinities, P. W98-W143. In: R. C. Moore (Ed.), *Treatise on invertebrate paleontology, pt. w, miscellane.* Geological Society of America and University of Kansas Press, Lawrence.
- Flügel, E. (2010). Microfacies of carbonate rocks: Analysis, interpretation and application. *Springer-Verlage, Berlin*, 976 pp.
- Fortey, R. A. (1989). An Early Devonian trilobite fauna from Thailand. *Alcheringa: An Australasian Journal of Palaeontology*, 13(4): 257-267.
- Geis, H. L. (1932). Some ostracodes from the Salem limestone, Mississippian, of Indiana. *Journal of Paleontology*, 6: 149-188.
- Geis, H. L. (1933). Microcheilinella, a new name for the ostracode genus *Microcheilus*. *Journal of Paleontology*, 7: 112.
- Gramm, M. N., & Ivanova, V. A. (1975). The ostracod *Paraparchites minax* Ivanov, Sp. Nov. from the Permian of the U.S.S.R., and its muscle-scar field. *Palaeontology*, 18(3): 551-561.
- Green, O. R. (2001). Extraction techniques for phosphatic fossils. In: O. R. Green (Ed.), *A manual of practical laboratory and field techniques in palaeobiology*. Springer Netherlands, Dordrecht, pp. 318-330.
- Gründel, J. (1962). Zur taxonomie der ostracoden der Gattendorfi a-Stufe Thüringens. *Freiberger Forschungshefte*, 151: 51-105.
- Gügel, B., De Baets, K., Jerjen, I., Schuetz, P., & Klug, C. (2017). A new subdisarticulated Machaeridian from the Middle Devonian of China: Insights into taphonomy and

- taxonomy using X-Ray microtomography and 3d-analysis. *Acta Palaeontologica Polonica*, 62: 237-247.
- Guillam, E., Forel, M-B., Song, J. J., & Crasquin, S. (2022). Late Devonian– Early Carboniferous ostracods (Crustacea) from South China: taxonomy, diversity and implications. *European Journal of Taxonomy*, 804: 1-62.
- Gürich, G. (1896). Das Palaeozoicum im Polnischen Mittelgebirge. *Zapisky I. Mineralog. Obcestva*, 32(2): 1-539.
- Hagen, D., & Kemper, E. (1976). Geology of the Thong Pha Phum area (Kanchanaburi Province, Western Thailand). *Geologisches Jahrbuch*, B21: 53-91.
- Hahn, L. and Siebenhüner, M. (1982). Explanatory notes (Paleontology) on the geological maps of Northern and Western Thailand 1: 250,000: Sheets Nan, Chiang Rai, Phayao, Chiang Dao, Chiang Mai, Li, Thong Pha Phum. *Bundesanst. für Geowiss. u. Rohstoffe*, 79.
- Hall, J. (1843). Natural history of New York, *Geology of New York, Part IV* . Albany.
- Harlton, B. H. (1933). Micropaleontology of the Pennsylvanian Johns Valley shale of the Ouachita Mountains, Oklahoma, and its relationship to the Mississippian Caney shale. *Journal of Paleontology*, 7: 3-29.
- Hass, W. H. (1959). Conodonts from the Chappel limestone of Texas. *U. S. Geological Survey Professional Paper*, 294-J: 365-400.
- Hassan, M. H. A., Erdtmann, B. D., Wang, X., & Peng, L. C. (2013). Early Devonian graptolites and tentaculitids in Northwest Peninsular Malaysia and a revision of the Devonian-Carboniferous stratigraphy of the region. *Alcheringa: An Australasian Journal of Palaeontology*, 37(1): 49-63.
- Henningsmoen, G. (1953). Classification of Paleozoic straight-hinged ostracods. *Norsk Geologisk Tidsskrift*, 31: 185-288.
- Hladil, J., Cejchan, P., & Berousek, P. (1991). Orientation of the conical tests of tentaculites: Internal waves in aqueous environment. *Casopis pro mineralogii a geologii*, 36: 115-130.
- Hladil, J., Simcik, M., Ruzicka, M. C., Kulaviak, L., & Lisy, P. (2014). Hydrodynamic experiments on Dacryoconarid shell telescoping. *Lethaia*, 47(3): 376-396.

- Hou, H., Wan, Z., & Xian, S. (1988). Devonian stratigraphy, paleontology and sedimentary facies of Longmenshan, Sichuan, Beijing. *Geol. Publ. House*: 487 [in Chinese with English summary].
- Horne, D. J. (2003). Key events in the ecological radiation of the ostracoda. *The Paleontological Society Papers*, 9: 181-202.
- Horne, D. J. (2005). Microfossils | Ostracoda. In: R. C. Selley, L. R. M. Cocks and I. R. Plimer (Eds.), *Encyclopedia of Geology*. Elsevier, Oxford, pp. 453-463.
- Huřková, A., & Slavík, L. (2020). In search of Silurian/Devonian boundary conodont markers in carbonate environments of the Prague Synform (Czech Republic). *Palaeogeography, Palaeoclimatology, Palaeoecology*, 549: 109126.
- Iglikowska, A. (2014). Stranded: The conquest of fresh water by marine ostracods. *Paleontological Research*, 18: 125-133.
- Itsarapong, K., Mitmark, S., Keamsontie, V., & Mitsrisai, P. (2023). Stratigraphy of Kuan Tung Formation, Satun UNESCO Global Geopark, Satun. In *GEOTHA 2023 "Building upon Thai geological knowledge towards sustainable development."*, 5-7 september 2023. Department of Mineral Resources, Bangkok, Thailand.
- Jain, S. (2020). *Fundamentals of invertebrate palaeontology: Microfossils*. Springer India, New Delhi, pp. 323.
- Jarzynka, A., & Filipiak, P. (2009). Organic remains of tentaculitids: New evidence from Upper Devonian of Poland. *Acta Palaeontologica Polonica*, 54: 111-116.
- Javanaphet, J. C. (1969). Geology Map of Thailand, Scale 1:1,000,000. Department of Mineral Resources, Bangkok, Thailand.
- Jasin, B. (2015). *Posidonomya* (Bivalvia) from Northwest Peninsular Malaysia and its significance. *Sains Malaysiana*, 44(2): 217-223.
- Jeppsson, L., Fredholm, D., & Mattiasson, B. (1985). Acetic acid and phosphatic fossils: A warning. *Journal of Paleontology*, 59(4): 952-956.
- Jones, P. J. (2010). Latest Devonian (Strunian) ostracoda from the Buttons Formation, Bonaparte Basin, Northwest Australia: Their biostratigraphy, palaeoecology and biostratigraphic Links. *Memoir Association of Australasian Association of Palaeontologists*, 39: 261-323.

- Jones, P. J., & Holl, H. B. (1869). Notes on the Palaeozoic bivalved Entomostraca, No. IX. Some Silurian species. *Annals and Magazine of Natural History, London (ser. 4) 3*: 221-227.
- Jones, T. R. (1855). Notes on Palaeozoic bivalved Entomostraca. No. I. Some species of *Beyrichia* from the Upper Silurian limestones of Scandinavia. *Annals and Magazine of Natural History, 16(92)*: 81-92.
- Jones, T. R. (1889). Notes on the Paleozoic bivalved Entomostraca, No. 27. On some North American (Canadian) species. *Annals and Magazine of Natural History, 3(6)*: 377-387.
- Kegel, W. (1932). Zur kenntnis Paläozoischen ostrakoden, 2. Bairdiidae aus dem Mitteldevon des Rheinischen Schiefergebirges. *Jahrbuch der Preussischen Geologischen Landesanstalt zu Berlin, 52*: 245-250.
- Kershaw, S., Chitnarin, A., Noipow, N., Forel, M-B., Junrattanamanee, T., & Charoenmit, J. (2019). Microbialites and associated facies of the Late Ordovician system in Thailand: Paleoenvironments and paleogeographic implications. *Facies, 65(3)*: 35.
- Khodalevich, A. N., & Chernik, V. V. (1973). Konodonty iz zhiv etskikh otlozhenii vostochnogo sklona luzhnogo Ural. *Trudi Sverdlovskogo ordena trudovogo krasnogo znameni gornogo instituta, 93*: 27-41.
- Klapper, G., & Vodrazkova, S. (2013). Ontogenetic and intraspecific variation in the Late Emsian - Eifelian (Devonian) conodonts *Polygnathus serotinus* and *P. bultyncki* in the Prague Basin (Czech Republic) and Nevada (Western U.S.). *Acta geologica Polonica, 63*: 153-174.
- Kobayashi, T. (1957). Upper Cambrian fossils from Peninsular Thailand. *Journal of Faculty of Science, University of Tokyo, 10*: 367-382.
- Kobayashi, T., & Hamada, T. (1968). A Devonian Phacopid recently discovered by Mr. Charan Poothai in Peninsular Thailand. *Geology and Palaeontology of Southeast Asia, 4*: 22-28.
- Lardeux, H. (1969). Les tentaculites d'europe occidentale et d'afrique du Nord. Cahiers de paleontologie. *Editions du Centre National de la Recherche Scientifique. Paris*: 1-238.

- Larsson, K. (1979). Silurian tentaculitids from Gotland and Scania. *Fossils and Strata*, 11: 1-180.
- Latreille, P. A. (1802). Histoire naturelle, générale et particulière des Crustacés et des insectes. *Histoires des Cypris et des Cytherées*, 8(4): 232-254.
- Legrand, P. (1986). The Lower Silurian graptolites of Oued in Djerane: A study of populations at the Ordovician-Silurian boundary. *Geological Society, London, Special Publications*, 20(1): 145-153.
- Lethiers, F., & Crasquin-Soleau, S. (1988). Comment extraire les microfossiles a tests calcitiques des roches calcaires dures. *Revue de Micropaléontologie*, 31(1): 56-61.
- Li, Y. W. (1989). The Discovery of Ordovician ostracods from Erlang Mountain, Sichuan. *Bulletin of the Chengdu Institute of Geology and Mineral Resources, Chinese Academy of Geological Sciences*, 10: 131-149 [in Chinese with English Abstract].
- Li, Y. X. (1995). Famennian tentaculites from Luofu, Guangxi: Survivors Bed 67 of F/F extinction event. *Journal of Guilin Institute of Technology*, 15(2): 157-170 [In Chinese with English abstract].
- Ljashenko, G. P. (1957). Coniconchia, a new class of extinct mollusca. *Akademia Nauk, SSSR Leningrad, Doklady*, 117(6): 1049-1052.
- Lyaschenko, G. P. (1959). Konikonchii Devona tsentral'nykh i vostochnykh oblastey Russkoy Platformy. *Leningrad, VNIGNI*, : 1-220.
- Long, J. A., & Burrett, C. F. (1989). Early Devonian conodonts from the Kuan Tung Formation, Thailand: Systematics and biogeographic considerations. *Records of the Australian Museum*, 41(2): 121-133.
- Maillet, S., Dojen, C., & Milhau, B. (2013). Stratigraphical distribution of Givetian ostracods in the type-area of the Fromelennes Formation (Fromelennes, Ardennes, France) and their relationship to global events. *Bulletin of Geosciences*, 88: 865-892.
- Maillet, S., Milhau, B., Vreulx, M., & Sanchez de Posada, L. (2016). Givetian ostracods of the Candás Formation (Asturias, North-Western Spain): Taxonomy, stratigraphy, palaeoecology, relationship to global events and palaeogeographical implications. *Zootaxa*, 4068: 1-78.

- Maneerat, W. (2021). *Stratigraphy and Paleoenvironment of Thong Pha Phum Group in Kanchanaburi Province*. Chulalongkorn University Theses and Dissertations (Chula ETD), 89 pp.
- Marshall, J. E. A., & Telnova, O. P. (2012). Tentaculitids in palynological preparations: New evidence from the Famennian (Late Devonian) of Southern Timan. *Paleontological Journal*, 46(3): 228-230.
- Mathieson, D., Mawson, R., Simpson, A., & Talent, J. (2016). Late Silurian (Ludlow) and Early Devonian (Pragian) conodonts from the Cobar Supergroup, Western New South Wales, Australia. *Bulletin of Geosciences*, 91: 583-652.
- McCoy, F. (1851). On some new Cambro-Silurian fossils. *Annals and Magazine of Natural History*. 8: 387-443
- McCoy, F., & Griffith, R. J. S. (1844). A synopsis of the characters of the carboniferous limestone fossils of Ireland. Printed at the University Press by M.H. Gill, Dublin, 207 pp.
- McGairry, A., Komatsu, T., Williams, M., Harvey, T., Miller, C., Phong, N. D., Legrand, J., Yamada, T., Siveter, D., Bush, H., & Stocker, C. (2021). Ostracods had colonized estuaries by the Late Silurian. *Biology Letters*, 17: 7.
- Meesook, A. (2014). Lithostratigraphy, faunal assemblages, biodiversity, paleoecology and environment of deposition of the Cambrian-Permian rocks in Satun Province, Peninsular Thailand. Bureau of Geological Survey Technical Report 39/2557, Department of Mineral Resources, Bangkok 10400, Thailand (unpublished). 1-235.
- Meidla, T., Tinn, O., Salas, M., Williams, M., Siveter, D., Vandenbroucke, T., & Sabbe, K. (2013). Chapter 21 biogeographical patterns of Ordovician ostracods. *Geological Society, London, Memoirs*,: 337-354.
- Metcalf, I. (2017). Tectonic evolution of Sundaland. *Bulletin of the Geological Society of Malaysia*, 63: 27-60.
- Moore, R. C. (1961). Ostracoda. In R. C. Moore (Ed.): *Treatise on invertebrate paleontology, part 9, arthropoda 3: Crustacea*. Geological Society of America and University of Kansas Press, Lawrence, Kansas.

- Morris, R. W., & Hill, B. H. (1952). New ostracoda from the Middle Silurian Newsom shale of Tennessee. *Bulletins of American Paleontology, Ithaca, New York.*, 34(142): 5-22.
- Müller, G. W. (1894). Die ostrakoden des Golfes von Neapel und der angrenzenden Meeresabschnitte. *Herausgegeben von der zoologischen Station zu Neapel*, 21: 1-404.
- Murphy, M. A. and Matti, J. C. (1983). Lower Devonian conodonts (Hespericus-Kindlei Zones), Central Nevada. *University of California Publications in Geological Sciences*, 123: 82.
- Murphy, M. A., Valenzuela-Ríos, J. I., & Carls, P. F. (2004). On classification of Pridoli (Late Silurian)-Lochkovian (Early Devonian) Spathognathodontidae (conodonts). *University of California, Riverside, Campus Museum Contribution*.
- Nazik, A., Königshof, P., Ariuntogos, M., Waters, J. A., & Carmichael, S. K. (2020). Late Devonian ostracods (Crustacea) from the Hushoot Shiveetiin Gol section (Baruunhuurai Terrane, Mongolia) and their palaeoenvironmental implication and palaeobiogeographic relationship. *Palaeobiodiversity and Palaeoenvironments*, 101(3): 689-706.
- Neckaja, A. I. (1952). New ostracode species from the Ordovician strata of the Northwestern part of the Russian Platform. *Trudy Vsesoyuznogo Neftyanogo Nauchno-issledovatel'skogo Geologorazvedochnogo Instituta*, 5: 217–232 [in Russian].
- Neckaja, A. I. (1958). New species and genera of ostracodes of the Ordovician and Silurian of the Russian Platform. *Trudy Vsesoyuznogo neftyanogo naučno-issledovatel'skogo geologorazvedochnogo instituta (VNIGRI)*, 60: 349-373 [in Russian].
- Neckaja, A. I. (1966). Ostracods from the Ordovician and Silurian of the USSR. *Tr. Vsesoyuz. Nauchno-Issled. Geol.-Razved. Inst.*, 251: 1-103.
- Neckaja, A. I. (1973). Ostrakody Ordovika i Silura SSSR. *Vsesoyuznyi Neftyanoi Nauchno-Issledovatel'skii Geologo-Razvedochnyi Institut, Trudy*, 324: 1-88.
- Olempska, E. (1979). Middle to upper Devonian ostracoda from the Southern Holy Cross Mountains, Poland. *Palaeontologia Polonica*, 41: 49-162

- Olempska, E., Nazik, A., Çapkinoğlu, Ş., & Saydam Demiray, D. G. (2015). Lower Devonian ostracods from the Istanbul area, Western Pontides (Nw Turkey): Gondwanan and peri-Gondwanan affinities. *Geological Magazine*, 152: 298-315.
- Ottonello, D., & Romano, A. (2011). Ostracoda and Amphibia in temporary ponds: Who is the prey? unexpected trophic relation in a mediterranean freshwater habitat. *Aquatic Ecology*, 45(1): 55-62.
- Pander, C. H. (1856). Monographie der fossilen fische des Silurischen systems der Russisch-Baltischen gouvernements. *St Petersburg: Buchdruckerei der Kaiserlichen Akademie der Wissenschaften*: 1-91.
- Perrier, V., & Siveter, D. J. (2013). Chapter 22 testing Silurian palaeogeography using ‘European’ ostracod faunas. *Geological Society, London, Memoirs*, 38(1): 355-364.
- Philip, G. M. (1965). Devonian conodonts from the Tyers area, Gippsland, Victoria. *Proceedings of the Royal Society of Victoria*, 79: 95-117.
- Pitakpaivan, K., Ingavat, R., & Pariwatvorn, P. (1969). Fossils of Thailand (Vols. 1-3). Geological Survey Division, Department of Mineral Resources.
- Polenova, E. N. (1952). Ostracoda of the upper part of the Jivetjki Formation of the Russian Platform (Middle Devonian from Bores in the Central Volga Area). *All-Union Petrol.Sci.-Res.Geol.Expl.Inst., Leningrad (VNIGRI) Trans.N.S.*: 1-15.
- Polenova, E. N. (1955). Ostrakody Devona Volgo-Uralskoj Oblasti. Tr. VNIGRI n. ser. 87. In Bykova, E. V. and Polenova, E. N. (Eds): *Foraminifery, radiolyarii i ostrakody devona Volgo-Uralskoj oblasti*. Leningrad: 191-319.
- Polenova, E. N. (1968). Ostrakody nizhnego Devona Salaira. Tom’chumyshskii Gorizont. *Moscow: Nauka*.
- Posner, V. M. (1951). Ostracoda of the Lower Carboniferous of the Western Arm of the Submoscow Basin. *All-Union Petrol.Sci.-Res.Geol.Expl.Inst., Leningrad (VNIGRI) Trans.*
- Promduang, A., & Chitnarin, A. (2025). Late Silurian – Early Devonian marine ostracods from Kuan Tung Formation, Satun Province, Southern Thailand. *Revue de Micropaléontologie*, 86: 100817.

- Purnell, M. A., Philip, C. J. D., & Aldridge, R. J. (2000). Orientation and anatomical notation in conodonts. *Journal of Paleontology*, 74(1): 113-122.
- Racheboeuf, P., Casier, J-G., Plusquellec, Y., Toro, M., Mendoza, D., Carvalho, M., Hérissé, A., Paris, F., Fernández-Martínez, E., Tourneur, F., Broutin, J., Crasquin, S., & Janvier, P. (2012). New data on the Silurian-Devonian palaeontology and biostratigraphy of Bolivia. *Bulletin of Geosciences*, 87(2): 269–314.
- Rasmussen, J., & Stouge, S. (2018). Baltoscandian conodont biofacies fluctuations and their link to Middle Ordovician (Darriwilian) global cooling. *Palaeontology*, 61: 391-416.
- Reed, F. R. C. (1915). Supplementary memoir on new Ordovician and Silurian fossils from the Northern Shan States. *Palaeontologica Indica (new series)*, 6: 1-123.
- Rigo, M., & Joachimski, M. M. (2010). Palaeoecology of Late Triassic conodonts: Constraints from oxygen isotopes in biogenic apatite. *Acta Palaeontologica Polonica*, 55: 471-478.
- Rodriguez-Lazaro, J., & Ruiz-Muñoz, F. (2012). Chapter 1 - a general introduction to ostracods: Morphology, distribution, fossil record and applications. In: D. J. Horne, J. A. Holmes, J. Rodriguez-Lazaro and F. A. Viehberg (Eds.), *Developments in Quaternary Sciences*. Elsevier, pp. 1-14.
- Roemer, F.A., 1843, Die Versteinerungen des Harzgebirges. *Hannover, Hahn'sche Hofbuchhandlung*, pp. 26–32.
- Roundy, P. V. (1926). Mississippian Formations of San Saba County, Texas. U.S. *Geological Survey Professional Paper*, 146: 5-8.
- Rozhdestvenskaja, A. A. (1959). Ostracodes of the Devonian Terrigenous Beds of Western Bashkiria and Their Stratigraphic Significance. In: E. V. Chibrikova and A. A. Rozhdestvenskaja (Eds.), *Contributions to the Paleontology and Stratigraphy of the Devonian and Older Deposits of Bashkiria*. Academy of Sciences S.S.S.R., Moscow, pp. 117-247 [in Russian].
- Rozhdestvenskaja, A. A. (1972). Ostracodes from the Upper Devonian of Bashkiria. *Acad. Nauk. SSSR., Bashkirian fil., Instit. Geol.*: 1-194 (in Russian).
- Saesaengseerung, D., & Saiid, N. B. M. (2016). Carboniferous Radiolarian Fauna from Radiolarian-Bearing Rocks Along the Malaysia-Thailand Border and Their

- Depositional Environments. In: *Geoscience for the Society, 52nd Annual CCOP Session, 1st November*. Bangkok.: 17.
- Salas, M. J., Vannier, J., & Williams, M. (2007). Early Ordovician Ostracods from Argentina: Their Bearing on the Origin of Binodicope and Palaeocope Clades. *Journal of Paleontology*, 81(6): 1384-1395.
- Sansom, I., Smith, M., Armstrong, H., & Smith, M. (1992). Presence of the Earliest Vertebrate Hard Tissue in Conodonts. *Science*, 256(5061): 1308–1311.
- Sars, G. O. (1866). Oversigt af Norges marine ostracoder. *Forhandlinger i Videnskabs-Selskabet i Christiania*, 1865(1): 1-130.
- Sars, G. O. (1888). Nye bidrag til kundskaben om Middelhavets invertebratfauna. 4. ostracoda mediterranea. *Archiv for Mathematik og Naturvidenskab*, 12: 173-324.
- Schallreuter, R., Kruta, M., & Marek, L. (1996). Ordovician (Dobrotivá Formation) ostracodes and trilobites from Ejovice (Bohemia) and their relations to faunas of Northern and Western Europe. *Paläontologische Zeitschrift*, 70: 439-460.
- Schindler, E. (2012). Tentaculitoids – an enigmatic group of Palaeozoic fossils. In: J. A. Talent (Ed.), *Earth and life: Global biodiversity, extinction intervals and biogeographic perturbations through time*. Springer Netherlands, Dordrecht, pp. 479-490.
- Scott, H. W. (1959). Type species of *Paraparchites* Ulrich & Bassler. *Journal of Paleontology*, 33: 670-674.
- Shaver, R. H. (1961). Family Bairdiocyprididae Shaver, N. Fam. In: R. C. Moore (Ed), *Treatise on invertebrate paleontology: part q. arthropoda 3. ostracoda*. Geological Society of America and University of Kansas Press, New York and Lawrence, Kansas., pp. 364-365.
- Siveter, D. J. (2008). Ostracods in the Palaeozoic?. *Senckenbergiana lethaea*, 88(1): 1-9.
- Siveter, D. J., Vannier, J. M. C., & Palmer, D. (1991). Silurian Myodocopes: Pioneer pelagic ostracods and the chronology of an ecological shift. *Journal of Micropalaeontology*, 10(2): 151-173.

- Song, J. J., Crasquin, S., & Gong, Y. (2016). Ostracods of the Late Devonian Frasnian/Famennian transition from Western Junggar, Xinjiang, Northwest China. *Alcheringa: An Australasian Journal of Palaeontology*, 41(2): 250-276.
- Song, J., Crasquin, S., & Gong, Y. (2018). Ostracods (Crustacea) as shelf to basin indicators: Evidence from Late Devonian Yangdi and Nandong sections in Guangxi, South China. *Journal of Micropalaeontology*, 37: 257-281.
- Song, J. J., Crasquin, S., & Gong, Y. (2019). Late Devonian benthic ostracods from Western Junggar, Northwest China: Implications for palaeoenvironmental reconstruction. *Geological Journal*, 54(1): 91-100.
- Song, J. J., Guo, W., Huang, J-Y., Zhang, Y-C., Chen, Z-Y., Sun, Y-C., Ma, J., & Qie, W-K. (2022). Silurian ostracods from the Nyalam Region, Southern Tibet, China and their implications on palaeoenvironment and palaeobiogeography. *Journal of Palaeogeography*, 11(1): 85-96.
- Suphakdee, P. (2017). The Paleozoic lithostratigraphy and faunal assemblage of the Pa Samet Area, La Ngu District, Satun Province, Bureau of Geological Survey, Department of Mineral Resources, Bangkok, Thailand.
- Stauffer, C. R. (1940). Conodonts from the Devonian and associated clays of Minnesota. *Journal of Paleontology*, 14: 417-435.
- Stewart, G. A. (1930). Additional species from the silica shale of Lucas County, Ohio. *Ohio Journal of Science*, 30(1): 52-58.
- Stewart, G. A. (1936). Ostracodes of the silica shale, Middle Devonian, of Ohio. *Journal of Paleontology*, 10: 739-763.
- Sweet, W. C. (1988). The Conodonta: Morphology, taxonomy, paleoecology, and evolutionary history of a long-extinct animal phylum. *Oxford Monographs on Geology & Geophysics*, 10: 1-212.
- Sweet, W. C., & Donoghue, P. C. J. (2001). Conodonts: Past, present, future. *Journal of Paleontology*, 75(6): 1174-1184.
- Takahashi, Y., Agematsu, S., Rahman, M. N. A., & Sashida, K. (2017). Lowermost Devonian conodonts from the Setul Group, Northwestern Peninsular Malaysia. *Journal of Geological Society of Japan*, 123: 989-997.

- Tansuwan, W., Chaodumrong, P., & Teansiri, P. (1979). Geological map of Changwat Satun, Scale 1 : 250,000. Department of Mineral Resources, Bangkok, Thailand.
- Thassanapak, H., Udchachon, M., Chareonmit, J., & Burrett, C. (2019). Early Permian radiolarians from Southern Thailand, the deglaciation of Gondwana and the age of the Basal Ratburi Group. *Palaeoworld*, 29(3): 552-567.
- Tiyapairat, S. (2004). Geological Map of Ban Pak Bara (4922 Iv), 1:50,000 Scale.: Department of Mineral Resources, Bangkok, Thailand.
- Udchachon, M., Thassanapak, H., Burrett, C., & Feng, Q. (2022). The boundary between the Inthanon Zone (Palaeotropics) and the Gondwana-derived Sibumasu Terrane, Northwest Thailand-evidence from Permo-Triassic limestones and cherts. *Palaeobiodiversity and Palaeoenvironments*, 102(2): 383-418.
- Ulrich, E. O., & Bassler, R. S. (1908). New American Paleozoic ostracoda. Preliminary revision of the Beyrichiidae, with descriptions of new genera. *Proceedings of the United States National Museum*, 35: 277-340.
- Ulrich, E. O., & Bassler, R. S. (1923). Paleozoic ostracoda: Their morphology, classification and occurrence. *Maryland Geological Survey*: 271-391.
- Vandekerckhove, J., Namiotko, T., Hallmann, E., & Martens, K. (2012). Predation by macroinvertebrates on *Heterocypris incongruens* (Ostracoda) in temporary ponds: Impacts and responses. *Fundamental and Applied Limnology*, 181(1): 39-47.
- Valenzuela-Ríos, J. I. (1994). Conodontos del Lochkoviense y Praguense (Devónico Inferior) del Pirineo Central Español. *Memorias del Museo Paleontológico de la Universidad de Zaragoza*, 5: 1-142.
- Viira, V., & Aldridge, R. J. (1998). Upper Wenlock to Lower Prídolí (Silurian) conodont biostratigraphy of Saaremaa, Estonia, and a correlation with Britain. *Journal of Micropalaeontology*, 17(1): 33-50.
- Vinn, O. (2010). Adaptive strategies in the evolution of encrusting tentaculitoid tubeworms. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 292: 211-221.

- Vinn, O., Hove, H. A. T., Mutvei, H., & Kirsimäe, K. (2008). Ultrastructure and mineral composition of Serpulid tubes (Polychaeta, Annelida). *Zoological Journal of the Linnean Society London*, 154: 633-650.
- Walliser, O. H. (1964). Conodonten des Silurs. *Abhandlungen der Hessischen Landesamtes Bodenforschung*, 41: 1-106.
- Wang, S. Q. (1983). Ostracods from the Devonian Sipai Formation of Guangxi. *Memoirs of Nanjing Institute of Geology and Palaeontology*, 18: 111–154 [In Chinese with English abstract].
- Wang, S. Q. (2015). Ordovician and Silurian ostracoda of China. *University of Science and Technology of China Press, Hefei*: 1-272 [in Chinese with English abstract].
- Wang, X-F., Zeng, Q-L., Zhou, T-M., Ni, S-Z., Xu, G-H., Sun, Q-Y., Li, Z-L., Xiang, L-W., & Lai, C-G. (1983). Latest Ordovician and earliest Silurian faunas from the Eastern Yangste Gorges, China, with comments on the Ordovician-Silurian boundary. *Bulletin of the Yichang Institute of Geology and Mineral Resources*, 6: 95-127.
- Weddige, K. (1977). Die conodonten der Eifel-Stufe im typusgebiet und in Benachbarten Faziesgebieten. *Senckenbergiana lethaea*, 58: 271–419.
- Wei, F. (2019). Conch size evolution of Silurian–Devonian tentaculitoids. *Lethaia*, 52(4): 454-463.
- Wei, F., Gong, Y., & Yang, H. (2012). Biogeography, ecology and extinction of Silurian and Devonian tentaculitoids. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 358-360: 40-50.
- Wei, M., Li, Y. W., Jiang, Z. W., & C., X. L. (1983). Subclass ostracoda. In: Chengdu Institute of Geology and Mineral Resources (ed.) *Palaeontological atlas of Southwest China, Guizhou. Volume of microfossils*: 23–254. Geological Publishing House, Beijing. [In Chinese.].
- Williams, M., & Siveter, D. (1996). Lithofacies-influenced ostracod associations in the Middle Ordovician Bromide Formation, Oklahoma, USA. *Journal of Micropalaeontology*, 15: 69-81.
- Williams, M., Komatsu, T., Nguyen, P. D., Siveter, D. J., McGairy, A., Bush, H., Goodall, R. H., Harvey, T., H. P. , Stocker, C., Legrand, J., Yamada, T., & Miller, C. G. (2023).

- Ostracods from the Upper Silurian Si Ka Formation, Northern Vietnam, and their paleobiogeographical significance. *Paleontological Research*, 27(3): 261-276.
- Williams, M., Siveter, D. J., Salas, M. J., Vannier, J., Popov, L. E., & Ghobadi Pour, M. (2008). The earliest ostracods: The geological evidence. *Senckenbergiana lethaea*, 88(1): 11-21.
- Wood, G. D., Miller, M. A., & Bergstrom, S. M. (2004). Late Devonian (Frasnian) tentaculite organic remains in palynological preparations, Radom-Lublin Region, Poland. *Association of Australasian Palaeontologists*, 29 (Memoir): 253-258.
- Wongwanich, T. (1990). *Lithostratigraphy, sedimentology and diagenesis of the Ordovician carbonates, Southern Thailand*: University of Tasmania, Unpublished Ph.D. Thesis. 1-215.
- Wongwanich, T. (2001). Lower Palaeozoic. In: Bunopas, S., Piyasin, S., Nutasari, N. (Eds.), *Geology of Thailand*. Department of Mineral Resources, Bangkok, Thailand. ISBN: 9747733633, : 53–110 [in Thai].
- Wongwanich, T., & Boucot, A. J. (2011). Devonian. In: M. F. Ridd, A. J. Barber and M. J. Crow (Eds.), *The Geology of Thailand*. Geological Society of London, pp. 53-70.
- Wongwanich, T., Burrett, C. F., Chaodumrong, P., & Tansathein, W. (1990). Lower to Mid Palaeozoic stratigraphy of Mainland Satun Province, Southern Thailand. *Journal of Southeast Asian Earth Sciences*, 4(1): 1-9.
- Wongwanich, T., Boucot, A. J., Brunton, C., House, M., & Racheboeuf, P. (2004). Namurian fossils (Brachiopods, Goniatites) from Satun Province, Southern Thailand. *Journal of Paleontology*, 78: 1072-1085.
- Wongwanich, T., Tansathien, W., Leevongcharoen, S., Paengkaew, W., Thiamwong, P., Chaeroenmit, J., & Saengsrirachan, W. (2002). The Lower Paleozoic rocks of Thailand. *The symposium on geology of Thailand*. 26-31 August 2002, Bangkok, Thailand: 16 – 21.
- Yasuhara, M., Cronin, T. M., & Martínez Arbizu, P. (2008). Abyssal ostracods from the South and Equatorial Atlantic Ocean: Biological and paleoceanographic implications. *Deep Sea Research Part I: Oceanographic Research Papers*, 55(4): 490-497.

- Ziegler, W. (1956). Unterdevonische Conodonten, insbesondere aus dem Schnauer und dem Zogensiskalk. *Notizblatt des Hessischen Landesamtes für Bodenforschung* 84: 93-106.
- Ziegler, W. (1960). Conodonten aus dem Rheinischen Unterdevon (Gedinnium) des Remscheider Sattels (Rheinisches Schiefergebirge). *Paläontologische Zeitschrift*, 34(2): 169-201.