

REFERENCES

REFERENCES

- Aksornkoae S. (1999). *Mangroves: ecology and management*. Bangkok: Kasetsart University Publisher.
- Alongi, D. M. (2014). Carbon cycling and storage in mangrove forests. *Annual Review of Marine Science*, 6(1), 195–219.
- Asadi, M., Rr, G., Adam, R., Novianti, P., and Isdianto, A. (2017). Mangrove ecosystem C-stocks of Lamongan, Indonesia and its correlation with forest age. *Research Journal of Chemistry and Environment*, 21(8), 1–9.
- Bai, J., Meng, Y., Gou, R., Lyu, J., Dai, Z., Diao, X., Zhang, H., Luo, Y., Zhu, X., and Lin, G. (2021). Mangrove diversity enhances plant biomass production and carbon storage in Hainan Island, China. *Functional Ecology*, 35(3), 774–786.
- Bajaj, M., Sasaki, N., Tsusaka, T. W., Venkatappa, M., Abe, I., and Shrestha, R. P. (2024). Assessing changes in mangrove forest cover and carbon stocks in the Lower Mekong Region using Google Earth Engine. *Innovation and Green Development*, 3(3), 100140.
- Behera, S. K., Sahu, N., Mishra, A. K., Bargali, S. S., Behera, M. D., and Tuli, R. (2017). Aboveground biomass and carbon stock assessment in Indian tropical deciduous forest and relationship with stand structural attributes. *Ecological Engineering*, 99, 513–524.
- Bunting, P., Rosenqvist, A., Lucas, R., Rebelo, L.-M., Hilarides, L., Thomas, N., Hardy, A., Itoh, T., Shimada, M., and Finlayson, C. (2018). The global mangrove watch—a new 2010 global baseline of mangrove extent. *Remote Sensing*, 10(10), 1669.
- Campbell, J. B., and Wynne, R. H. (2011). *Introduction to remote sensing*. (5th ed.). New York: Guilford Press.
- Cannicci, S., Fusi, M., Cimó, F., Dahdouh-Guebas, F., and Fratini, S. (2018). Interference competition as a key determinant for spatial distribution of mangrove crabs. *BMC Ecology*, 18, 8.

- Chapman, V. J. (1977). *Wet coastal ecosystems: Introduction. Ecosystems of the World*. Amsterdam: Elsevier Science Ltd.
- Choudhary, B., Dhar, V., and Pawase, A. S. (2024). Blue carbon and the role of mangroves in carbon sequestration: Its mechanisms, estimation, human impacts and conservation strategies for economic incentives. *Journal of Sea Research*, 199, 102504.
- Colomina, I., and Molina, P. (2014). Unmanned aerial systems for photogrammetry and remote sensing: A review. *ISPRS Journal of Photogrammetry and Remote Sensing*, 92, 79–97.
- Department of Marine and Coastal Resources. (2018). Mangrove forest area, Nakhon Si Thammarat province. Retrieved from <https://www.dmcr.go.th/detailAll/24220/news/141>
- Donato, D. C., Kauffman, J. B., Murdiyarso, D., Kurnianto, S., Stidham, M., and Kanninen, M. (2011). Mangroves among the most carbon-rich forests in the tropics. *Nature Geoscience*, 4(5), Article 5.
- Dutta Roy, A., Pitumpe Arachchige, P. S., Watt, M. S., Kale, A., Davies, M., Heng, J. E., Daneil, R., Galgamuwa, G. A. P., Moussa, L. G., Timsina, K., Ewane, E. B., Rogers, K., Hendy, I., Edwards-Jones, A., de-Miguel, S., Burt, J. A., Ali, T., Sidik, F., Abdullah, M., and Mohan, M. (2024). Remote sensing-based mangrove blue carbon assessment in the Asia-Pacific: A systematic review. *Science of The Total Environment*, 938, 173270.
- Easterday, K., Kislik, C., Dawson, T. E., Hogan, S., and Kelly, M. (2019). Remotely sensed water limitation in vegetation: Insights from an experiment with unmanned aerial vehicles (UAVs). *Remote Sensing*, 11(16), Article 16.
- Elwin, A. (2020). *Social-ecological resilience of mangrove shrimp-farming communities in Thailand* (Doctoral dissertation), University of Reading, Berkshire.
- Environmental Protection Agency (EPA). (2020). Inventory of U.S. greenhouse gas emissions and sinks: 1990-2018. Retrived from <https://www.epa.gov/ghgemissions/inventory-us-greenhouse-gas-emissions-and-sinks-1990-2018>

- FAO. (2005). Global forest resources assessment 2005 thematic study on mangroves. *Food and Agriculture Organization of the United Nations Rome*, 1-7.
- Farzanmanesh, R., Khoshelham, K., Volkova, L., Thomas, S., Ravelonjatovo, J., and Weston, C. J. (2024). Quantifying Mangrove aboveground biomass changes: Analysis of conservation impact in blue forests projects using sentinel-2 satellite imagery. *Forest Ecology and Management*, 561, 121920.
- Field, A. (2018). *Discovering statistics using IBM SPSS statistics*. Sage publications limited.
- Friess, D. A., Rogers, K., Lovelock, C. E., Krauss, K. W., Hamilton, S. E., Lee, S. Y., Lucas, R., Primavera, J., Rajkaran, A., and Shi, S. (2019). The state of the world's mangrove forests: Past, present, and future. *Annual Review of Environment and Resources*, 44(1), 89–115.
- Friess, D. A., and Webb, E. L. (2014). Variability in mangrove change estimates and implications for the assessment of ecosystem service provision. *Global Ecology and Biogeography*, 23(7), 715–725.
- Giri, C., Ochieng, E., Tieszen, L. L., Zhu, Z., Singh, A., Loveland, T., Masek, J., and Duke, N. (2011). Status and distribution of mangrove forests of the world using earth observation satellite data: Status and distributions of global mangroves. *Global Ecology and Biogeography*, 20(1), 154–159.
- Gitelson, A. A., Kaufman, Y. J., and Merzlyak, M. N. (1996). Use of a green channel in remote sensing of global vegetation from EOS-MODIS. *Remote Sensing of Environment*, 58(3), 289–298.
- Hoover, K., and Riddle, A. A. (2020). *Forest carbon primer*. Washington, DC: Congressional Research Service.
- Huete, A. R. (1988). A soil-adjusted vegetation index (SAVI). *Remote Sensing of Environment*, 25(3), 295–309.
- IPCC. (2006). 2006 IPCC guidelines for national greenhouse gas inventories. Retrieved from <https://www.ipcc-nggip.iges.or.jp/public/2006gl/vol4.html>

- Jachowski, N. R. A., Quak, M. S. Y., Friess, D. A., Duangnamon, D., Webb, E. L., and Ziegler, A. D. (2013). Mangrove biomass estimation in Southwest Thailand using machine learning. *Applied Geography*, 45, 311–321.
- Kauffman, J. B., and Donato, D. C. (2012). *Protocols for the measurement, monitoring and reporting of structure, biomass and carbon stocks in mangrove forests*. Bogor: Cifor.
- Komiyama, A., Pongpan, S., and Kato, S. (2005). Common allometric equations for estimating the tree weight of mangroves. *Journal of Tropical Ecology*, 21(4), 471–477.
- Kutner, M. H. (2005). *Applied linear statistical models*. (5th ed). US: McGraw-Hill Irwin.
- Lillesand, T., Kiefer, R. W., and Chipman, J. (2015). *Remote sensing and image interpretation*. (7th ed.) John Wiley & Sons.
- Lu, D. (2006). The potential and challenge of remote sensing-based biomass estimation. *International Journal of Remote Sensing*, 27(7), 1297–1328.
- Macintosh, D. J., and Ashton, E. C. (2023). Growth and carbon stocks in four mangrove species planted on a former charcoal concession site in Ranong, Thailand. *Carbon Footprints*, 2(3), 14.
- Mariano Neto, M., Da Silva, J. B., and De Brito, H. C. (2024). Carbon stock estimation in a Brazilian mangrove using optical satellite data. *Environmental Monitoring and Assessment*, 196(1), 9.
- Mathias, M. E. (2012). Mangal (Mangrove). Retrieved from <http://www.botgard.ucla.edu/html/botanytextbooks/worldvegetation/marinewetlands/mangal/index.html>
- Minmun, T. (2024, June 23). Personal interview with the author [Personal communication].
- Mohsan, S. A. H., Othman, N. Q. H., Li, Y., Alsharif, M. H., and Khan, M. A. (2023). Unmanned aerial vehicles (UAVs): Practical aspects, applications, open challenges, security issues, and future trends. *Intelligent Service Robotics*, 16(1), 109–137.

- Nasiri, V., Darvishsefat, A. A., Arefi, H., Pierrot-Deseilligny, M., Namiranian, M., and Le Bris, A. (2021). Unmanned aerial vehicles (UAV)-based canopy height modeling under leaf-on and leaf-off conditions for determining tree height and crown diameter (case study: Hyrcanian mixed forest). *Canadian Journal of Forest Research*, 51(7), 962–971.
- Navarro, A., Young, M., Allan, B., Carnell, P., Macreadie, P., and Ierodiaconou, D. (2020). The application of unmanned aerial vehicles (UAVs) to estimate above-ground biomass of mangrove ecosystems. *Remote Sensing of Environment*, 242, 111747.
- Ng, C. K.-C., and Ong, R. C. (2022). A review of anthropogenic interaction and impact characteristics of the Sundaic mangroves in Southeast Asia. *Estuarine, Coastal and Shelf Science*, 267, 107759.
- Ngo, D., Nguyen, H., Nguyen, K., Dang, C., Nguyen, H., Dang, N., and Pham, T. (2023). Application of multispectral UAV to estimate mangrove biomass in Vietnam: A case study in Dong Rui commune, Quang Ninh Province. *One Ecosystem*, 8, e103760.
- Nguyen, H.-H., and Nguyen, T. T. H. (2021). Above-ground biomass estimation models of mangrove forests based on remote sensing and field-surveyed data: Implications for C-PFES implementation in Quang Ninh Province, Vietnam. *Regional Studies in Marine Science*, 48, 101985.
- Nguyen, H.-H., Vu, H. D., and Röder, A. (2021). Estimation of above-ground mangrove biomass using Landsat-8 data- derived vegetation indices: A case study in Quang Ninh province, Vietnam. *Forest and Society*, 506–525.
- Nguyen, L. D., Nguyen, C. T., Le, H. S., and Tran, B. Q. (2019). Mangrove mapping and above-ground biomass change detection using satellite images in coastal areas of Thai Binh Province, Vietnam. *Forest and Society*, 3(2), 248–261.
- ONEP. (2022). Thailand's second updated nationally determined contribution. Retrieved from <https://unfccc.int/sites/default/files/NDC/2022-11/Thailand%202nd%20Updated%20NDC.pdf>

- Paramanik, S., Varghese, R., Behera, M. D., Barnwal, S., Behera, S. K., and Bhattyacharya, B. K. (2022). Photosynthetic variables estimation in a mangrove forest. *Advances in remote sensing for forest monitoring*, 126-149.
- Pumijumnon, N. (2014). Mangrove forests in Thailand. *Mangrove ecosystems of Asia: status, challenges and management strategies*, 61-79.
- Pungpa, S., and Chumkiew, S. (2025). Increasing area of Banlaem mangrove forest at Nakhon Si Thammarat in Southern Thailand: Land cover changes and predictive models. *Journal of Environmental & Earth Sciences*, 7(5), 453–468.
- Quang Bao, T., Thi Ha, N., Nguyet, B. T. M., Hoan, V. M., Viet, L. H., and Hung, D. V. (2022). Aboveground biomass and carbon stock of *Rhizophora apiculata* forest in Ca Mau, Vietnam. *Biodiversitas Journal of Biological Diversity*, 23(1).
- Rijal, S. S., Pham, T. D., Noer'Aulia, S., Putera, M. I., and Saintilan, N. (2023). Mapping mangrove above-ground carbon using multi-source remote sensing data and machine learning approach in Loh Buaya, Komodo National Park, Indonesia. *Forests*, 14(1), 94.
- Rina, S., Ying, H., Shan, Y., Du, W., Liu, Y., Li, R., and Deng, D. (2023). Application of machine learning to tree species classification using active and passive remote sensing: A case study of the Duraer forestry zone. *Remote Sensing*, 15(10), Article 10.
- Saenger, P., Ragavan, P., Sheue, C. R., López-Portillo, J., Yong, J. W., and Mageswaran, T. (2019). Mangrove biogeography of the Indo-Pacific. *Sabkha Ecosystems: Volume VI: Asia/Pacific*, 379-400.
- Safwan Azman, Mohd., Sharma, S., Liyana Hamzah, M., Mohamad Zakaria, R., Palaniveloo, K., and MacKenzie, R. A. (2023). Total ecosystem blue carbon stocks and sequestration potential along a naturally regenerated mangrove forest chronosequence. *Forest Ecology and Management*, 527, 120611.
- Salim, H. L., Adi, N. S., Kepel, T. L., and Ati, R. N. A. (2020, August). Estimating mangrove biomass using drone in Karimunjawa Islands. In *IOP Conference Series: Earth and Environmental Science* (Vol. 561, No. 1, p. 012054). IOP Publishing.

- Saukkola, A., Melkas, T., Riekk, K., Sirparanta, S., Peuhkurinen, J., Holopainen, M., Hyypä, J., and Vastaranta, M. (2019). Predicting forest inventory attributes using airborne laser scanning, aerial imagery, and harvester data. *Remote Sensing*, 11(7), 797.
- Selvam, V., and Karunakaran, V. M. (2004). Ecology and biology of mangroves: Orientation guide. *MS Swaminathan Research Foundation, Chennai, India*.
- Shangari, T. A., Shams, V., Azari, B., Shamshirdar, F., Baltes, J., and Sadeghnejad, S. (2017). Inter-humanoid robot interaction with emphasis on detection: A comparison study – ADDENDUM. *The Knowledge Engineering Review*, 32, e14.
- Shannon, C. E. (1948). A mathematical theory of communication. *Bell System Technical Journal*, 27(3), 379–423.
- Shi, L., and Liu, S. (2017). Methods of estimating forest biomass: A review. *Biomass Volume Estimation and Valorization for Energy*, 10, 65733.
- Simpson, E. H. (1949). Measurement of diversity. *Nature*, 163(4148), 688–688.
- Sourav, M. A. A. (2017). *Impact of flash flood on Boro rice production in Taherpur Upazil* (Master thesis), Bangladesh University of Engineering and Technology, Dhaka.
- Sribut, S., Sunthornhao, P., and Diloksumpun, S. (2020). Valuation of carbon stock and utilization of non-timber forest products at the Sirinart Rajini ecosystem learning center, Prachuap Khiri Khan province. *Thai Journal of Forestry*, 39(2), 41–51.
- Srimoh, R., and Markphan, W. (2024). carbon stocks in mangrove forests at mangrove forest learning and development center 2, Nakhon Si Thammarat. *Srinakharinwirot University Journal of Sciences and Technology*, 16(32), 251943.
- Tassi, A., and Vizzari, M. (2020). Object-oriented LULC classification in Google Earth Engine combining SNIC, GLCM, and machine learning algorithms. *Remote Sensing*, 12(22), Article 22.
- The World Bank Group. (2023). *World bank climate change knowledge portal*. Retrieved from: <https://climateknowledgeportal.worldbank.org/>

- Thomas, N., Lucas, R., Bunting, P., Hardy, A., Rosenqvist, A., and Simard, M. (2017). Distribution and drivers of global mangrove forest change, 1996–2010. *PLOS ONE*, 12(6), e0179302.
- Tian, Y., Zhang, Q., Huang, H., Huang, Y., Tao, J., Zhou, G., Zhang, Y., Yang, Y., and Lin, J. (2022). Aboveground biomass of typical invasive mangroves and its distribution patterns using UAV-LiDAR data in a subtropical estuary: Maoling River estuary, Guangxi, China. *Ecological Indicators*, 136, 108694.
- Trakulsiriphanit, C. (2009). *Mangrove plant species in Thailand*. Retrieved from <https://www.dmcg.go.th/detailLib/407>
- Tucker, C. J. (1979). Red and photographic infrared linear combinations for monitoring vegetation. *Remote Sensing of Environment*, 8(2), 127–150.
- Upton, G., and Cook, I. (1996). *Understanding statistics*. UK: OUP Oxford.
- Vinod, K., Anasu Koya, A., Kunhikoya, V. A., Shilpa, P. G., Asokan, P. K., Zacharia, P. U., and Joshi, K. K. (2018). Biomass and carbon stocks in mangrove stands of Kadalundi estuarine wetland, south-west coast of India. *Indian Journal of Fisheries*, 65(2), 89-99.
- Wackerly, D., Mendenhall, W., and Scheaffer, R. (2008). *Mathematical statistics with applications*. (7th ed.). Belmont: Thomson Brooks/Cole.
- Wang, D., Wan, B., Liu, J., Su, Y., Guo, Q., Qiu, P., and Wu, X. (2020). Estimating aboveground biomass of the mangrove forests on northeast Hainan Island in China using an upscaling method from field plots, UAV-LiDAR data and Sentinel-2 imagery. *International Journal of Applied Earth Observation and Geoinformation*, 85, 101986.
- Wang, G., Singh, M., Wang, J., Xiao, L., and Guan, D. (2021). Effects of marine pollution, climate, and tidal range on biomass and sediment organic carbon in Chinese mangrove forests. *CATENA*, 202, 105270.
- Wirasatriya, A., Pribadi, R., Iryanthony, S. B., Maslukah, L., Sugianto, D. N., Helmi, M., Ananta, R. R., Adi, N. S., Kepel, T. L., Ati, R. N. A., Kusumaningtyas, M. A., Suwa, R., Ray, R., Nakamura, T., and Nadaoka, K. (2022). Mangrove above-ground biomass

- and carbon stock in the Karimunjawa-Kemujan Islands estimated from unmanned aerial vehicle-imagery. *Sustainability*, 14(2), 706.
- Woodruff, D. S. (2010). Biogeography and conservation in Southeast Asia: How 2.7 million years of repeated environmental fluctuations affect today's patterns and the future of the remaining refugial-phase biodiversity. *Biodiversity and Conservation*, 19(4), 919–941.
- Zaitunah, A., Samsuri, Ahmad, A. G., and Safitri, R. A. (2018, March). Normalized difference vegetation index (ndvi) analysis for land cover types using landsat 8 oli in besitang watershed, Indonesia. In *IOP Conference Series: Earth and Environmental Science* (Vol. 126, p. 012112). IOP Publishing.
- Zanne, A. E., Lopez-Gonzalez, G., Coomes, D. A., Ilic, J., Jansen, S., Lewis, S. L., Miller, R. B., Swenson, N. G., Wiemann, M. C., Chave, J., Zanne, A. E., Lopez-Gonzalez, G., Coomes, D. A., Ilic, J., Jansen, S., Lewis, S. L., Miller, R. B., Swenson, N. G., Wiemann, M. C., and Chave, J. (2009). *Global wood density database [dataset]*. Dryad Digital Repository.
- Zarawie, T. T., Suratman, M. N., Jaafar, J., Hasmadi, I. M., and Abu, F. (2015). Field assessment of above ground biomass (AGB) of mangrove stand in Merbok, Malaysia. *Malaysian Applied Biology*, 44(3), 81–86.