

References

- Abdel-Mottaleb, M. M., Moulari, B., Beduneau, A., Pellequer, Y., & Lamprecht, A. (2012). Surface-charge-dependent nanoparticles accumulation in inflamed skin. **Journal of Pharmaceutical Sciences**. 101(11): 4231-4239.
- Adeli, H., Khorasani, M. T., & Parvazinia, M. (2019). Wound dressing based on electrospun PVA/chitosan/starch nanofibrous mats: Fabrication, antibacterial and cytocompatibility evaluation and in vitro healing assay. **International Journal of Biological Macromolecules**. 122: 238-254.
- Ahmadi Bonakdar, M., & Rodrigue, D. (2024). Electrospinning: Processes, Structures, and Materials. **Macromol**. 4(1): 58-103.
- Ahmady, A. R., Solouk, A., Saber-Samandari, S., Akbari, S., Ghanbari, H., & Brycki, B. E. (2023). Capsaicin-loaded alginate nanoparticles embedded polycaprolactone-chitosan nanofibers as a controlled drug delivery nanopatform for anticancer activity. **Journal of Colloid and Interface Science**. 638: 616-628.
- Akhgari, A., Ghalambor Dezfuli, A., Rezaei, M., Kiarsi, M., & Abbaspour, M. (2016). The design and evaluation of a fast-dissolving drug delivery system for loratadine using the electrospinning method. **Jundishapur Journal of Natural Pharmaceutical Products**. 11(2; e33613).
- Al-Abduljabbar, A., & Farooq, I. (2023). Electrospun Polymer Nanofibers: Processing, Properties, and Applications. **Polymers**. 15(1): 65.
- Ali, S., Shabbir, M., & Nabeel Shahid, M. (2015). The Structure of Skin and Transdermal Drug Delivery System-A Review. **Research Journal of Pharmacy and Technology**. 8: 103.
- Alkilani, A. Z., McCrudden, M. T., & Donnelly, R. F. (2015). Transdermal Drug Delivery: Innovative Pharmaceutical Developments Based on Disruption of the Barrier Properties of the stratum corneum. **Pharmaceutics**. 7(4): 438-470.
- Almeida, J. P., Chen, A. L., Foster, A., & Drezek, R. (2011). In vivo biodistribution of nanoparticles. **Nanomedicine (Lond)**. 6(5): 815-835.

References (Continued)

- Amano, S. (2016). Characterization and mechanisms of photoageing-related changes in skin. Damages of basement membrane and dermal structures. **Experimental Dermatology**. 25 Suppl 3: 14-19.
- Amna, T., Gharsan, F., Shang, K., Hassan, M. s., Khil, M.-S., & Hwang, I. (2019). Electrospun Twin Fibers Encumbered with Intrinsic Antioxidant Activity as Prospective Bandage. **Macromolecular Research**. 27.
- Anand, P., & Bley, K. (2011). Topical capsaicin for pain management: therapeutic potential and mechanisms of action of the new high-concentration capsaicin 8% patch. **British Journal of Anaesthesia**. 107(4): 490-502.
- Anantaworasakul, P., Chaiyana, W., Michniak-Kohn, B. B., Rungseewijitprapa, W., & Ampasavate, C. (2020). Enhanced Transdermal Delivery of Concentrated Capsaicin from Chili Extract-Loaded Lipid Nanoparticles with Reduced Skin Irritation. **Pharmaceutics**. 12(5).
- Anekar, A. A., & Cascella, M. (2021). *WHO analgesic ladder*: StatPearls Publishing.
- Anselmo, A. C., & Mitragotri, S. (2014). An overview of clinical and commercial impact of drug delivery systems. **Journal of Controlled Release**. 190: 15-28.
- Arce, F. J., Asano, N., See, G. L., Itakura, S., Todo, H., & Sugibayashi, K. (2020). Usefulness of Artificial Membrane, Strat-M®, in the Assessment of Drug Permeation from Complex Vehicles in Finite Dose Conditions. *Pharmaceutics*, 12(2). doi:10.3390/pharmaceutics12020173
- Asmatulu, R., & Khan, W. S. (2018). *Synthesis and applications of electrospun nanofibers*: Elsevier.
- Ausín-Crespo, M. D., Martín-de Castro, E., Roldán-Cuartero, J., de la Beldad-Diez, M. L., Salcedo-Gámez, M., & Tong, H. (2022). Capsaicin 8% Dermal Patch for Neuropathic Pain in a Pain Unit. **Pain Management Nursing**. 23(4): 452-457.
- Babbar, S., Marier, J. F., Mouksassi, M. S., Beliveau, M., Vanhove, G. F., Chanda, S., & Bley, K. (2009). Pharmacokinetic analysis of capsaicin after topical administration of a high-concentration capsaicin patch to patients with peripheral neuropathic pain. **Therapeutic Drug Monitoring**. 31(4): 502-510.

References (Continued)

- Bajaj, S., Whiteman, A., & Brandner, B. (2011). Transdermal drug delivery in pain management. **Continuing education in anaesthesia, Critical care & pain.** 11(2): 39-43.
- Barbero, A. M., & Frasc, H. F. (2006). Transcellular route of diffusion through stratum corneum: results from finite element models. **Journal of Pharmaceutical Sciences.** 95(10): 2186-2194.
- Basto, R., Andrade, R., Nunes, C., Lima, S. A. C., & Reis, S. (2021). Topical Delivery of Niacinamide to Skin Using Hybrid Nanogels Enhances Photoprotection Effect. **Pharmaceutics.** 13(11).
- Benítez-Angeles, M., Morales-Lázaro, S. L., Juárez-González, E., & Rosenbaum, T. (2020). TRPV1: Structure, Endogenous Agonists, and Mechanisms. **International Journal of Molecular Sciences.** 21(10).
- Bhansali, D., Teng, S. L., Lee, C. S., Schmidt, B. L., Bunnett, N. W., & Leong, K. W. (2021). Nanotechnology for pain management: Current and future therapeutic interventions. **Nano Today.** 39: 101223.
- Bibi, N., Ahmed, N., & Khan, G. M. (2017). Nanostructures in transdermal drug delivery systems. In *In Nanostructures for drug delivery* (pp. 639-668).
- Blair, H. A. (2018). Capsaicin 8% Dermal Patch: A Review in Peripheral Neuropathic Pain. **Drugs.** 78(14): 1489-1500.
- Blanco, E., Shen, H., & Ferrari, M. (2015). Principles of nanoparticle design for overcoming biological barriers to drug delivery. **Nature biotechnology.** 33(9): 941-951.
- Bode, A. M., & Dong, Z. (2011). The two faces of capsaicin. **Cancer Research.** 71(8): 2809-2814.
- Bonezzi, C., Costantini, A., Cruccu, G., Fornasari, D. M. M., Guardamagna, V., Palmieri, V., . . . Dickenson, A. H. (2020). Capsaicin 8% dermal patch in clinical practice: an expert opinion. **Expert Opinion on Pharmacotherapy.** 21(11): 1377-1387.

References (Continued)

- Borbiro, I., Badheka, D., & Rohacs, T. (2015). Activation of TRPV1 channels inhibits mechanosensitive Piezo channel activity by depleting membrane phosphoinositides. **Science Signaling**. 8(363): ra15.
- Bos, J. D., & Meinardi, M. M. (2000). The 500 Dalton rule for the skin penetration of chemical compounds and drugs. **Experimental Dermatology**. 9(3): 165-169.
- Brandner, J. M. (2009). Tight junctions and tight junction proteins in mammalian epidermis. **European journal of pharmaceuticals and biopharmaceutics**. 72(2): 289-294.
- Brodsky, M., Cho, J., Fang, J., Kim, E., Cho, Y., & Song, M. (2012). P02.02. Efficacy of a topical 0.1% Capsaicin hydrogel patch to treat chronic neck pain: a double-blind randomized clinical trial. **BMC Complementary and Alternative Medicine**. 12(1): P58.
- Caterina, M. J., Schumacher, M. A., Tominaga, M., Rosen, T. A., Levine, J. D., & Julius, D. (1997). The capsaicin receptor: a heat-activated ion channel in the pain pathway. **Nature**. 389(6653): 816-824.
- Chaiyasit, K., Khovidhunkit, W., & Wittayalertpanya, S. (2009). Pharmacokinetic and the effect of capsaicin in *Capsicum frutescens* on decreasing plasma glucose level. **Journal of the Medical Association of Thailand**. 92(1): 108-113.
- Charelli, L. E., de Mattos, G. C., de Jesus Sousa-Batista, A., Pinto, J. C., & Balbino, T. A. (2022). Polymeric nanoparticles as therapeutic agents against coronavirus disease. **Journal of Nanoparticle Research**. 24(1): 12.
- Chauhan, G., Madou, M. J., Kalra, S., Chopra, V., Ghosh, D., & Martinez-Chapa, S. O. (2020). Nanotechnology for COVID-19: Therapeutics and Vaccine Research. **ACS Nano**. 14(7): 7760-7782.
- Chen, J. H., Chen, H. J., Kao, C. H., Tseng, C. H., & Tsai, C. H. (2018). Is Fibromyalgia Risk Higher Among Male and Young Inflammatory Bowel Disease Patients? Evidence from a Taiwan Cohort of One Million. **Pain Physician**. 21(3): E257-e264.

References (Continued)

- Cheng, Y., Chen, Z., Yang, S., Liu, T., Yin, L., Pu, Y., & Liang, G. (2021). Nanomaterials-induced toxicity on cardiac myocytes and tissues, and emerging toxicity assessment techniques. **Science of The Total Environment**. 800: 149584.
- Chittasupho, C., Thongnopkoon, T., Burapapisut, S., Charoensukkho, C., Shuwisitkul, D., & Samee, W. (2020). Stability, permeation, and cytotoxicity reduction of capsicum extract nanoparticles loaded hydrogel containing wax gourd extract. **Saudi Pharmaceutical Journal**. 28(12): 1538-1547.
- Cho, J.-H., Brodsky, M., Kim, E.-J., Cho, Y.-J., Kim, K.-W., Fang, J.-Y., & Song, M.-Y. (2012). Efficacy of a 0.1% Capsaicin Hydrogel Patch for Myofascial Neck Pain: A Double-Blinded Randomized Trial. **Pain Medicine**. 13(7): 965-970.
- Clausen, B. E., & Stoitzner, P. (2015). Functional Specialization of Skin Dendritic Cell Subsets in Regulating T Cell Responses. **Frontiers in immunology**. 6: 534.
- Cohen, M., Quintner, J., & van Rysewyk, S. (2018). Reconsidering the International Association for the Study of Pain definition of pain. **Pain reports**. 3(2): e634.
- Cohen, S. P., & Mao, J. (2014). Neuropathic pain: mechanisms and their clinical implications. **Bmj**. 348: f7656.
- Cohen, S. P., Vase, L., & Hooten, W. M. (2021). Chronic pain: an update on burden, best practices, and new advances. **Lancet**. 397(10289): 2082-2097.
- Contado, C. (2015). Nanomaterials in consumer products: a challenging analytical problem. **Frontiers in Chemistry**. 3.
- Cortés-Estrada, C. E., Gallardo-Velázquez, T., Osorio-Revilla, G., Castañeda-Pérez, E., Meza-Márquez, O. G., López-Cortez, M. d. S., & Hernández-Martínez, D. M. (2020). Prediction of total phenolics, ascorbic acid, antioxidant capacities, and total soluble solids of *Capsicum annuum* L. (bell pepper) juice by FT-MIR and multivariate analysis. **LWT**. 126: 109285.
- Cramer, M. P., & Saks, S. R. (1994). Translating safety, efficacy and compliance into economic value for controlled release dosage forms. **Pharmacoeconomics**. 5(6): 482-504.

References (Continued)

- Crucho, C. I. C., & Barros, M. T. (2017). Polymeric nanoparticles: A study on the preparation variables and characterization methods. **Materials Science and Engineering: C**. 80: 771-784.
- Cuijpers, I., Sthijns, M. M. J. P. E., van den Bogart, V. A. R., Katsburg, J., Leenders, C. F. M., & Troost, F. J. (2025). Quercetin, Kaempferol and Capsaicin Counteract the TGF- β 1-Induced Upregulation of α SMA and Collagen in Myoblasts. **International Journal of Molecular Sciences**. 26(11): 5151.
- de Oliveira-Marques, V. n., Cyrne, L. s., Marinho, H. S., & Antunes, F. (2007). A Quantitative Study of NF- κ B Activation by H₂O₂: Relevance in Inflammation and Synergy with TNF- α 1. **The Journal of Immunology**. 178(6): 3893-3902.
- Díaz, J., Pomar, F., Bernal, A., & Merino, F. (2004). Peroxidases and the metabolism of capsaicin in *Capsicum annuum* L. **Phytochemistry Reviews**. 3(1): 141-157.
- Donnelly, J. M., de las Peñas, C. F., Finnegan, M., & Freeman, J. L. (2018). *Travell, Simons & Simons' Myofascial Pain and Dysfunction: The Trigger Point Manual*: Wolters Kluwer Health.
- Dureja, G. P., Iyer, R. N., Das, G., Ahdal, J., & Narang, P. (2017). Evidence and consensus recommendations for the pharmacological management of pain in India. **Journal of Pain Research**. 10: 709-736.
- Ellison, N., Loprinzi, C. L., Kugler, J., Hatfield, A. K., Miser, A., Sloan, J. A., . . . Cascino, T. L. (1997). Phase III placebo-controlled trial of capsaicin cream in the management of surgical neuropathic pain in cancer patients. **Journal of Clinical Oncology**. 15(8): 2974-2980.
- Enright, A., & Goucke, R. (2016). The Global Burden of Pain: The Tip of the Iceberg? **Anesthesia & Analgesia**. 123(3): 529-530.
- Esentürk Güzel, I., Abdo, L., Algin Yapar, E., Esentürk, E., Büyükkayhan, D., & Sindhu, R. K. (2022). An overview of nanofiber applications for development of phytopharmaceuticals. **Bezmialem Science**. 10(5): 666 - 673.

References (Continued)

- Fang, X. X., Zhai, M. N., Zhu, M., He, C., Wang, H., Wang, J., & Zhang, Z. J. (2023). Inflammation in pathogenesis of chronic pain: Foe and friend. **Molecular Pain**. 19: 17448069231178176.
- Fattori, V., Hohmann, M. S. N., Rossaneis, A. C., Pinho-Ribeiro, F. A., & Verri, W. A. (2016). Capsaicin: Current Understanding of Its Mechanisms and Therapy of Pain and Other Pre-Clinical and Clinical Uses. **Molecules**. 21(7).
- Fernandes, R., Smyth, N. R., Muskens, O. L., Nitti, S., Heuer-Jungemann, A., Arden-Jones, M. R., & Kanaras, A. G. (2015). Interactions of skin with gold nanoparticles of different surface charge, shape, and functionality. **Small**. 11(6): 713-721.
- Finnerup, N. B., Haroutounian, S., Kamerman, P., Baron, R., Bennett, D. L. H., Bouhassira, D., . . . Jensen, T. S. (2016). Neuropathic pain: an updated grading system for research and clinical practice. **PAIN**. 157(8): 1599-1606.
- Fitzcharles, M. A., Cohen, S. P., Clauw, D. J., Littlejohn, G., Usui, C., & Häuser, W. (2021). Nociplastic pain: towards an understanding of prevalent pain conditions. **Lancet**. 397(10289): 2098-2110.
- German, G. K., Engl, W. C., Pashkovski, E., Banerjee, S., Xu, Y., Mertz, A. F., . . . Dufresne, E. R. (2012). Heterogeneous drying stresses in stratum corneum. **Biophysical journal**. 102(11): 2424-2432.
- Ghiasi, Z., Esmaeli, F., Aghajani, M., Ghazi-Khansari, M., Faramarzi, M. A., & Amani, A. (2019). Enhancing analgesic and anti-inflammatory effects of capsaicin when loaded into olive oil nanoemulsion: An in vivo study. **International Journal of Pharmaceutics**. 559: 341-347.
- Graybiel, A., Knepton, J., & Shaw, J. (1976). Prevention of experimental motion sickness by scopolamine absorbed through the skin. **Aviation, Space, and Environmental Medicine**. 47(10): 1096-1100.
- Gupta, M., Agrawal, U., & Vyas, S. P. (2012). Nanocarrier-based topical drug delivery for the treatment of skin diseases. **Expert Opinion on Drug Delivery**. 9(7): 783-804.

References (Continued)

- Han, T., & Das, D. B. (2015). Potential of combined ultrasound and microneedles for enhanced transdermal drug permeation: a review. **European journal of pharmaceuticals and biopharmaceutics**. 89: 312-328.
- Haniffa, M., Gunawan, M., & Jardine, L. (2015). Human skin dendritic cells in health and disease. **Journal of Dermatological Science**. 77(2): 85-92.
- Haq, A., Goodyear, B., Ameen, D., Joshi, V., & Michniak-Kohn, B. (2018). Strat-M® synthetic membrane: Permeability comparison to human cadaver skin. **International Journal of Pharmaceutics**. 547(1): 432-437.
- Haque, T., & Talukder, M. M. U. (2018). Chemical Enhancer: A Simplistic Way to Modulate Barrier Function of the Stratum Corneum. **Advanced Pharmaceutical Bulletin**. 8(2): 169-179.
- Hashmi, M., Ullah, S., Ullah, A., Akmal, M., Saito, Y., Hussain, N., . . . Kim, I. S. (2020). Optimized Loading of Carboxymethyl Cellulose (CMC) in Tri-component Electrospun Nanofibers Having Uniform Morphology. **Polymers**. 12(11): 2524.
- Hindi, A., Masri, M., & Hardcastle, S. (2021). Synthesis of Polymeric (Self-Disappearing) Nano Medical Patches Loaded with a Long-Acting Pharmacological Substance by Electrospinning Method. **Nanotechnology & Applications**. 4(1): 1-7.
- Hudita, A., Galateanu, B., Costache, M., Negrei, C., Ion, R.-M., Iancu, L., & Ginghina, O. (2021). In vitro cytotoxic protective effect of alginate-encapsulated capsaicin might improve skin side effects associated with the topical application of capsaicin. **Molecules**. 26(5): 1455.
- Idrees, S., Hanif, M. A., Ayub, M. A., Hanif, A., & Ansari, T. M. (2020). Chapter 9 - Chili Pepper. In M. A. Hanif, H. Nawaz, M. M. Khan, & H. J. Byrne (Eds.), *Medicinal Plants of South Asia* (pp. 113-124): Elsevier.
- Iftinca, M., Defaye, M., & Altier, C. (2021). TRPV1-Targeted Drugs in Development for Human Pain Conditions. **Drugs**. 81(1): 7-27.

References (Continued)

- Ilie, M. A., Caruntu, C., Tampa, M., Georgescu, S.-R., Matei, C., Negrei, C., . . . Boda, D. (2019). Capsaicin: Physicochemical properties, cutaneous reactions and potential applications in painful and inflammatory conditions (Review). **Experimental and Therapeutic Medicine**. 18(2): 916-925.
- Jaiboonma, A., Kaokaen, P., Chaicharoenaudomrung, N., Kunhorm, P., Janebodin, K., Noisa, P., & Jitprasertwong, P. (2020). Cordycepin attenuates Salivary Hypofunction through the Prevention of Oxidative Stress in Human Submandibular Gland Cells. **International Journal of Medical Sciences**. 17(12): 1733-1743.
- Jeong, W. Y., Kwon, M., Choi, H. E., & Kim, K. S. (2021). Recent advances in transdermal drug delivery systems: a review. **Biomaterials Research**. 25(1): 24.
- Jeszka-Skowron, M., Zgoła-GrzeŚkowiak, A., GrzeŚkowiak, T., & Ramakrishna, A. (2021). *Analytical Methods in the Determination of Bioactive Compounds and Elements in Food*: Springer.
- Jiang, X., Zhao, H., & Li, W. (2022). Microneedle-Mediated Transdermal Delivery of Drug-Carrying Nanoparticles. **Frontiers in Bioengineering and Biotechnology**. 10: 840395.
- Joo, J. I., Kim, D. H., Choi, J.-W., & Yun, J. W. (2010). Proteomic Analysis for Antiobesity Potential of Capsaicin on White Adipose Tissue in Rats Fed with a High Fat Diet. **Journal of Proteome Research**. 9(6): 2977-2987.
- Joshi, D., Garg, T., Goyal, A. K., & Rath, G. (2015). Development and Characterization of Novel Medicated Nanofibers Against Periodontitis. **Current Drug Delivery**. 12(5): 564-577.
- Kar, N., Gupta, D., & Bellare, J. (2021). Ethanol affects fibroblast behavior differentially at low and high doses: A comprehensive, dose-response evaluation. **Toxicology Reports**. 8: 1054-1066.
- Karimi, M., Zangabad, P. S., Mehdizadeh, F., Malekzad, H., Ghasemi, A., Bahrami, S., . . . Hamblin, M. R. (2017). Nanocaged platforms: modification, drug delivery and nanotoxicity. Opening synthetic cages to release the tiger. **Nanoscale**. 9(4): 1356-1392.

References (Continued)

- Kennedy, W. R., Vanhove, G. F., Lu, S. P., Tobias, J., Bley, K. R., Walk, D., . . . Selim, M. M. (2010). A randomized, controlled, open-label study of the long-term effects of NGX-4010, a high-concentration capsaicin patch, on epidermal nerve fiber density and sensory function in healthy volunteers. **The Journal of Pain**. 11(6): 579-587.
- Kerimoğlu, O., & Şahbaz, S. (2018). Animal Skin Models for Percutaneous Absorption Studies. **Journal of Biopharmaceutics and Therapeutic Challenges**: 1.
- Kiani, J., Sajedi, F., Nasrollahi, S. A., & Esna-Ashari, F. (2015). A randomized clinical trial of efficacy and safety of the topical clonidine and capsaicin in the treatment of painful diabetic neuropathy. **Journal of Research in Medical Sciences**. 20(4): 359-363.
- Kim, J. H., Ko, J. A., Kim, J. T., Cha, D. S., Cho, J. H., Park, H. J., & Shin, G. H. (2014). Preparation of a capsaicin-loaded nanoemulsion for improving skin penetration. **Journal of Agricultural and Food Chemistry**. 62(3): 725-732.
- Kim, S. J., Won, Y.-H., & Kim, J.-K. (2004). Cytotoxicity of capsaicin on cultured human skin fibroblast. **Experimental Dermatology**. 13(9): 588-588.
- Klebeko, J., Ossowicz-Rupniewska, P., Nowak, A., Janus, E., Duchnik, W., Adamiak-Giera, U., . . . Klimowicz, A. (2021). Permeability of Ibuprofen in the Form of Free Acid and Salts of L-Valine Alkyl Esters from a Hydrogel Formulation through Strat-M™ Membrane and Human Skin. *Materials*, 14(21). doi:10.3390/ma14216678
- Kosuwon, W., Sirichatiwapee, W., Wisanuyotin, T., Jeeravipoolvarn, P., & Laupattarakasem, W. (2010). Efficacy of symptomatic control of knee osteoarthritis with 0.0125% of capsaicin versus placebo. **Medical journal of the Medical Association of Thailand**. 93(10): 1188-1195.
- Kouchak, M., & Handali, S. (2014). Effects of various penetration enhancers on penetration of aminophylline through shed snake skin. **Jundishapur Journal of Natural Pharmaceutical Products**. 9(1): 24-29.

References (Continued)

- Kumar, L., Verma, S., Joshi, K., Utreja, P., & Sharma, S. (2021). Nanofiber as a novel vehicle for transdermal delivery of therapeutic agents: challenges and opportunities. **Future Journal of Pharmaceutical Sciences**. 7(1): 175.
- Kunita, R., Nishijima, T., Todo, H., Sugibayashi, K., & Sakaguchi, H. (2022). A Mathematical Approach Using Strat-M(®) to Predict the Percutaneous Absorption of Chemicals under Finite Dose Conditions. **Pharmaceutics**. 14(7).
- Lakloul, M., & Baranidharan, G. (2016). Profile of the capsaicin 8% patch for the management of neuropathic pain associated with postherpetic neuralgia: safety, efficacy, and patient acceptability. **Patient Prefer Adherence**. 10: 1913-1918.
- László, S., Báta, I. Z., Berkó, S., Csányi, E., Dombi, Á., Pozsgai, G., . . . Pintér, E. (2022). Development of Capsaicin-Containing Analgesic Silicone-Based Transdermal Patches. **Pharmaceutics**. 15(10): 1279.
- Latif, M. S., Nawaz, A., Rashid, S. A., Akhlaq, M., Iqbal, A., Khan, M. J., . . . Alfatama, M. (2022). Formulation of Polymers-Based Methotrexate Patches and Investigation of the Effect of Various Penetration Enhancers: In Vitro, Ex Vivo and In Vivo Characterization. *Polymers*, 14(11). doi:10.3390/polym14112211
- Lawlor, K. T., & Kaur, P. (2015). Dermal Contributions to Human Interfollicular Epidermal Architecture and Self-Renewal. **International Journal of Molecular Sciences**. 16(12): 28098-28107.
- Lee, O., Jeong, S. H., Shin, W. U., Lee, G., Oh, C., & Son, S. W. (2013). Influence of surface charge of gold nanorods on skin penetration. **Skin Research and Technology**. 19(1): e390-396.
- Leppert, W., Malec-Milewska, M., Zajackowska, R., & Wordliczek, J. (2018). Transdermal and Topical Drug Administration in the Treatment of Pain. **Molecules**. 23(3).
- Letchford, K., Liggins, R., Wasan, K. M., & Burt, H. (2009). In vitro human plasma distribution of nanoparticulate paclitaxel is dependent on the physicochemical properties of poly (ethylene glycol)-block-poly (caprolactone) nanoparticles. **European journal of pharmaceutics and biopharmaceutics**. 71(2): 196-206.

References (Continued)

- Li, J., Liu, Y., & Abdelhakim, H. E. (2022). Drug Delivery Applications of Coaxial Electrospun Nanofibres in Cancer Therapy. *Molecules*, 27(6). doi:10.3390/molecules27061803
- Li, J., Wang, H., Zhang, L., An, N., Ni, W., Gao, Q., & Yu, Y. (2021). Capsaicin affects macrophage anti-inflammatory activity via the MAPK and NF- κ B signaling pathways. *International Journal for Vitamin and Nutrition Research*. 93.
- Li, X., Kanjwal, M. A., Lin, L., & Chronakis, I. S. (2013). Electrospun polyvinyl-alcohol nanofibers as oral fast-dissolving delivery system of caffeine and riboflavin. *Colloids Surf B Biointerfaces*. 103: 182-188.
- Liu, R., Kurihara, C., Tsai, H. T., Silvestri, P. J., Bennett, M. I., Pasquina, P. F., & Cohen, S. P. (2017). Classification and Treatment of Chronic Neck Pain: A Longitudinal Cohort Study. *Regional Anesthesia & Pain Medicine*. 42(1): 52-61.
- Luo, X.-J., Peng, J., & Li, Y.-J. (2011). Recent advances in the study on capsaicinoids and capsinoids. *European journal of pharmacology*. 650(1): 1-7.
- Luraghi, A., Peri, F., & Moroni, L. (2021). Electrospinning for drug delivery applications: A review. *Journal of Controlled Release*. 334: 463-484.
- Macho, A., Lucena, C., Sancho, R., Daddario, N., Minassi, A., Muñoz, E., & Appendino, G. (2003). Non-pungent capsaicinoids from sweet pepper. *European Journal of Nutrition*. 42(1): 2-9.
- Malmberg, A. B., Mizisin, A. P., Calcutt, N. A., von Stein, T., Robbins, W. R., & Bley, K. R. (2004). Reduced heat sensitivity and epidermal nerve fiber immunostaining following single applications of a high-concentration capsaicin patch. *PAIN*. 111(3): 360-367.
- Martínez-Ortega, L., Mira, A., Fernandez-Carvajal, A., Mateo, C. R., Mallavia, R., & Falco, A. (2019). Development of A New Delivery System Based on Drug-Loadable Electrospun Nanofibers for Psoriasis Treatment. *Pharmaceutics*. 11(1).
- Matsui, T., & Amagai, M. (2015). Dissecting the formation, structure and barrier function of the stratum corneum. *International Immunology*. 27(6): 269-280.
- Melzack, R. (1999). From the gate to the neuromatrix. *PAIN*. Suppl 6: S121-s126.

References (Continued)

- Mitchell, M. J., Billingsley, M. M., Haley, R. M., Wechsler, M. E., Peppas, N. A., & Langer, R. (2021). Engineering precision nanoparticles for drug delivery. **Nature Reviews Drug Discovery**. 20(2): 101-124.
- Mitxelena-Iribarren, O., Riera-Pons, M., Pereira, S., Calero-Castro, F. J., Castillo Tuñón, J. M., Padillo-Ruiz, J., . . . Arana, S. (2023). Drug-loaded PCL electrospun nanofibers as anti-pancreatic cancer drug delivery systems. **Polymer Bulletin**. 80(7): 7763-7778.
- Mondal, R., Bobde, Y., Ghosh, B., & Giri, T. (2019). Development and Characterization of a Phospholipid Complex for Effective Delivery of Capsaicin. **Indian Journal of Pharmaceutical Sciences**. 81.
- Mori, A., Lehmann, S., O'Kelly, J., Kumagai, T., Desmond, J. C., Pervan, M., . . . Koeffler, H. P. (2006). Capsaicin, a component of red peppers, inhibits the growth of androgen-independent, p53 mutant prostate cancer cells. **Cancer Research**. 66(6): 3222-3229.
- Mullins, C. F., Walsh, S., Rooney, A., McCrory, C., & Das, B. (2022). A preliminary prospective observational study of the effectiveness of high-concentration capsaicin cutaneous patch in the management of chronic post-surgical neuropathic pain. **Irish Journal of Medical Science (1971 -)**. 191(2): 859-864.
- Murthy, N. (2012). Transdermal drug delivery: approaches and significance. **Research and Reports in Transdermal Drug Delivery**: 1.
- Nada, A. A., Ali, E. A., Soliman, A. A. F., Shen, J., Abou-Zeid, N. Y., & Hudson, S. M. (2020). Multi-layer dressing made of laminated electrospun nanowebs and cellulose-based adhesive for comprehensive wound care. **International Journal of Biological Macromolecules**. 162: 629-644.
- Nava-Ochoa, A. E., Antunes-Ricardo, M., & Guajardo-Flores, D. (2021). Nano-sized carriers for capsaicinoids with topic analgesic and anti-inflammatory effects. **Journal of Biotechnology**. 333: 77-85.

References (Continued)

- Nawaz, A., Farid, A., Safdar, M., Latif, M. S., Ghazanfar, S., Akhtar, N., . . . Khan, M. W. (2022). Formulation Development and Ex-Vivo Permeability of Curcumin Hydrogels under the Influence of Natural Chemical Enhancers. **Gels**. 8(6): 384.
- Neupane, R., Boddu, S. H. S., Renukuntla, J., Babu, R. J., & Tiwari, A. K. (2020). Alternatives to Biological Skin in Permeation Studies: Current Trends and Possibilities. **Pharmaceutics**. 12(2).
- Noe, C. E. (2020). *Pain Management for Clinicians: A Guide to Assessment and Treatment*: Springer Nature.
- Nolano, M., Simone, D. A., Wendelschafer-Crabb, G., Johnson, T., Hazen, E., & Kennedy, W. R. (1999). Topical capsaicin in humans: parallel loss of epidermal nerve fibers and pain sensation. **PAIN**. 81(1).
- Ohta, T., Imagawa, T., & Ito, S. (2009). Involvement of transient receptor potential vanilloid subtype 1 in analgesic action of methylsalicylate. **Molecular pharmacology**. 75(2): 307-317.
- Palmer, B. C., & DeLouise, L. A. (2016). Nanoparticle-Enabled Transdermal Drug Delivery Systems for Enhanced Dose Control and Tissue Targeting. **Molecules**. 21(12).
- Pant, B., Park, M., & Park, S. J. (2019). Drug Delivery Applications of Core-Sheath Nanofibers Prepared by Coaxial Electrospinning: A Review. **Pharmaceutics**. 11(7).
- Patzelt, A., & Lademann, J. (2013). Drug delivery to hair follicles. **Expert Opinion on Drug Delivery**. 10(6): 787-797.
- Peña-Juárez, M. C., Guadarrama-Escobar, O. R., & Escobar-Chávez, J. J. (2022). Transdermal Delivery Systems for Biomolecules. **Journal of Pharmaceutical Innovation**. 17(2): 319-332.
- Pershing, L. K., Reilly, C. A., Corlett, J. L., & Crouch, D. J. (2004). Effects of vehicle on the uptake and elimination kinetics of capsaicinoids in human skin in vivo. **Toxicology and applied pharmacology**. 200(1): 73-81.

References (Continued)

- Pinho-Ribeiro, F. A., Verri, W. A., Jr., & Chiu, I. M. (2017). Nociceptor Sensory Neuron-Immune Interactions in Pain and Inflammation. **Trends in Immunology**. 38(1): 5-19.
- Portillo, M., Mataix, M., Alonso-Juarranz, M., Lorrio, S., Villalba, M., Rodríguez-Luna, A., & González, S. (2021). The Aqueous Extract of Polypodium leucotomos (Fernblock®) Regulates Opsin 3 and Prevents Photooxidation of Melanin Precursors on Skin Cells Exposed to Blue Light Emitted from Digital Devices. **Antioxidants**. 10(3): 400.
- Predel, H.-G., Ebel-Bitoun, C., Peil, B., Weiser, T. W., & Lange, R. (2020). Efficacy and Safety of Diclofenac + Capsaicin Gel in Patients with Acute Back/Neck Pain: A Multicenter Randomized Controlled Study. **Pain and Therapy**. 9(1): 279-296.
- Prietto, L., Pinto, V. Z., El Halal, S. L. M., de Moraes, M. G., Costa, J. A. V., Lim, L.-T., . . . Zavareze, E. d. R. (2018). Ultrafine fibers of zein and anthocyanins as natural pH indicator. **Journal of the Science of Food and Agriculture**. 98(7): 2735-2741.
- Pulsoni, I., Lubda, M., Aiello, M., Fedi, A., Marzagalli, M., von Hagen, J., & Scaglione, S. (2022). Comparison Between Franz Diffusion Cell and a novel Micro-physiological System for In Vitro Penetration Assay Using Different Skin Models. **SLAS Technology**. 27(3): 161-171.
- Rahmani, F., Ziyadi, H., Baghali, M., Luo, H., & Ramakrishna, S. (2021). Electrospun PVP/PVA Nanofiber Mat as a Novel Potential Transdermal Drug-Delivery System for Buprenorphine: A Solution Needed for Pain Management. *Applied Sciences*, 11(6). doi:10.3390/app11062779
- Ramadon, D., McCrudden, M. T. C., Courtenay, A. J., & Donnelly, R. F. (2022). Enhancement strategies for transdermal drug delivery systems: current trends and applications. **Drug Delivery and Translational Research**. 12(4): 758-791.
- Rao, X., Huang, X., Zhou, Z., & Lin, X. (2013). An improvement of the 2^{-ΔΔCT} method for quantitative real-time polymerase chain reaction data analysis. **Biostatistics, bioinformatics and biomathematics**. 3(3): 71.

References (Continued)

- Reyes-Escogido, M. D. L., Gonzalez-Mondragon, E. G., & Vazquez-Tzompantzi, E. (2011). Chemical and Pharmacological Aspects of Capsaicin. **Molecules**. 16(2): 1253-1270.
- Rezazadeh, A., Moghaddas Kia, E., Hamishehkar, H., Kafil Gazi Jahani, B., & Ghasempour, Z. (2022). Capsaicin-incorporated zein electrospun nanofibers: Characterization and release behavior. **Food Bioscience**. 49: 101843.
- Rollyson, W. D., Stover, C. A., Brown, K. C., Perry, H. E., Stevenson, C. D., McNees, C. A., . . . Dasgupta, P. (2014). Bioavailability of capsaicin and its implications for drug delivery. **Journal of Controlled Release**. 196: 96-105.
- Romero, V., Lara, J. R., Otero-Espinar, F., Salgado, M. H., Modolo, N. S. P., & de Barros, G. A. M. (2019). Capsaicin topical cream (8%) for the treatment of myofascial pain syndrome. **Brazilian Journal of Anesthesiology (English Edition)**. 69(5): 432-438.
- Roohnikan, M., Laszlo, E., Babity, S., & Brambilla, D. (2019). A Snapshot of Transdermal and Topical Drug Delivery Research in Canada. **Pharmaceutics**. 11(6).
- Sa'adon, S., Ansari, M. N. M., Razak, S. I. A., Yusof, A. H. M., Faudzi, A. A. M., Sagadevan, S., . . . Amin, K. A. M. (2021). Electrospun Nanofiber and Cryogel of Polyvinyl Alcohol Transdermal Patch Containing Diclofenac Sodium: Preparation, Characterization and In Vitro Release Studies. **Pharmaceutics**. 13(11).
- Sa'adon, S., Abd Razak, S. I., Ismail, A. E., & Fakhruddin, K. (2019). Drug-Loaded Poly-Vinyl Alcohol Electrospun Nanofibers for Transdermal Drug Delivery: Review on Factors Affecting the Drug Release. **Procedia Computer Science**.
- Saavedra-Hernández, M., Castro-Sánchez, A. M., Cuesta-Vargas, A. I., Cleland, J. A., Fernández-de-las-Peñas, C., & Arroyo-Morales, M. (2012). The contribution of previous episodes of pain, pain intensity, physical impairment, and pain-related fear to disability in patients with chronic mechanical neck pain. **American Journal of Physical Medicine & Rehabilitation**. 91(12): 1070-1076.
- Sabbagh, F., & Kim, B. S. (2022). Recent advances in polymeric transdermal drug delivery systems. **Journal of Controlled Release**. 341: 132-146.

References (Continued)

- Salles, T., Lombello, C., & d'Ávila, M. (2015). Electrospinning of Gelatin/Poly (Vinyl Pyrrolidone) Blends from Water/Acetic Acid Solutions. **Materials Research**. 18: 509-518.
- Schappert, S. M., & Burt, C. W. (2006). Ambulatory care visits to physician offices, hospital outpatient departments, and emergency departments: United States, 2001-02. **Vital and Health Statistics** 13(159): 1-66.
- Sequeira, R. S., Miguel, S. P., Cabral, C. S. D., Moreira, A. F., Ferreira, P., & Correia, I. J. (2019). Development of a poly(vinyl alcohol)/lysine electrospun membrane-based drug delivery system for improved skin regeneration. **International Journal of Pharmaceutics**. 570: 118640.
- Sim, S., & Wong, N. K. (2021). Nanotechnology and its use in imaging and drug delivery (Review). **Biomedical Reports**. 14(5): 42.
- Spahr, N., Hodkinson, D., Jolly, K., Williams, S., Howard, M., & Thacker, M. (2017). Distinguishing between nociceptive and neuropathic components in chronic low back pain using behavioural evaluation and sensory examination. **Musculoskeletal Science and Practice**. 27: 40-48.
- Steeds, C. E. (2009). The anatomy and physiology of pain. **Surgery (Oxford)**. 27(12): 507-511.
- Suzuki, M. (1987). Protective effect of fine-particle titanium dioxide on UVB-induced DNA damage in hairless mouse skin. **Photo-Dermatology**. 4(4): 209-211.
- Szoka, L., & Palka, J. (2020). Capsaicin up-regulates pro-apoptotic activity of thiazolidinediones in glioblastoma cell line. **Biomedicine & Pharmacotherapy**. 132: 110741.
- Tahir, M., Vicini, S., Jędrzejewski, T., Wrotek, S., & Sionkowska, A. (2024). New Composite Materials Based on PVA, PVP, CS, and PDA. **Polymers**. 16(23): 3353.
- Tanadchangsang, N., Khanpimai, D., Kitmongkonpaisan, S., Chobchuenchom, W., Koobkokkrud, T., & Sathirapongsasuti, N. (2016). Fabrication and characterization of electrospun nanofiber films of PHA/PBAT biopolymer blend containing chilli herbal extracts. **International Journal of Food Engineering**. 2(1).

References (Continued)

- Tansey, E. A., & Johnson, C. D. (2015). Recent advances in thermoregulation. **Advances in Physiology Education**. 39(3): 139-148.
- Tatke, A., Dudhipala, N., Janga, K. Y., Balguri, S. P., Avula, B., Jablonski, M. M., & Majumdar, S. (2018). In situ gel of triamcinolone acetate-loaded solid lipid nanoparticles for improved topical ocular delivery: tear kinetics and ocular disposition studies. **Nanomaterials**. 9(1): 33.
- Thumanu, K., Darawadee, W., Mathukorn, S., Piyaporn, P., Toan, L. T., Weravart, N., . . . and Buensanteai, N. (2017). Synchrotron-based FTIR microspectroscopy of chili resistance induced by *Bacillus subtilis* strain D604 against anthracnose disease. **Journal of Plant Interactions**. 12(1): 255-263.
- Thumanu, K., Mathukorn, S., Piyaporn, P., Kanokwan, N., & Buensanteai, N. (2015). Use of infrared microspectroscopy to determine leaf biochemical composition of cassava in response to *Bacillus subtilis* CaSUT007. **Journal of Plant Interactions**. 10(1): 270-279.
- Todo, H. (2017). Transdermal Permeation of Drugs in Various Animal Species. **Pharmaceutics**. 9(3).
- Tolleson, W. H. (2005). Human melanocyte biology, toxicology, and pathology. **Journal of Environmental Science and Health, Part C**. 23(2): 105-161.
- Tort, S., Yıldız, A., Tuğcu-Demiröz, F., Akça, G., Kuzukıran, Ö., & Acartürk, F. (2019). Development and characterization of rapid dissolving ornidazole loaded PVP electrospun fibers. **Pharmaceutical Development and Technology**. 24: 864 - 873.
- Treede, R. D. (2018). The International Association for the Study of Pain definition of pain: as valid in 2018 as in 1979, but in need of regularly updated footnotes. **Pain reports**. 3(2): e643.
- Turnbull, A. (1850). Tincture of capsaicin as a remedy for chilblains and toothache. **Dublin Free Press**. 1: 95-96.

References (Continued)

- Uchida, T., Kadhun, W. R., Kanai, S., Todo, H., Oshizaka, T., & Sugibayashi, K. (2015). Prediction of skin permeation by chemical compounds using the artificial membrane, Strat-M™. **European Journal of Pharmaceutical Sciences**. 67: 113-118.
- van Nooten, F., Treur, M., Pantiri, K., Stoker, M., & Charokopou, M. (2017). Capsaicin 8% Patch Versus Oral Neuropathic Pain Medications for the Treatment of Painful Diabetic Peripheral Neuropathy: A Systematic Literature Review and Network Meta-analysis. **Clinical Therapeutics**. 39(4): 787-803.e718.
- van Smeden, J., Janssens, M., Gooris, G. S., & Bouwstra, J. A. (2014). The important role of stratum corneum lipids for the cutaneous barrier function. **Biochimica et Biophysica Acta (BBA)-Molecular and Cell Biology of Lipids**. 1841(3): 295-313.
- Vargason, A. M., Anselmo, A. C., & Mitragotri, S. (2021). The evolution of commercial drug delivery technologies. **Nature Biomedical Engineering**. 5(9): 951-967.
- Vatankhah, E. (2018). Rosmarinic acid-loaded electrospun nanofibers: In vitro release kinetic study and bioactivity assessment. **Engineering in Life Sciences**. 18(10): 732-742.
- Vega-Vázquez, P., Mosier, N. S., & Irudayaraj, J. (2020). Nanoscale Drug Delivery Systems: From Medicine to Agriculture. **Frontiers in Bioengineering and Biotechnology**. 8.
- Vong, M., Diaz Sanchez, F. J., Keirouz, A., Nuansing, W., & Radacsi, N. (2021). Ultrafast fabrication of Nanofiber-based 3D Macrostructures by 3D electrospinning. **Materials & Design**. 208: 109916.
- Vong, M., Speirs, E., Klomkliang, C., Akinwumi, I., Nuansing, W., & Radacsi, N. (2018). Controlled three-dimensional polystyrene micro- and nano-structures fabricated by three-dimensional electrospinning. **RSC Advances**. 8.
- Wang, C., Ma, C., Wu, Z., Liang, H., Yan, P., Song, J., . . . Zhao, Q. (2015). Enhanced Bioavailability and Anticancer Effect of Curcumin-Loaded Electrospun Nanofiber: In Vitro and In Vivo Study. **Nanoscale Research Letters**. 10(1): 439.

References (Continued)

- Wang, F., Zhao, J., Liu, D., Zhao, T., Lu, Z., Zhu, L., . . . Cai, Y. (2016). Capsaicin reactivates hMOF in gastric cancer cells and induces cell growth inhibition. **Cancer Biology & Therapy**. 17(11): 1117-1125.
- Wang, M., Luo, Y., Wang, T., Wan, C., Pan, L., Pan, S., . . . Chen, X. (2021). Artificial Skin Perception. **Advanced Materials**. 33(19): e2003014.
- Wang, X. R., Gao, S. Q., Niu, X. Q., Li, L. J., Ying, X. Y., Hu, Z. J., & Gao, J. Q. (2017). Capsaicin-loaded nanolipoidal carriers for topical application: design, characterization, and in vitro/in vivo evaluation. **International Journal of Nanomedicine**. 12: 3881-3898.
- Webb, C. M., & Steeds, C. E. (2022). The anatomy and physiology of pain. **Clinics in Integrated Care**. 14: 100115.
- Wokovich, A. M., Prodduturi, S., Doub, W. H., Hussain, A. S., & Buhse, L. F. (2006). Transdermal drug delivery system (TDDS) adhesion as a critical safety, efficacy and quality attribute. **European journal of pharmaceuticals and biopharmaceutics**. 64(1): 1-8.
- Wolkerstorfer, A., Handler, N., & Buschmann, H. (2016). New approaches to treating pain. **Bioorganic & Medicinal Chemistry Letters**. 26(4): 1103-1119.
- Wysocki, A. B. (1999). Skin anatomy, physiology, and pathophysiology. **Nursing Clinics of North America**. 34(4): 777-797, v.
- Xiao, L., Takada, H., Gan, X., & Miwa, N. (2006). The water-soluble fullerene derivative "Radical Sponge" exerts cytoprotective action against UVA irradiation but not visible-light-catalyzed cytotoxicity in human skin keratinocytes. **Bioorganic & Medicinal Chemistry Letters**. 16(6): 1590-1595.
- Yetisgin, A. A., Cetinel, S., Zuvun, M., Kosar, A., & Kutlu, O. (2020). Therapeutic Nanoparticles and Their Targeted Delivery Applications. **Molecules**. 25(9).
- Yu, D.-G., Zhang, X.-F., Shen, X.-X., Brandford-White, C., & Zhu, L.-M. (2009). Ultrafine ibuprofen-loaded polyvinylpyrrolidone fiber mats using electrospinning. **Polymer International**. 58(9): 1010-1013.

References (Continued)

- Zhang, A., Jung, E. C., Zhu, H., Zou, Y., Hui, X., & Maibach, H. (2017). Vehicle effects on human stratum corneum absorption and skin penetration. **Toxicology and Industrial Health**. 33(5): 416-425.
- Zhang, W., Zhang, Y., Fan, J., Feng, Z., & Song, X. (2024). Pharmacological activity of capsaicin: Mechanisms and controversies (Review). **Molecular Medicine Reports**. 29(3): 38.
- Zheng, J., Zhou, Y., Li, Y., Xu, D. P., Li, S., & Li, H. B. (2016). Spices for Prevention and Treatment of Cancers. **Nutrients**. 8(8).
- Zheng, Q., Sun, W., & Qu, M. (2018). Anti-neuro-inflammatory effects of the bioactive compound capsaicin through the NF- κ B signaling pathway in LPS-stimulated BV2 microglial cells. **Pharmacognosy Magazine**. 14(58).
- Zheng, Y. (2019). *Bioinspired design of materials surfaces*: Elsevier.
- Zis, P., Bernali, N., Argira, E., Siafaka, I., & Vadalouka, A. (2016). Effectiveness and Impact of Capsaicin 8% Patch on Quality of Life in Patients with Lumbosacral Pain: An Open-label Study. **Pain Physician**. 19(7): E1049-1053.