

REFERENCES

REFERENCES

- Achenbach, G., James, W., and Gerson, R. (2006), Preparation of Single-Phase Polycrystalline BiFeO_3 . *Journal of the American Ceramic Society*, 50, 437– 437.
- Alexe, M., and Gruverman, A. (2004), Preface to Nanoscale Characterization of Ferroelectric Materials. *Springer Berlin Heidelberg*, 282.
- Bhushan, B. (2010), Springer Handbook of Nanotechnology. *Springer Berlin Heidelberg*.
- Burany, S. (2003), Scanning Electron Microscopy and X-Ray Microanalysis. *Microscopy and Microanalysis*, 9, 484–484.
- Catalan, G., and Scott, J. F. (2009), Physics and Applications of Bismuth Ferrite. *Advanced Materials*, 21(24), 2463–2485.
- Chen, C., Lv, S., Li, J., Wang, Z., Liang, X., Li, Y., and Ikuhara, Y. (2015), Two-dimensional electron gas at the Ti-diffused $\text{BiFeO}_3/\text{SrTiO}_3$ interface. *Applied Physics Letters*, 107, 031601.
- Chen, W., and Ahmed, H. (1993), Fabrication of 5–7 nm wide etched lines in silicon using 100 keV electron-beam lithography and polymethyl methacrylate resist. *Applied Physics Letters*, 62(13), 1499–1501.
- Chen, Y. (2015), Nanofabrication by electron beam lithography and its applications. *Microelectronic Engineering*, 135(C), 57–72.
- Choi, T., Lee, S., Choi, Y., Kiryukhin, V., and Cheong, S. W. (2009), Switchable ferroelectric diode and photovoltaic effect in BiFeO_3 . *Science*, 324(5923), 63–66.
- Connerade, J. P. (2009), A Review of Quantum Confinement. *AIP Conference Proceedings*, 1197(1), 1–33.
- Cullity, B. D., and Stock, S. R. (2001). Elements of X-ray Diffraction. *Prentice Hall*.
- .

- Das, R. R. and Kim, D. M. and Baek, S. H. and Eom, C. B. and Zavaliche, F. and Yang, S. Y. and Ramesh, R. and Chen, Y. B. and Pan, X. Q. and Ke, X. and Rzechowski, M. S. and Streiffer, S. K. (2006). Synthesis and ferroelectric properties of epitaxial BiFeO₃ thin films grown by sputtering. *Applied Physics Letters*, 88(24), 242904.
- De Groot, P. (2015), Principles of interference microscopy for the measurement of surface topography. *Advances in Optics and Photonics*, 7(1), 1–65.
- Ederer, C., and Spaldin, N. (2005), Recent progress in first-principles studies of magnetoelectric multiferroics. *Current Opinion in Solid State and Materials Science*, 9, 128–139.
- Egerton, R. (2005), Physical principles of electron microscopy: An introduction to TEM, SEM, and AEM. *Springer New York*, 202.
- Feng, S. (2018), Introductory Chapter: Basic Theory of Magnetron Sputtering. *IntechOpen*, Ch. 4.
- Fu, Z., Chen, H., Liu, Y., Liu, M., and Liu, W. M. (2021), Interface-induced ferroelectric domains and charged domain walls in BiFeO₃/SrTiO₃ superlattices. *Physical Review B*, 103(19), 195301.
- Fultz, B., and Howe, J. (2008), Transmission Electron Microscopy and Diffraction of Materials. *Springer Berlin Heidelberg*, 758.
- Giannuzzi, L., and Stevie, F. (2005), Introduction to Focused Ion Beams: Instrumentation, Theory, Techniques and Practice. *Springer*, 358, 193.
- Gruverman, A., and Kalinin, S. (2006), Piezoresponse force microscopy and recent advances in nanoscale studies of ferroelectrics. *Journal of Materials Science*, 41, 107–116.
- Hiroshi, N. (2011), Multifunctional Characteristics of B-site Substituted BiFeO₃ Films, *Ferroelectrics. IntechOpen*, Ch. 16.
- Hong, S., Klug, J. A., Park, M., Imre, A., Bedzyk, M. J., No, K., Petford-Long, A., and Auciello, O. (2009), Nanoscale piezoresponse studies of ferroelectric domains in epitaxial BiFeO₃ nanostructures. *Journal of Applied Physics*, 105(6), 061619.

- Jaiban, P., Lu, M. H., Eknapakul, T., Chaiyachad, S., Yao, S. H., Pisitpipathsin, N., and Meevasana, W. (2020), Spectral weight reduction of two-dimensional electron gases at oxide surfaces across the ferroelectric transition. *Scientific Reports*, 10(1), 16834.
- Ji, W., Yao, K., and Liang, Y. C. (2010), Bulk Photovoltaic Effect at Visible Wavelength in Epitaxial Ferroelectric BiFeO₃ Thin Films. *Advanced Materials*, 22(15), 1763–1766.
- Jung, I., and Son, J. Y. (2012), Dip-Pen Lithography of BiFeO₃ Nanodots. *Journal of the American Ceramic Society*, 95(12), 3716–3718.
- Kalabukhov, A., Gunnarsson, R., Börjesson, J., Olsson, E., Claesson, T., and Winkler, D. (2007). Effect of oxygen vacancies in the SrTiO₃ substrate on the electrical properties of the LaAlO₃/SrTiO₃ interface. *Physical Review B*, 75(12), 121404.
- Kalinin, S. V., Rodriguez, B. J., Jesse, S., Maksymovych, P., Seal, K., Nikiforov, M., Baddorf, A. P., Kholkin, A. L., and Proksch, R. (2008), Local bias-induced phase transitions. *Materials Today*, 11, 16–27.
- Kalinin, S. V., and Bonnell, D. A. (2002), Imaging mechanism of piezoresponse force microscopy of ferroelectric surfaces. *Physical Review B*, 65(12), 125408.
- Kalinin, S. V., Rar, A., and Jesse, S. (2006), A decade of piezoresponse force microscopy: progress, challenges, and opportunities. *IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control*, 53(12), 2226–2252.
- Kim, B., Barrows, F. P., Sharma, Y., Katiyar, R. S., Phatak, C., Petford-Long, A. K., and Hong, S. (2018), Ferroelectric Domain Studies of Patterned (001) BiFeO₃ by Angle-Resolved Piezoresponse Force Microscopy. *Scientific Reports*, 8(1), 203.
- Kim, W.-H., and Yeog Son, J. (2013), BiFeO₃ nanodots prepared via dip-pen lithography on Nb-doped SrTiO₃ and highly ordered pyrolytic graphite sub- strates. *Applied Physics Letters*, 103(5), 052905.
- Klug, H. P., and Alexander, L. E. (1974), X-Ray Diffraction Procedures: For Polycrystalline and Amorphous Materials. *Wiley*.

- Kubel, F., and Schmid, H. (1990), Structure of a ferroelectric and ferroelastic monodomain crystal of the perovskite BiFeO_3 . *Acta Crystallographica Section B*, 46(6), 698–702.
- Laohana, P., Polin, S., Jindata, W., Rasritat, A., Eknapakul, T., Leuasongnoen, P., and Meevasana, W. (2022), Large increase in photo-induced conductivity of two-dimensional electron gas at SrTiO_3 surface with BiFeO_3 topping layer. *Applied Physics Letters*, 121(24), 241601.
- Lebeugle, D., Colson, D., Forget, A., Viret, M., Bonville, P., Marucco, J. F., and Fusil, S. (2007), Room-temperature coexistence of large electric polarization and magnetic order in BiFeO_3 single crystals. *Physical Review B*, 76(2), 024116.
- Lee, S. W., Liu, Y., Heo, J., and Gordon, R. G. (2012), Creation and Control of Two-Dimensional Electron Gas Using Al-Based Amorphous Oxides/ SrTiO_3 Heterostructures Grown by Atomic Layer Deposition. *Nano Letters*, 12(9), 4775–4783.
- Li, C., Hong, Y., Xue, H., Wang, X., Li, Y., Liu, K., Jiang, W., Liu, M., He, L., Dou, R., Xiong, C., and Nie, J. (2018), Formation of Two-dimensional Electron Gas at Amorphous/Crystalline Oxide Interfaces. *Scientific Reports*, 8, 404.
- Li, J., Wang, J., Wuttig, M., Ramesh, R., Wang, N., Ruetter, B., and Viehland, D. (2004), Dramatically enhanced polarization in (001), (101), and (111) BiFeO_3 thin films due to epitaxial-induced transitions. *Applied Physics Letters*, 84(25), 5261–5263.
- Li, Y., Sritharan, T., Zhang, S., He, X., Liu, Y., and Chen, T. (2008), Multiferric properties of sputtered BiFeO_3 thin films. *Applied Physics Letters*, 92(13), 132908.
- Li, Z., Zhao, Y., Li, W., Song, R., Zhang, Y., Zhao, W., and Fei, W. (2021), Enhanced energy storage properties of amorphous $\text{BiFeO}_3/\text{Al}_2\text{O}_3$ multilayers. *Journal of Materials Research and Technology*, 11, 1852–1858.
- Lines, M. E., and Glass, A. M. (2001), Principles and Applications of Ferroelectrics and Related Materials.

- Maurya, D., Sardarinejad, A., and Alameh, K. (2014), Recent developments in RF Magnetron sputtered thin films for pH sensing applications an overview. *Coatings*, 4(4), 756–771.
- Meevasana, W., King, P. D., He, R. H., Mo, S. K., Hashimoto, M., Tamai, A., Songsiriritthigul, P., Baumberger, F., and Shen, Z. X. (2011), Creation and control of a two-dimensional electron liquid at the bare SrTiO₃ surface. *Nature Materials*, 10(2), 114–118.
- Micard, Q., Condorelli, G., and Malandrino, G. (2020), Piezoelectric BiFeO₃ Thin Films: Optimization of MOCVD Process on Si. *Nanomaterials (Basel, Switzerland)*, 10(4), 630.
- Michel, C., Moreau, J. M., Achenbach, G. D., Gerson, R., and James, W. J. (1969), The atomic structure of BiFeO₃. *Solid State Communications*, 7(9), 701–704.
- Mijiti, A., Mamat, M., Xiaerding, F., Wang, Q., Abudurexiti, A., and Aihaiti, L. (2021), Electron-beam evaporated bismuth ferrite (BiFeO₃) thin films and characterization. *Materials Research Express*, 8, 036408.
- Moreau, J. M., Michel, C., Gerson, R., and James, W. J. (1971), Ferroelectric BiFeO₃ X-ray and neutron diffraction study. *Journal of Physics and Chemistry of Solids*, 32(6), 1315–1320.
- Nakashima, S., Higuchi, T., Yasui, A., Kinoshita, T., Shimizu, M., and Fujisawa, H. (2020), Enhancement of photovoltage by electronic structure evolution in multiferroic Mn-doped BiFeO₃ thin films. *Scientific Reports*, 10(1), 15108.
- Nakashima, S., Uchida, T., Takayama, K., Fujisawa, H., and Shimizu, M. (2015), Influence of the polarization direction of light on the anomalous photovoltaic effect in BiFeO₃ thin films. *Journal of the Korean Physical Society*, 66, 1389– 1393.
- Nathabumroong, S., Eknapakul, T., Jaiban, P., Yotburut, B., Siroroj, S., Saisopa, T., Mo, S. K., Supruangnet, R., Nakajima, H., Yimnirun, R., Maensiri, S., and Meevasana, W. (2020), Interplay of negative electronic compressibility and capacitance enhancement in lightly-doped metal oxide Bi_{0.95}La_{0.05}FeO₃ by quantum capacitance model. *Scientific Reports*, 10(1), 5153.

- Neumayer, S. M., Saremi, S., Martin, L. W., Collins, L., Tselev, A., Jesse, S., Kalinin, S. V., and Balke, N. (2020), Piezoresponse amplitude and phase quantified for electromechanical characterization. *Journal of Applied Physics*, 128, 171105.
- Ohtomo, A., and Hwang, H. Y. (2004), A high-mobility electron gas at the $\text{LaAlO}_3/\text{SrTiO}_3$ heterointerface. *Nature*, 427, 423–426.
- Orloff, J., Utlaut, M., and Swanson, L. (2003), High Resolution Focused Ion Beams: FIB and its Applications. *Springer New York*, 304.
- Pecharsky, V., and Zavalij, P. (2003), Fundamentals of Powder Diffraction and Structural Characterization of Materials. Springer New York , 744.
- Pei, W., Chen, J., You, D., Zhang, Q., Li, M., Lu, Y., Fu, Z., and He, Y. (2020), Enhanced photovoltaic effect in Ca and Mn co-doped BiFeO_3 epitaxial thin films. *Applied Surface Science*, 530, 147194.
- Polin, S., Laohana, P., Kullapapinyokol, J., Jindata, W., Musikajaroen, S., Rasritat, A., Nakajima, H., Saenrang, W., Maensiri, S., Eom, C.B., and Meevasana, W. (2024), Measurement of the coupling of magnetism with electricity or light irradiation in BiFeO_3 using the Kerr angle. *APL Materials*, 12(5), 051104.
- Rai-Choudhury, P. (1997), Handbook of Microlithography, Micromachining, and Microfabrication. Microlithography. *SPIE PRESS*, 1.
- Reimer, L. (1998), Scanning Electron Microscopy: Physics of Image Formation and Microanalysis. *Springer Berlin, Heidelberg*, 529.
- Rodriguez Hernandez, J., and Cortajarena, A. (2015), Design of Polymeric Platforms for Selective Biorecognition. *Springer Cham*, 389.
- Saenrang, W., Davidson, B. A., Maccherozzi, F., Podkaminer, J. P., Irwin, J., Johnson, R. D., and Eom, C. B. (2017), Deterministic and robust room-temperature exchange coupling in monodomain multiferroic BiFeO_3 heterostructures. *Nature Communications*, 8(1), 1583.
- Scigaj, M., Gazquez, J., Varela, M., Herranz, G., and Sanchez, F. (2015), Conducting interfaces between amorphous oxide layers and $\text{SrTiO}_3(110)$ and $\text{SrTiO}_3(111)$. *Solid State Ionics*, 281, 68-72.

- Shahali, H., Hasan, J., Wang, H., Tesfamichael, T., Yan, C., and Yarlagadda, P. K. D. V. (2019), Evaluation of Particle Beam Lithography for Fabrication of Metallic Nano-structures. *Procedia Manufacturing*, 30, 261–267.
- Smolenskii, G., Isupov, V., and Agranovskaya, A. (1961), New Ferroelectrics of Complex Composition. *Soviet Physics, Solid State*, 2, 2651-2654.
- Sosnowska, I., Neumaier, T. P., and Steichele, E. (1982), Spiral magnetic ordering in bismuth ferrite. *Journal of Physics C: Solid State Physics*, 15(23), 4835.
- Sun, T., Pan, Z., Dravid, V. P., Wang, Z., Yu, M. F., and Wang, J. (2006), Nanopatterning of multiferroic BiFeO₃ using “soft” electron beam lithography. *Applied Physics Letters*, 89(16), 163117.
- Suwanwong, S., Eknapakul, T., Rattanachai, Y., Masingboon, C., Rattanasuporn, S., Phatthanakun, R., Nakajima, H., King, P. D. C., Hodak, S. K., and Meevasana, W. (2015), The dynamics of ultraviolet-induced oxygen vacancy at the surface of insulating SrTiO₃(001). *Applied Surface Science*, 355, 210–212.
- Tanaka, I., Oba, F., Tatsumi, K., Kunisu, M., Nakano, M., and Adachi, H. (2002), Theoretical Formation Energy of Oxygen-Vacancies in Oxides. *Materials Transactions*, 43(7), 1426–1429.
- Teague, J. R., Gerson, R., and James, W. J. (1970), Dielectric hysteresis in single crystal BiFeO₃. *Solid State Communications*, 8(13), 1073–1074.
- Thomas, T. R. (1999), Rough Surfaces, Imperial College Press.
- Tseng, A. A. (2005), Recent Developments in Nanofabrication Using Focused Ion Beams. *Small*, 1(10), 924–939.
- Tseng, A. A., Kuan, C., Chen, C. D., and Ma, K. J. (2003), Electron beam lithography in nanoscale fabrication: recent development. *IEEE Transactions on Electronics Packaging Manufacturing*, 26(2), 141–149.

- Wang, J., Neaton, J. B., Zheng, H., Nagarajan, V., Ogale, S. B., Liu, B., Viehland, D., Vaithyanathan, V., Schlom, D. G., Waghmare, U. V., Spaldin, N. A., Rabe, K. M., Wuttig, M., and Ramesh, R. (2003). Epitaxial BiFeO₃ multiferroic thin film heterostructures. *Science (New York, N.Y.)*, 299(5613), 1719–1722.
- Williams, D. B., and Carter, C. B. (2013), Transmission Electron Microscopy: A Textbook for Materials Science. *Springer New York*, 729.
- Wu, J., and Wang, J. (2010), BiFeO₃ thin films of (111) orientation deposited on SrRuO₃ buffered Pt/TiO₂/SiO₂/Si(100) substrates. *Acta Materialia*, 58(5), 1688–1697.
- Wu, J., Wang, J., Xiao, D., and Zhu, J. (2011), Ferroelectric Behavior in Bismuth Ferrite Thin Films of Different Thickness. *ACS Applied Materials and Interfaces*, 3(9), 3261–3263.
- Yang, B., Jin, L., Wei, R., Tang, X., Hu, L., Tong, P., Yang, J., Song, W., Dai, J., Zhu, X., Sun, Y., Zhang, S., Wang, X., and Cheng, Z. (2021), Chemical Solution Route for High-Quality Multiferroic BiFeO₃ Thin Films. *Small*, 17(9), 1903663.
- Yang, S. Y., Seidel, J., Byrnes, S. J., Shafer, P., Yang, C. H., Rossell, M. D., Yu, P., Chu, Y. H., Scott, J. F., Ager, J. W., 3rd, Martin, L. W., and Ramesh, R. (2010). Above-bandgap voltages from ferroelectric photovoltaic devices. *Nature nanotechnology*, 5(2), 143–147.
- Yao, N. (2007), Focused Ion Beam Systems: Basics and Applications. *Cambridge University Press*, 1-391.
- Yao, N. (2012), Fundamentals of the Focused Ion Beam System. *Handbook of Nanoscopy*, 1, 645–671.
- You, L., Zheng, F., Fang, L., Zhou, Y., Tan, L. Z., Zhang, Z., Ma, G., Schmidt, D., Rusydi, A., Wang, L., Chang, L., Rappe, A. M., and Wang, J. (2018), Enhancing ferroelectric photovoltaic effect by polar order engineering. *Science Advances*, 4(7), 3438.

- Yuan, Y., Xiao, Z., Yang, B., and Huang, J. (2014), Arising applications of ferroelectric materials in photovoltaic devices. *Journal of Materials Chemistry A*, 2(17), 6027–6041.
- Zhang, Y., Lu, H., Xie, L., Yan, X., Paudel, T. R., Kim, J., Cheng, X., Wang, H., Heikes, C., Li, L., Xu, M., Schlom, D. G., Chen, L. Q., Wu, R., Tsymbal, E. Y., Gruverman, A., and Pan, X. (2018), Anisotropic polarization-induced conductance at a ferroelectric-insulator interface. *Nature Nanotechnology*, 1748-3395.
- Zhang, Z., Wu, P., Chen, L., and Wang, J. (2011), First-principles prediction of a two dimensional electron gas at the BiFeO₃/SrTiO₃ interface. *Applied Physics Letters*, 99(6), 062902.
- Zhu, H., Ma, H., and Zhao, Y. (2018), In-situ growth of high-quality epitaxial BiFeO₃ thin film via off-axis RF magnetron sputtering. *Vacuum*, 157, 428–432.