

REFERENCES

- Alamilla-Magaña, J., Carrillo-Ávila, E., Obrador-Olán, J., Landeros-Sánchez, C., Vera-Lopez, J., & Juárez-López, J. (2016). Soil moisture tension effect on sugarcane growth and yield. *Agricultural Water Management*, 177, 264–273.
- Arunyanark, A., Jogloy, S., Vorasoot, N., Akkasaeng, C., Kesmala, T., & Patanothai, A. (2009). Stability of Relationship Between Chlorophyll Density and Soil Plant Analysis Development Chlorophyll Meter Readings in Peanut Across Different Drought Stress Conditions. *Asian Journal of Plant Sciences*, 8(2), 102–110.
- Bray, R. H., & Kurtz, L. T. (1945). Determination of Total Organic, and Available forms of Phosphorus in Soils. *Soil Science*, 59(1), 39–46.
- Carr, M. K. V., & Knox, J. W. (2011). The water relations and irrigation requirements of sugarcane (*Saccharum officinarum*): a review. *Experimental Agriculture*, 47(1), 1–25.
- Chen, H., Wang, P., Li, J., Zhang, J., & Zhong, L. (2012). Canopy Spectral Reflectance Feature and Leaf Water Potential of Sugarcane Inversion. *Physics Procedia*, 25, 595–600.
- Da Silva, V. D. P., Da Silva, B. B., Albuquerque, W. G., Borges, C. J., De Sousa, I. F., & Neto, J. D. (2013). Crop coefficient, water requirements, yield and water use efficiency of sugarcane growth in Brazil. *Agricultural Water Management*, 128, 102–109.
- David, D. J. (1960). The application of atomic absorption to chemical analysis. A review. *The Analyst*, 85(1016), 779.
- De Almeida Silva, M., Jifon, J. L., Sharma, V., Da Silva, J. A. G., Caputo, M. M., Damaj, M. B., Guimarães, E. R., & Ferro, M. I. T. (2011). Use of Physiological Parameters in Screening Drought Tolerance in Sugarcane Genotypes. *Sugar Tech*, 13(3), 191–197.
- De Oliveira, H. F. E., De Moura Campos, H., Mesquita, M., Machado, R. L., Vale, L. S. R., Siqueira, A. P. S., & Ferrarezi, R. S. (2021). Horticultural Performance of Greenhouse Cherry Tomatoes Irrigated Automatically Based on Soil Moisture Sensor Readings. *Water*, 13(19), 2662.

- Department of Agriculture. (2004). *Sugarcane academic documents*. Department of Agriculture, Ministry of Agriculture and Cooperatives.
- Dingre, S. K., & Gorantiwar, S. D. (2021). Soil moisture based deficit irrigation management for sugarcane (*Saccharum officinarum* L.) in semiarid environment. *Agricultural Water Management*, 245, 106549.
- Doorenbos, J., Kassam, A., Bentvelsen, C., & Uittenbogaard, G. (1980). Yield Response to Water. *Irrigation and Agricultural Development*, 257–280.
- Dos Santos, C. M., De Almeida Silva, M., Lima, G. P. P., De Almeida Prado Bortolheiro, F. P., Brunelli, M. C., De Holanda, L. A., & Oliver, R. (2014). Physiological Changes Associated with Antioxidant Enzymes in Response to Sugarcane Tolerance to Water Deficit and Rehydration. *Sugar Tech*, 17(3), 291–304.
- Endres, L., Santos, C. M. D., Souza, G. V. D., Menossi, M., & Santos, J. C. M. D. (2018). Morphological changes recorded in different phenophases of sugarcane plants subjected to water stress in tropical field conditions. *Australian Journal of Crop Science*, 12(07), 1041–1050.
- Ethan, S., Olagoke, O., & Yunusa, A. (2016). Effect of Deficit Irrigation on Growth and Yield of Sugarcane. *Direct Research Journal of Agriculture and Food Science*, 4(6), 122–126.
- FAO. (2011). *Chapter 3: crop water needs*. Retrieved November 9, 2018, from <https://www.fao.org/3/s2022e/s2022e07.htm>
- Hassan, M. U., Fiaz, N., Mudassir, M. A., & Yasin, M. (2017). Exploring the Ratooning Potential of Sugarcane (*Saccharum officinarum* L.) Genotypes under Varying Harvesting Times of Plant Crop. *Pakistan Journal of Agricultural Research*, 30(3).
- Hsiao, T. C. (1973). Plant Responses to Water Stress. *Annual Review of Plant Physiology*, 24(1), 519–570.
- Irmak, S., Payero, J. O., VanDeWalle, B., Rees, J., Zoubek, G., Martin, D. L., Kranz, W. L., Eisenhauer, D. E., & Leininger, D. (2016). *Principles and Operational Characteristics of Watermark Granular Matrix Sensor to Measure Soil Water Status and Its Practical Applications for Irrigation Management in Various Soil Textures*. Institute of Agriculture and Natural Resources at the University of Nebraska–Lincoln.

- Jabro, J., Stevens, W., Iversen, W., Allen, B., & Sainju, U. (2020). Irrigation Scheduling Based on Wireless Sensors Output and Soil-Water Characteristic Curve in Two Soils. *Sensors*, 20(5), 1336.
- Jaiphong, T., Tominaga, J., Watanabe, K., Suwa, R., Ueno, M., & Kawamitsu, Y. (2017). Changes in photosynthesis, growth, and sugar content of commercial sugarcane cultivars and *Erianthus* under flood conditions. *Plant Production Science*, 20(1), 126–135.
- Jangpromma, N., Songsri, P., Thammasiri, S., & Jaisil, P. (2010). Rapid Assessment of Chlorophyll Content in Sugarcane using a SPAD Chlorophyll Meter across Different Water Stress Conditions. *Asian Journal of Plant Sciences*, 9(6), 368–374.
- Jangpromma, N., Thammasirak, S., Jaisil, P., & Songsri, P. (2012). Effects of drought and recovery from drought stress on above ground and root growth, and water use efficiency in sugarcane (*Saccharum officinarum* L.). *Australian Journal of Crop Science*, 6(8), 1298–1304.
- Jongdee, B., Fukai, S., & Cooper, M. (2002). Leaf water potential and osmotic adjustment as physiological traits to improve drought tolerance in rice. *Field Crops Research*, 76(2–3), 153–163.
- Kaewkhongkha, T., Chermsiri, C., Rattanak, U., Uraipong, B., Thongphoo, A., & Malichaisri, C. (2005). *The Comparison study between Furrow and Drip Irrigation Systems for Sugarcane of Kamphaeng Saen Soil Series in Central Area*.
- Kanchanaprasert, N., Saranrom, P., Tiewanukultham, B., & Phurungruang, S. (2003). *Documentation of Soil Science*. Nakhon Sawan Rajabhat University.
- Kapetch, P., Sansayawichai, T., Kirasak, K., & Kananit, S. (2010). Responses of a Sugarcane (*Sacharum officinarum* L.) Cultivar, Khon Kaen 3 to Limited Irrigation Rates. *Thai Agricultural Research Journal*, 28(3), 306–316.
- Kar, R. K. (2011). Plant responses to water stress: Role of reactive oxygen species. *Plant Signaling & Behavior*, 6(11), 1741–1745.
- Kaushal, A., Patole, R., & Singh, K. G. (2012). Drip irrigation in sugarcane: a review. *Agricultural Reviews*, 33(3), 211–219.

- Khonghintaisong, J., Songsri, P., & Jongrungklang, N. (2017). Growth and Physiological Patterns of Sugarcane Cultivars to Mimic Drought Conditions in Late Rainy Season System. *Naresuan University Journal: Science and Technology*, 25(2), 102–112.
- Kruangpatee, J., Songsri, P., & Jongrungklang, N. (2017). Evaluation of yield and agronomic traits of sugarcane elite line under rain-fed conditions in the Northeastern Thailand. *Prawarun Agricultural Journal*, 14(1), 30–40.
- Mall, R. K., Sonkar, G., Bhatt, D., Sharma, N. K., Baxla, A. K., & Singh, K. K. (2016). Managing impact of extreme weather events in sugarcane in different agro-climatic zones of Uttar Pradesh. *MAUSAM*, 67(1), 233–250.
- Masseroni, D., Facchi, A., Depoli, E. V., Renga, F., & Gandolfi, C. (2016). Irrig-OH: An Open-Hardware Device for Soil Water Potential Monitoring and Irrigation Management. *Irrigation and Drainage*, 65(5), 750–761.
- Ministry of Industry. (2017). *Annual report 2017 Office of the Cane and Sugar Board*.
- Nageswara Rao, R. C., Talwar, H. S., & Wright, G. C. (2001). Rapid Assessment of Specific Leaf Area and Leaf Nitrogen in Peanut (*Arachis hypogaea* L.) using a Chlorophyll Meter. *Journal of Agronomy and Crop Science*, 186(3), 175–182.
- Office of the Cane and Sugar Board. (2017). *Report on sugarcane planting areas Production year 2016/17*.
- Office of the Cane and Sugar Board. (2018). *Report on sugarcane planting areas Production year 2017/18*.
- Office of Agricultural Economics. (2019). Sugarcane factory and sugar. *Journal of Agricultural Economics*, 65(749), 30–31.
- Office of Cane and Sugar Board. (n.d.). *Sustainable Sugarcane Management Manual*. 13.
- Paisancharoen, K., Sansayawichai, T., Luanmanee, S., Thippayarugs, S., Chusorn, K., Chuenrung, J., & Pakdeethai, C. (2012). Water requirement and Kc values of Khon Kaen 3 sugarcane variety. *Khon Kaen Agriculture Journal*, 40 SUPPLEMENT(3), 103–114.
- Pawar, D. D., Dingre, S. K., & Surve, U. S. (2013). Growth, yield and water use in sugarcane (*Saccharum officinarum*) under drip fertigation. *Indian Journal of Agronomy*, 58(2), 16–21.

- Peng, S., Laza, M. R. C., Garcia, F. V., & Cassman, K. G. (1995). Chlorophyll meter estimates leaf area-based nitrogen concentration of rice. *Communications in Soil Science and Plant Analysis*, 26(5–6), 927–935.
- Pereira, L., Paredes, P., & Jovanovic, N. (2020). Soil water balance models for determining crop water and irrigation requirements and irrigation scheduling focusing on the FAO56 method and the dual Kc approach. *Agricultural Water Management*, 241.
- Puengpa, N., & Boontham, A. (Eds.). (2012). *Study on the Optimum Quantity of Irrigation Water Application for Different Stages of Sugarcane Growth*. The 9th National Kasetsart University Kamphaeng Saen Conference.
- Raina, J. N., Sharma, T., & Suman, S. (2011). Effect of Drip Fertigation with Different Fertilizers on Nutrient Distribution in Soil, Leaf Nutrient Content and Yield of Apricot (*Prunus aremeniaca* L.). *Journal of the Indian Society of Soil Science*, 59(3), 268–277.
- Raj, A. F. S., Muthukrishnan, P., & Ayyadurai, P. (2013). Root Characters of Maize as Influenced by Drip Fertigation Levels. *American Journal of Plant Sciences*, 4(02), 340–348.
- Richardson, A. D., Duigan, S. P., & Berlyn, G. P. (2002). An evaluation of noninvasive methods to estimate foliar chlorophyll content. *New Phytologist*, 153(1), 185–194.
- Rosler, R. L., Singels, A., Olivier, F. C., & Steyn, J. M. (2013). Growth and yield of a sugarcane plant crop under water stress imposed through deficit drip irrigation. *South African Sugar Technologists' Association*, 86, 170–183.
- Royal Irrigation Department. (2011). *Crop Water Requirement Reference Crop Evapotranspiration & Crop Coefficient Handbook*. Irrigation Water Use Research Group, Irrigation water management division and Bureau of water management and hydrology.
- Sansayawichai, T., & Thanomsub, W. (2006). *Irrigation at different growth stages affects the ability to hold stump*. Khon Kaen Field Crop Research Center, Department of Agriculture.

- Sansayawichai, T., Thanomsub, W., & Namphaisansathit, S. (2003). *The response of sugarcane to Frequency Water II on Satuk soil series in Khon Kaen province*. Khon Kaen Field Crop Research Center, Department of Agriculture.
- Set-tow, S., Songsri, P., Jongrunklang, N., & Jaisil, P. (2019). Evaluation of cane yield and agronomic traits of 16 sugarcane advance clones grown under rainfed conditions in Northeastern Region with different soil texture. *Khon Kaen Agriculture Journal*, 47(4), 641–654.
- Siriyoote, S., & Jongkaewwattana, S. (2011). Evaluation of leaves chlorophyll levels of maize using chlorophyll meter and its relationship to biomass and yield. *Khon Kaen Agriculture Journal*, 39 SUPPLEMENT, 166–175.
- Thanomsub, W., & Sansayawichai, T. (2009). Irrigation Frequency, Rate and Period for Sugarcane in the Central Plain. *Thai Agricultural Research Journal*, 27(2), 122.
- Thompson, T. L., White, S. A., Walworth, J., & Sower, G. J. (2003). Fertigation Frequency for Subsurface Drip-Irrigated Broccoli. *Soil Science Society of America Journal*, 67(3), 910–918.
- Thongaram, D., Tangkosakul, W., Jiracheewee, N., & Nuntagij, I. (2002). *Design and Technology of Irrigation for Plant*. Mitkaset Marketing and Advertising Press, Bangkok, Thailand.
- Walkley, A. (1947). A Critical Examination of a Rapid Method for Determining Organic Carbon in Soils: Effect of Variations in Digestion Conditions and of Inorganic Soil Constituents. *Soil Science*, 63(4), 251–264.
- Wonprasaid, S., Machikowa, T., & Girdthai, T. (2021). Development of drip irrigation and fertigation for sugarcane production. In <http://sutir.sut.ac.th/> (No. SUT3-302-59-36–06). Institute of Agricultural Technology, School of Crop Production Technology, Suranaree University of Technology. <https://http://sutir.sut.ac.th:8080/jspui/handle/123456789/9032>
- Xie, X., Machikowa, T., & Wonprasaid, S. (2020). Drip irrigation systems controlled by soil moisture sensors and a soil water balance model for cassava grown in soils of two different textures. *South African Journal of Plant and Soil*, 37(4), 255–264.

- Zazueta, F. S., & Xin, J. (1994). Soil moisture sensors. *Florida Cooperative Extension Service, Bulletin 292*, 1–10.
- Zhang, J., Zhang, Q., Li, L., Tang, H., Zhang, Q., Chen, Y., Arrow, J., Zhang, X., Wang, A., Miao, C., & Ming, R. (2019). Recent polyploidization events in three *Saccharum* founding species. *Plant Biotechnology Journal*, 17(1), 264–274.