

ACKNOWLEDGEMENTS

To begin, I wish to convey my deepest gratitude to my primary advisor, Assistant Professor Dr. Piyanut Pinyou, and my co-advisor, Dr. Chatree Saiyasombat, for their exceptional patience, motivation, inspiration, wise counsel, expert supervision, and continuous guidance from the early stages of this research, which greatly contributed to the excellence of this work.

I would also like to extend my thanks to Dr. Prael Jirawatkul for the valuable guidance provided throughout this project, as well as Dr. Suttipong Wannapaiboon and his team for providing me with valuable experiences at Beamline 1.1W MXT and their insights into XAS analysis. Dr. Catleya Rojviriyas's support in gaining experience at Beamline 1.2W MTX is also appreciated, along with Dr. Phakkhananan Pakawanit and Ms. Chalermluck Poovasawat's guidance on utilizing white beam experimentation techniques.

Recognition is also due to the Synchrotron Light Research Institute (SLRI), a public organization in Thailand, and Suranaree University of Technology for their generous scholarships and partial support for this research. I'm also grateful to Dr. Nirawat Thammajak for his invitation and encouragement to pursue studies in the School of Chemistry, which included scholarships for study, research, and salary.

Lastly, I want to express my heartfelt appreciation to my family for their unwavering support and encouragement throughout my academic journey.

Watcharakon Setwong