

REFERENCES

- Abudula, T., Saeed, U., Memic, A., Kalamegam, G., Hussain, M., & Al-Turaif, H. (2019). Electrospun cellulose Nano fibril reinforced PLA/PBS composite scaffold for vascular tissue engineering. *Journal of Polymer Research*, 26. doi:10.1007/s10965-019-1772-y
- Akbar, D. A., Kusmono, Wildan, M. W., & Ilman, M. N. (2020). Extraction and Characterization of Nanocrystalline Cellulose (NCC) from Ramie Fiber by Hydrochloric Acid Hydrolysis. *Key Engineering Materials*, 867, 109–116. <https://doi.org/10.4028/www.scientific.net/kem.867.109>
- Aliotta, L., Seggiani, M., Lazzeri, A., Gigante, V., & Cinelli, P. (2022). A Brief Review of Poly (Butylene Succinate) (PBS) and Its Main Copolymers: Synthesis, Blends, Composites, Biodegradability, and Applications. *Polymers*, 14(4), 844. Retrieved from <https://www.mdpi.com/2073-4360/14/4/844>
- Alvira, P., Tomás-Pejó, E., Ballesteros, M., & Negro, M. J. (2010). Pretreatment technologies for an efficient bioethanol production process based on enzymatic hydrolysis: A review. *Bioresource Technology*, 101(13), 4851-4861.
- Anderson, J. M. (2012). 9.19 - Biocompatibility. In K. Matyjaszewski & M. Möller (Eds.), *Polymer Science: A Comprehensive Reference* (pp. 363-383). Amsterdam: Elsevier.
- Anderson, J. M., Rodriguez, A., & Chang, D. T. (2008). Foreign body reaction to biomaterials. *Seminars in Immunology*, 20(2), 86-100.
- Badylak, S. F., Taylor, D., & Uygun, K. (2011). Whole-organ tissue engineering: Decellularization and recellularization of three-dimensional matrix scaffolds. *Annual Review of Biomedical Engineering*, 13(1), 27-53.
- Bernardo, M. P., da Silva, B. C. R., Hamouda, A. E. I., de Toledo, M. A. S., Schalla, C., Rütten, S., Goetzke, R., Mattoso, L. H. C., Zenke, M., & Sechi, A. (2022). PLA/Hydroxyapatite scaffolds exhibit in vitro immunological inertness and promote robust osteogenic differentiation of human mesenchymal stem cells without osteogenic stimuli. *Scientific Reports*, 12(1), 2333.

- Bianco, P., Cao, X., Frenette, P. S., Mao, J. J., Robey, P. G., Simmons, P. J., & Wang, C. Y. (2013). The meaning, the sense, and the significance of mesenchymal stem cells in medicine. *Nature Medicine*, 19(1), 35-42.
- Boerjan, W., Ralph, J., & Baucher, M. (2003). Lignin biosynthesis. *Annual Review of Plant Biology*, 54(1), 519-546.
- Bondancia, T. J., de Aguiar, J., Batista, G., Cruz, A. J. G., Marconcini, J. M., Mattoso, L. H. C., & Farinas, C. S. (2020). Production of Nanocellulose Using Citric Acid in a Biorefinery Concept: Effect of the Hydrolysis Reaction Time and Techno-Economic
- Brethauer, S., R. Shahab and M. Studer (2020). "Impacts of biofilms on the conversion of cellulose." *Applied Microbiology and Biotechnology* **104**.
- Carlström, I. E., Rashad, A., Campodoni, E., Sandri, M., Syverud, K., Bolstad, A. I., & Mustafa, K. (2020). Cross-linked gelatin-nanocellulose scaffolds for bone tissue engineering. *Materials Letters*, 264, 127326. doi:<https://doi.org/10.1016/j.matlet.2020.127326>
- Casasola, R., Thomas, N. L., Trybala, A., & Georgiadou, S. (2014). Electrospun poly lactic acid (PLA) fibres: Effect of different solvent systems on fibre morphology and diameter. *Polymer*, 55(18), 4728-4737.
doi:<https://doi.org/10.1016/j.polymer.2014.06.032>
- Castañeda-Rodríguez, S., González-Torres, M., Ribas-Aparicio, R. M., Del Prado-Audelo, M. L., Leyva-Gómez, G., Gürer, E. S., & Sharifi-Rad, J. (2023). Recent advances in modified poly (lactic acid) as tissue engineering materials. *Journal of Biological Engineering*, 17(1), 21. doi:10.1186/s13036-023-00338-8
- Chandel, A., da Silva, S., Carvalho, W., & Singh, O. (2012). Sugarcane bagasse and leaves: Foreseeable biomass of biofuel and bio-products. *Journal of Chemical Technology and Biotechnology*, 87. doi:10.1002/jctb.2742
- Chandra, R., Takeuchi, H., Hasegawa, T., & Kumar, R. (2007). Improving biodegradability and enzymatic hydrolysis of woody biomass through pretreatment by ammonia fiber explosion (AFEX) and steam explosion. *Bioresource Technology*, 98(8), 1599-1609.
- Chen, F. M., Liu, X. (2019). Advancing biomaterials of human origin for tissue engineering. *Progress in Polymer Science*, 38(4), 1637-1655.
- Chen, F. M., Zhang, M., & Wu, Z. F. (2007). Toward delivery of multiple growth factors in tissue engineering. *Biomaterials*, 28(2), 346-358.

- Chen, L., Zhu, J. Y., Baez, C., Kitin, P., & Elder, T. (2016). Highly thermal-stable and functional cellulose nanocrystals and nanofibrils produced using fully recyclable organic acids. *Green Chemistry*, 13(8), 3835-3843.
- Cheng, G., Zhang, X., Simmons, B., & Singh, S. (2014). Theory, practice and prospects of X-ray and neutron scattering for lignocellulosic biomass characterization: Towards understanding biomass pretreatment. *Energy & Environmental Science*, 8. doi:10.1039/C4EE03147D
- Chinga-Carrasco, G. (2018). Potential and limitations of nanocellulose-based materials for biomedical applications. *Journal of Nanotechnology*, 2018, 1-13.
- Corujo, V. F., Cerrutti, P., Foresti, M. L., & Vázquez, A. (2016). Chapter 2 - Production of Bacterial Nanocellulose From Non-Conventional Fermentation Media. In D. Puglia, E. Fortunati, & J. M. Kenny (Eds.), *Multifunctional Polymeric Nanocomposites Based on Cellulosic Reinforcements* (pp. 39-59): William Andrew Publishing.
- Data Page: Sugar cane production, part of the following publication: Hannah Ritchie and Pablo Rosado (2023) - "Agricultural Production". Data adapted from Food and Agriculture Organization of the United Nations. Retrieved from <https://ourworldindata.org/grapher/sugar-cane-production> [online resource]
- de Aguiar, J., Bondancia, T. J., Claro, P. I. C., Mattoso, L. H. C., Farinas, C. S., & Marconcini, J. M. (2020). Enzymatic Deconstruction of Sugarcane Bagasse and Straw to Obtain Cellulose Nanomaterials. *ACS Sustainable Chemistry & Engineering*, 8(5), 2287-2299. doi:10.1021/acssuschemeng.9b06806
- De Vries, M. R., Quax, P. H. A., & Van Keulen, J. K. (2019). Immunomodulatory strategies to improve tissue engineering. *Trends in Biotechnology*, 37(7), 759-770.
- DeLoid, G. M., Cao, X., Molina, R. M., Silva, D. I., Bhattacharya, K., Ng, K. W., Loo, S. C. J., Brain, J. D., & Demokritou, P. (2019). Toxicological effects of ingested nanocellulose in in vitro intestinal epithelium and in vivo rat models. *Environmental Science: Nano*, 6(7), 2105-2115.
- Devarbhavi, H., Asrani, S. K., Arab, J. P., Nartey, Y. A., Pose, E., & Kamath, P. S. (2023). Global burden of liver disease: 2023 update. *Journal of Hepatology*, 79(2), 516-537. doi:<https://doi.org/10.1016/j.jhep.2023.03.017>

- Dias, M. L., Paranhos, B. A., & Goldenberg, R. (2022). Liver scaffolds obtained by decellularization: A transplant perspective in liver bioengineering. *J Tissue Eng*, 13, 20417314221105305. doi:10.1177/20417314221105305
- Ding, D. C., Shyu, W. C., & Lin, S. Z. (2011). Mesenchymal stem cells. *Cell Transplant*, 20(1), 5-14. doi:10.3727/096368910x
- Doumenq, A. (2019). The effect of natural degradation process on the cellulose structure of Moroccan hardwood fiber: a survey on spectroscopy and structural properties. *Mediterranean Journal of Chemistry*, 8, 179-190. doi:10.13171/10.13171/mjc8319050801ab
- Dufresne, A. (2012). Nanocellulose: From nature to high-performance tailored materials. *De Gruyter*.
- Dufresne, A. (2012). Nanocellulose: From nature to high-performance tailored materials. *De Gruyter*.
- Dvir, T., Timko, B. P., Kohane, D. S., & Langer, R. (2011). Nanotechnological strategies for engineering complex tissues. *Nature Nanotechnology*, 6(1), 13-22.
- Ebringerová, A. (2006). Structural diversity and application potential of hemicelluloses. *Macromolecular Symposia*, 232(1), 1-12.
- El Oudiani, A., Msahli, S., & Sakli, F. (2017). In-depth study of agave fiber structure using Fourier transform infrared spectroscopy. *Carbohydrate Polymers*, 164, 242-248. doi:https://doi.org/10.1016/j.carbpol.2017.01.091
- Endes, C., Camarero-Espinosa, S., Mueller, S., Foster, E. J., Petri-Fink, A., Rothen-Rutishauser, B., Weder, C., & Clift, M. J. D. (2016). A critical review of the current knowledge regarding the biological impact of nanocellulose. *Journal of Nanobiotechnology*, 14(1), 78.
- Fortunati, E., Armentano, I., Zhou, Q., Puglia, D., Terenzi, A., Berglund, L. A., & Kenny, J. M. (2012). Microstructure and nonisothermal cold crystallization of PLA composites based on silver nanoparticles and nanocrystalline cellulose. *Polymer Degradation and Stability*, 97(10), 2027-2036.
- Gigli, M., Fabbri, M., Lotti, N., Gamberini, R., Rimini, B., & Munari, A. (2016). Poly(butylene succinate)-based polyesters for biomedical applications: A review. *European Polymer Journal*, 75, 431-460.

- Groll, J., Boland, T., Blunk, T., Burdick, J. A., Cho, D. W., Dalton, P. D., ... & Malda, J. (2016). Biofabrication: Reappraising the definition of an evolving field. *Biofabrication*, 8(1), 013001.
- Habibi, Y., Lucia, L. A., & Rojas, O. J. (2010). Cellulose nanocrystals: Chemistry, self-assembly, and applications. *Chemical Reviews*, 110(6), 3479-3500.
- Hastuti, N., Kanomata, K., & Kitaoka, T. (2019). Characteristics of TEMPO-oxidized cellulose nanofibers from oil palm empty fruit bunches produced by different amounts of oxidant. *IOP Conference Series: Earth and Environmental Science*, 359, 012008. doi:10.1088/1755-1315/359/1/012008
- Hendriks, W. T., Warren, C. R., Cowan, C. A., & Woltjen, K. (2023). Genome editing in stem cells for regenerative medicine. *Nature Reviews Genetics*, 24(1), 31-48.
- Hernández-Varela, J. D., Chanona Pérez, J. J., Gallegos-Cerda, S. D., et al. (2021). High-resolution study of garlic and agave cellulose nanoparticles crystalline structures using transmission electron microscopy (TEM). *MRS Advances*, 6, 941-946.
- Hietala, E.-M., Salminen, U.-S., Ståhls, A., Välimaa, T., Maasilta, P., Törmälä, P., Nieminen, M. S., & Harjula, A. L. J. (2001). Biodegradation of the Copolymeric Polylactide Stent: Long-Term Follow-Up in a Rabbit Aorta Model. *Journal of Vascular Research*, 38(4), 361-369.
- Himmel, M. E., Ding, S. Y., Johnson, D. K., Adney, W. S., Nimlos, M. R., Brady, J. W., & Foust, T. D. (2007). Biomass recalcitrance: Engineering plants and enzymes for biofuels production. *Science*, 315(5813), 804-807.
- Hishikawa, Y., Togawa, E., & Kondo, T. (2017). Characterization of Individual Hydrogen Bonds in Crystalline Regenerated Cellulose Using Resolved Polarized FTIR Spectra. *ACS Omega*, 2(4), 1469-1476. doi:10.1021/acsomega.6b00364
- Hollister, S. J. (2009). Porous scaffold design for tissue engineering. *Nature Materials*, 4(7), 518-524.
- Hu, X., Su, T., Li, P., & Wang, Z. (2018). Blending modification of PBS/PLA and its enzymatic degradation. *Polymer Bulletin*, 75(2), 533-546. doi:10.1007/s00289-017-2054-7
- Hutmacher, D. W. (2000). Scaffolds in tissue engineering bone and cartilage. *Biomaterials*, 21(24), 2529-2543.

- Jakab, K., Norotte, C., Marga, F., Murphy, K., Vunjak-Novakovic, G., & Forgacs, G. (2010). Tissue engineering by self-assembly of cells printed into topologically defined structures. *Tissue Engineering Part A*, 16(12), 3721-3732.
- Javier-Astete, R., & Zolla, G. (2021). Determination of hemicellulose, cellulose, holocellulose and lignin content using FTIR in *Calycophyllum spruceanum* (Benth.) K. Schum. and *Guazuma crinita* Lam. *PLOS ONE*, 16. doi:10.1371/journal.pone.0256559
- Jompang, L., Thumsorn, S., On, J. W., Surin, P., Apawet, C., Chaichalermwong, T., Kaabbuathong, N., O-Charoen, N., & Srisawat, N. (2013). Poly(Lactic Acid) and Poly(Butylene Succinate) blend fibers prepared by melt spinning technique. *Energy Procedia*, 34, 493-499.
- Jonoobi, M., Harun, J., Mathew, A. P., & Oksman, K. (2010). Mechanical properties of cellulose nanofiber (CNF) reinforced polylactic acid (PLA) prepared by twin screw extrusion. *Composites Science and Technology*, 70(12), 1742-1747.
- Kanmaz, D., Karahan Toprakci, H. A., Olmez, H., & Toprakçi, O. (2018). Electrospun Polylactic Acid Based Nanofibers for Biomedical Applications. *Material Science Research India*, 15, 224-240. doi:10.13005/msri/150304
- Kiran Pulidindi, H. P. (2020). Nanocellulose market size by product (nano fibrillated cellulose, nanocrystalline cellulose), by application (composites, paper processing, food & beverages, paints & coatings, oil & gas, personal care). *Industry Analysis Report, Regional Outlook, Growth Potential, Price Trend, Competitive Market Share & Forecast, 2026*.
- Klemm, D., Heublein, B., Fink, H. P., & Bohn, A. (2005). Cellulose: Fascinating biopolymer and sustainable raw material. *Angewandte Chemie International Edition*, 44(22), 3358-3393.
- Kudzin, M., Mrozińska, Z., & Urbaniak, P. (2021). Vapor Phosphorylation of Cellulose by Phosphorus Trichloride: Selective Phosphorylation of 6-Hydroxyl Function—The Synthesis of New Antimicrobial Cellulose 6-Phosphate(III)-Copper Complexes. *Antibiotics*, 10, 203. doi:10.3390/antibiotics10020203
- Kushan, E. (2020). Liquid to Soft Solid Transition of Cellulose Nanocrystal Suspensions in Presence of Micelle Forming Surfactants.

- Lam, N. T., Chollakup, R., Smitthipong, W., Nimchua, T., & Sukyai, P. (2017). Utilizing cellulose from sugarcane bagasse mixed with poly(vinyl alcohol) for tissue engineering scaffold fabrication. *Industrial Crops and Products*, 100, 183-197.
- Langer, R., & Tirrell, D. A. (2004). Designing materials for biology and medicine. *Nature*, 428(6982), 487-492.
- Langer, R., & Vacanti, J. P. (1993). Tissue engineering. *Science*, 260(5110), 920-926.
- Laurichesse, S., & Avérous, L. (2014). Chemical modification of lignins: Towards biobased polymers. *Progress in Polymer Science*, 39(7), 1266-1290.
- Lee, K. Y., & Mooney, D. J. (2011). Alginate: Properties and biomedical applications. *Progress in Polymer Science*, 37(1), 106-126.
- Li, X., Weng, J. K., & Chapple, C. (2014). Improvement of biomass through lignin modification. *The Plant Journal*, 78(4), 631-641.
- Lin, N., Huang, J., Chang, P. R., Feng, J., & Yu, J. (2011). Surface acetylation of cellulose nanocrystal and its reinforcing function in poly(lactic acid). *Carbohydrate Polymers*, 83(4), 1834-1842.
- Lin, N., Yu, J., Chang, P., Li, J., & Huang, J. (2011). Poly(butylene succinate)-Based Biocomposites Filled With Polysaccharide Nanocrystals: Structure and Properties. *Polymer Composites*, 32, 472-482.
- Lionetto F, López-Muñoz R, Espinoza-González C, Mis-Fernández R, Rodríguez-Fernández O, Maffezzoli A. A Study on exfoliation of Expanded Graphite Stacks in Candelilla Wax. *Materials* (Basel). 2019 Aug 8;12(16):2530. doi: 10.3390/ma12162530. PMID: 31398950; PMCID: PMC6721147.
- Liu, X., Holzwarth, J. M., & Ma, P. X. (2016). Functionalized synthetic biodegradable polymer scaffolds for tissue engineering. *Macromolecular Bioscience*, 12(7), 911-919.
- Luo, H., Cha, R., Li, J., Hao, W., Zhang, Y., & Zhou, F. (2019). Advances in tissue engineering of nanocellulose-based scaffolds: A review. *Carbohydrate Polymers*, 224, 115144. doi:<https://doi.org/10.1016/j.carbpol.2019.115144>
- Lutolf, M. P., & Hubbell, J. A. (2005). Synthetic biomaterials as instructive extracellular microenvironments for morphogenesis in tissue engineering. *Nature Biotechnology*, 23(1), 47-55.

- Lutzweiler, G., Ndreu Halili, A., & Vrana, N. E. (2020). The overview of porous, bioactive scaffolds as instructive biomaterials for tissue regeneration and their clinical translation. *Pharmaceutics*, 12(7), 602.
- Luzi, F., Fortunati, E., Jiménez, A., Puglia, D., Pezzolla, D., Gigliotti, G., . . . Torre, L. (2016). Production and characterization of PLA_PBS biodegradable blends reinforced with cellulose nanocrystals extracted from hemp fibres. *Industrial Crops and Products*, 93. doi:10.1016/j.indcrop.2016.01.045
- Lynd, L. R., van Zyl, W. H., McBride, J. E., & Laser, M. (2008). Consolidated bioprocessing of cellulosic biomass: An update. *Current Opinion in Biotechnology*, 19(3), 259-264.
- MacNeil, S. (2007). Progress and opportunities for tissue-engineered skin. *Nature*, 445(7130), 874-880.
- Mahmood, Z., M. Yameen, M. Jahangeer, M. Riaz, A. Ghaffar and I. Javid (2018). Lignin as Natural Antioxidant Capacity.
- Makarem, M., Lee, C. M., Kafle, K., Huang, S., Chae, I., Yang, H., . . . Kim, S. H. (2019). Probing cellulose structures with vibrational spectroscopy. *Cellulose*, 26(1), 35-79. doi:10.1007/s10570-018-2199-z
- Marrinan, H. J., & Mann, J. (1956). Infrared spectra of cellulose and related polysaccharides. *Journal of the American Chemical Society*, 78(12), 3121-3125.
- Martelli-Tosi, M., Torricillas, M. d. S., Martins, M. A., Assis, O. B. G. d., & Tapia-Blácido, D. R. (2016). Using commercial enzymes to produce cellulose nanofibers from soybean straw. *Journal of Nanomaterials*, 2016, 8106814. doi:10.1155/2016/8106814
- Md Salim, R., Asik, J., & Sarjadi, M. (2021). Chemical functional groups of extractives, cellulose and lignin extracted from native *Leucaena leucocephala* bark. *Wood Science and Technology*, 55. doi:10.1007/s00226-020-01258-2
- Molina-Cortés, A., Quimbaya, M., Toro-Gomez, A., & Tobar-Tosse, F. (2023). Bioactive compounds as an alternative for the sugarcane industry: Towards an integrative approach. *Heliyon*, 9(2), e13276. doi:https://doi.org/10.1016/j.heliyon.2023.e13276
- Mood, S. H., Golfeshan, A. H., Tabatabaei, M., Jouzani, G. S., Najafi, G. H., Gholami, M., & Ardjmand, M. (2013). Lignocellulosic biomass to bioethanol, a comprehensive

- review with a focus on pretreatment. *Renewable and Sustainable Energy Reviews*, 27, 77-93.
- Moon, R. J., Martini, A., Nairn, J., Simonsen, J., & Youngblood, J. (2011). Cellulose nanomaterials review: Structure, properties, and nanocomposites. *Chemical Society Reviews*, 40(7), 3941-3994.
- Mooney, D. J., & Vandenburgh, H. (2008). Cell delivery mechanisms for tissue repair. *Cell Stem Cell*, 2(3), 205-213.
- Mosier, N., Wyman, C., Dale, B., Elander, R., Lee, Y. Y., Holtzapple, M., & Ladisch, M. (2005). Features of promising technologies for pretreatment of lignocellulosic biomass. *Bioresource Technology*, 96(6), 673-686.
- Murphy, S. V., & Atala, A. (2010). Strategies for tissue and organ regeneration. *Nature Reviews Materials*, 3(6), 77-91.
- Murphy, S. V., & Atala, A. (2014). 3D bioprinting of tissues and organs. *Nature Biotechnology*, 32(8), 773-785.
- Nair, D. G., & Weiskirchen, R. (2024). Recent Advances in Liver Tissue Engineering as an Alternative and Complementary Approach for Liver Transplantation. *Current Issues in Molecular Biology*, 46(1), 262-278. Retrieved from <https://www.mdpi.com/1467-3045/46/1/18>
- National Renewable Energy Laboratory. (2024). *Biomass Energy Basics*. Retrieved from <https://www2.nrel.gov/research/re-biomass>
- Nechyporchuk, M., Belgacem, M. N., & Bras, J. (2016). Production of cellulose nanofibrils: A review of recent advances. *Industrial Crops and Products*, 93(6), 2-25.
- Ng, W. H., Zhang, Y., & Wen, J. H. (2021). Advances in hepatic tissue engineering: Biomaterials and biofabrication techniques. *Acta Biomaterialia*, 134(4), 112-130.
- Niklason, L. E., & Langer, R. (2001). Prospects for organ and tissue replacement. *JAMA*, 285(5), 573-576.
- Nishiyama, Y., Langan, P., & Chanzy, H. (2002). Crystal structure of cellulose I β . *Journal of the American Chemical Society*, 124(31), 9074-9082.
- Novosel, E. C., Kleinhans, C., & Kluger, P. J. (2011). Vascularization is the key challenge in tissue engineering. *Advanced Drug Delivery Reviews*, 63(4), 300-311.
- O'Brien, F. J. (2011). Biomaterials & scaffolds for tissue engineering. *Materials Today*, 14(3), 88-95.

- Okolie, J.A., Nanda, S., Dalai, A.K. *et al.* Chemistry and Specialty Industrial Applications of Lignocellulosic Biomass. *Waste Biomass Valor* **12**, 2145–2169 (2021).
<https://doi.org/10.1007/s12649-020-01123-0>
- O'Sullivan, A. C. (1997). Cellulose: The structure slowly unravels. *Cellulose*, 4(3), 173-207.
- Panta, W.; Imsoonthornruksa, S.; Yoisungnern, T.; Suksaweang, S.; Ketudat-Cairns, M.; Parnpai, R., Enhanced Hepatogenic Differentiation of Human Wharton's Jelly-Derived Mesenchymal Stem Cells by Using Three-Step Protocol. *Int. J. Mol. Sci.* 2019;20(12): 3016. <https://doi.org/10.3390/ijms20123016>
- Parihar A, Vongsvivut J, Bhattacharya S. Synchrotron-Based Infra-Red Spectroscopic Insights on Thermo-Catalytic Conversion of Cellulosic Feedstock to Levoglucosenone and Furans. *ACS Omega*. 2019 May 23;4(5):8747-8757. doi: 10.1021/acsomega.8b03681. PMID: 31459964; PMCID: PMC6648375.
- Park, S., Baker, J. O., Himmel, M. E., Parilla, P. A., & Johnson, D. K. (2010). Cellulose crystallinity index: measurement techniques and their impact on interpreting cellulase performance. *Biotechnology for Biofuels*, 3(1), 10. doi:10.1186/1754-6834-3-10
- Parry, A. (2016). Nanocellulose and its Composites for Biomedical Applications. *Current medicinal chemistry*, 23. doi:10.2174/0929867323666161014124008
- Pashuck, E. T., & Stevens, M. M. (2012). Designing regenerative biomaterial therapies for the clinic. *Science Translational Medicine*, 4(160), 160sr4.
- Peciulyte, A., Karlström, K., Larsson, P. T., & Olsson, L. (2015). Impact of the supramolecular structure of cellulose on the efficiency of enzymatic hydrolysis. *Biotechnology for Biofuels*, 8(1), 56. doi:10.1186/s13068-015-0236-9
- Peciulyte, A., Karlström, K., Larsson, P. T., & Olsson, L. (2015). Impact of the supramolecular structure of cellulose on the efficiency of enzymatic hydrolysis. *Biotechnology for Biofuels*, 8(1), 56.
- Peng, F., Ren, J. L., Xu, F., & Sun, R. C. (2012). Fractional isolation and structural characterization of hemicelluloses from bamboo. *Carbohydrate Polymers*, 87(1), 189-195.
- Peng, Y., Gardner, D. J., & Han, Y. (2015). Characterization of mechanical and morphological properties of cellulose reinforced polyamide 6 composites. *Cellulose*, 22, 3199–3215.

- Pennsylvania State University. (2024). Hemicellulose structure and role in biomass conversion. *EGEE 439: Alternative Fuels from Biomass*. Retrieved from <https://www.e-education.psu.edu/egEE439/node/664>
- Perdoch, W., Mazela, B., Peplińska, B., & Zieliński, M. (2020). Influence of Chemical Pre-Treatments and ultrasonication on the dimensions and appearance of cellulose fibers. *Materials*, 13. doi:10.3390/ma13225274
- Phanthong, P., Guan, G., Ma, Y., Hao, X., & Abudula, A. (2016). Effect of ball milling on the production of nanocellulose using mild acid hydrolysis method. *Journal of the Taiwan Institute of Chemical Engineers*, 60, 617-622. doi:<https://doi.org/10.1016/j.jtice.2015.11.001>
- Phanthong, P., Reubroycharoen, P., Hao, X., Xu, G., Abudula, A., & Guan, G. (2018). Nanocellulose: extraction and application. *carbon resources conversion*, 1(1), 32-43. doi:<https://doi.org/10.1016/j.crcon.2018.05.004>
- Pittenger, M. F., Mackay, A. M., Beck, S. C., Jaiswal, R. K., Douglas, R., Mosca, J. D., ... & Marshak, D. R. (1999). Multilineage potential of adult human mesenchymal stem cells. *Science*, 284(5411), 143-147.
- Rafiqah, S. A., Khalina, A., Harmaen, A. S., Tawakkal, I. A., Zaman, K., Asim, M., . . . Lee, C. H. (2021). A Review on Properties and Application of Bio-Based Poly(Butylene Succinate). *Polymers*, 13(9), 1436. Retrieved from <https://www.mdpi.com/2073-4360/13/9/1436>
- Ragauskas, A. J., Williams, C. K., Davison, B. H., Britovsek, G., Cairney, J., Eckert, C. A., ... & Tschaplinski, T. (2006). The path forward for biofuels and biomaterials. *Science*, 311(5760), 484-489.
- Rahikainen, J., Evans, J. D., Mikander, S., Kalliola, A., Puranen, T., Tamminen, T., & Kruus, K. (2013). Cellulase-lignin interactions—The role of carbohydrate-binding module and pH in nonproductive binding. *Enzyme and Microbial Technology*, 53(5), 315-321.
- Ralph, J., Lapierre, C., & Boerjan, W. (2004). Lignin structure and its engineering. *Current Opinion in Biotechnology*, 15(2), 144-152.
- Ranakoti, L., Gangil, B., Mishra, S. K., Singh, T., Sharma, S., Ilyas, R. A., & El-Khatib, S. (2022). Critical Review on Polylactic Acid: Properties, Structure, Processing,

- Biocomposites, and Nanocomposites. *Materials (Basel)*, 15(12). doi:10.3390/ma15124312
- Sant, S., Hancock, M. J., Donnelly, J. P., & Khademhosseini, A. (2021). Biomimetic gradient hydrogels for tissue engineering. *Biotechnology Advances*, 53(3), 107724.
- Scheller, H. V., & Ulvskov, P. (2010). Hemicelluloses. *Annual Review of Plant Biology*, 61, 263-289.
- Singh, A. K., Srivastava, P., & Srivastava, P. (2021). Stem cells: Advances and applications. *International Journal of Biological Sciences*, 17(4), 1121-1135.
- Siqueira, G., Bras, J., & Dufresne, A. (2010). Cellulosic bionanocomposites: A review of preparation, properties and applications. *Polymers*, 2(4), 728-765.
- Song, R., Murphy, M., Li, C., Ting, K., Soo, C., & Zheng, Z. (2018). Current Development of Biodegradable Polymeric Materials for Biomedical Applications. *Drug Design, Development and Therapy*, Volume 12, 3117-3145. doi:10.2147/DDDT.S165440
- Squinca, P., Bilatto, S., Badino, A. C., & Farinas, C. S. (2020). Nanocellulose Production in Future Biorefineries: An Integrated Approach Using Tailor-Made Enzymes. *ACS Sustainable Chemistry & Engineering*, 8(5), 2277-2286. doi:10.1021/acssuschemeng.9b06790
- Sridhar, R., Venugopal, J. R., Sundarajan, S., Ravichandran, R., Ramalingam, B., & Ramakrishna, S. (2011). Electrospun nanofibers for pharmaceutical and medical applications. *Journal of Drug Delivery Science and Technology*, 21(6), 451-468. doi:https://doi.org/10.1016/S1773-2247(11)50075-9
- Su, S., Kopitzky, R., Tolga, S., & Kabasci, S. (2019). Polylactide (PLA) and Its Blends with Poly(butylene succinate) (PBS): A Brief Review. *Polymers*, 11(7), 1193. Retrieved from https://www.mdpi.com/2073-4360/11/7/1193
- Sugiyama, J., Vuong, R., & Chanzy, H. (1991). Electron diffraction study on the two crystalline phases of native cellulose. *Macromolecules*, 24(14), 4168-4175.
- Sun, Y., & Cheng, J. (2002). Hydrolysis of lignocellulosic materials for ethanol production: A review. *Bioresource Technology*, 83(1), 1-11.
- Takahashi, K., & Yamanaka, S. (2006). Induction of pluripotent stem cells from mouse embryonic and adult fibroblast cultures by defined factors. *Cell*, 126(4), 663-676.
- Taęta, A., Sokołowska, K., Świder, J., Konieczna-Molenda, A., Proniewicz, E., & Witek, E. (2015). Study of cellulolytic enzyme immobilization on copolymers of N-

- vinylformamide. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 149, 494-504.
- Thomson, J. A., Itskovitz-Eldor, J., Shapiro, S. S., Waknitz, M. A., Swiergiel, J. J., Marshall, V. S., & Jones, J. M. (1998). Embryonic stem cell lines derived from human blastocysts. *Science*, 282(5391), 1145-1147.
- Trache, D., Tarchoun, A. F., Derradji, M., Hamidon, T. S., Masruchin, N., Brosse, N., & Hussin, M. H. (2020). Nanocellulose: From Fundamentals to Advanced Applications. *Frontiers in Chemistry*, 8(392). doi:10.3389/fchem.2020.00392
- Trounson, A., & McDonald, C. (2015). Stem cell therapies in clinical trials: Progress and challenges. *Cell Stem Cell*, 17(1), 11-22.
- U.S. Department of Energy. (2024). *Biomass Resources*. Retrieved from <https://www.energy.gov/eere/bioenergy/biomass-resources>
- Ullah, I., Subbarao, R. B., & Rho, G. J. (2015). Human mesenchymal stem cells - current trends and future prospective. *Biosci Rep*, 35(2). doi:10.1042/bsr20150025
- Wang, B., & Drzal, L. T. (2012). Cellulose nanofiber-reinforced poly(lactic acid) composites prepared by a water-based approach. *ACS Applied Materials & Interfaces*, 4(10), 5079-5085.
- Wu, C., McClements, D. J., He, M., Zheng, L., Tian, T., Teng, F., & Li, Y. (2020). Preparation and characterization of okara nanocellulose fabricated using sonication or high-pressure homogenization treatments. *Carbohydrate Polymers*, 117364. doi:https://doi.org/10.1016/j.carbpol.2020.117364
- Wulandari, W. T., Rochliadi, A., & Arcana, I. M. (2016). Nanocellulose prepared by acid hydrolysis of isolated cellulose from sugarcane bagasse. *IOP Conference Series: Materials Science and Engineering*, 107, 012045. doi:10.1088/1757-899x/107/1/012045
- Xie, J., Willerth, S. M., Li, X., Macewan, M. R., Rader, A., Sakiyama-Elbert, S. E., & Xia, Y. (2010). The differentiation of embryonic stem cells into neural progenitor cells inside electrospun nanofibers. *Biomaterials*, 31(3), 354-362.
- Xu, J., & Guo, B.-H. (2010). Poly(butylene succinate) and its copolymers: Research, development and industrialization. *Biotechnology Journal*, 5(11), 1149-1163. doi:https://doi.org/10.1002/biot.201000136

- Xu, X., Liu, F., Jiang, L., Zhu, J. Y., Haagensohn, D., & Wiesenborn, D. P. (2016). Cellulose nanocrystals vs. cellulose nanofibrils: A comparative study on their microstructures and effects as polymer reinforcing agents. *ACS Applied Materials & Interfaces*, 8(4), 2349-2359.
- Yoo, J. J., Lee, S. J., Atala, A. (2011). Biomedical applications of 3D printing. *Journal of Clinical and Translational Research*, 12(3), 23-30.
- Zakrzewski, W., Dobrzyński, M., Szymonowicz, M., & Rybak, Z. (2019). Stem cells: Past, present, and future. *Stem Cell Research & Therapy*, 10(1), 68.
- Zhang, J., Xue, C., Wang, H., Zhang, X., & Wang, G. (2021). Conductive biomaterials for neural tissue engineering. *Acta Biomaterialia*, 134(5), 12-32.
- Zhao, X., Liu, S., Yildirim, L., Zhao, H., Ding, R., Wang, H., & Cui, W. (2016). Injectable stem cell-laden photocrosslinkable microspheres fabricated using microfluidics for rapid tissue regeneration. *Small*, 12(6), 614-626.
- Zhao, X., Zhang, L., & Liu, D. (2012). Biomass recalcitrance: A bottleneck for efficient bioethanol production from lignocellulosic biomass. *BioResources*, 7(3), 3452-3470.
- Zoghalmi, A., & Paës, G. (2019). Lignocellulosic biomass: Understanding recalcitrance and predicting hydrolysis. *Frontiers in Chemistry*, 7, 874.