

REFERENCES

- Amin, M., Elsakhawy, Y., Abu el-hassan, K., & Abdelsalam, B. A. (2022). Behavior evaluation of sustainable high strength geopolymer concrete based on fly ash, metakaolin, and slag. *Case Studies in Construction Materials*, 16, e00976.
- Amin, M., Zeyad, A. M., Tayeh, B. A., & Agwa, I. S. (2021). Effect of high temperatures on mechanical, radiation attenuation and microstructure properties of heavyweight geopolymer concrete. *Structural Engineering and Mechanics, An Int'l Journal*, 80(2), 181-199.
- Andrew, R. M. (2018). Global CO₂ emissions from cement production. *Earth System Science Data*, 10(1), 195-217.
- ASTM-C109/C109M. "Standard Test Method for Compressive Strength of Hydraulic Cement Mortars". *ASTM International, West Conshohocken, PA, 2020*.
- ASTM-C191. "Standard Test Methods for Time of Setting of Hydraulic Cement by Vicat Needle". *ASTM International, West Conshohocken, PA, 2021*.
- ASTM-C1365. "Standard Test Method for Determination of the Proportion of Phases in Portland Cement and Portland-Cement Clinker Using X-Ray Powder Diffraction Analysis". *ASTM International, West Conshohocken, PA, 2018*.
- Bakharev, T. (2005). Durability of geopolymer materials in sodium and magnesium sulfate solutions. *Cement and concrete research*, 35(6), 1233-1246.
- Bakharev, T. (2005). Resistance of geopolymer materials to acid attack. *Cement and concrete research*, 35(4), 658-670.
- Barcelo, L., & Kline, J. (2012). The cement industry roadmap to reduce carbon emissions. Carbon management technology conference,
- Barcelo, L., Kline, J., Walenta, G., & Gartner, E. (2014). Cement and carbon emissions. *Materials and structures*, 47(6), 1055-1065.
- Bernal, S. A., Provis, J. L., Rose, V., & De Gutierrez, R. M. (2011). Evolution of binder structure in sodium silicate-activated slag-metakaolin blends. *Cement and Concrete Composites*, 33(1), 46-54.

- Chindaprasirt, P., Chareerat, T., & Sirivivatnanon, V. (2007). Workability and strength of coarse high calcium fly ash geopolymer. *Cement and Concrete Composites*, 29(3), 224-229.
- Chindaprasirt, P., & Rattanasak, U. (2023). Calcium wastes as an additive for a low calcium fly ash geopolymer. *Scientific Reports*, 13(1), 16351.
- Clark, R., Zucker, N., & Urpelainen, J. (2020). The future of coal-fired power generation in Southeast Asia. *Renewable and Sustainable Energy Reviews*, 121, 109650.
- Criado, M., Aperador, W., & Sobrados, I. (2016). Microstructural and mechanical properties of alkali activated Colombian raw materials. *Materials*, 9(3), 158.
- Criado, M., Fernández-Jiménez, A., & Palomo, A. (2007). Alkali activation of fly ash: Effect of the SiO₂/Na₂O ratio: Part I: FTIR study. *Microporous and mesoporous materials*, 106(1-3), 180-191.
- Davidovits, J. (2008). *Geopolymer chemistry and applications*. Geopolymer Institute.
- Deb, P. S., Nath, P., & Sarker, P. K. (2014). The effects of ground granulated blast-furnace slag blending with fly ash and activator content on the workability and strength properties of geopolymer concrete cured at ambient temperature. *Materials & Design (1980-2015)*, 62, 32-39.
- Duxson, P., Fernández-Jiménez, A., Provis, J. L., Lukey, G. C., Palomo, A., & van Deventer, J. S. (2007). Geopolymer technology: the current state of the art. *Journal of materials science*, 42(9), 2917-2933.
- Duxson, P., & Provis, J. L. (2008). Designing precursors for geopolymer cements. *Journal of the american ceramic society*, 91(12), 3864-3869.
- Duxson, P., Provis, J. L., Lukey, G. C., & Van Deventer, J. S. (2007). The role of inorganic polymer technology in the development of 'green concrete'. *Cement and concrete research*, 37(12), 1590-1597.
- Elshabrawy, M. (2025). A review on waste management techniques for sustainable energy production. *Metaheuristic Optim. Rev.*, 3(2), 47-58.
- Elyamany, H. E., Abd Elmoaty, M., & Elshaboury, A. M. (2018). Setting time and 7-day strength of geopolymer mortar with various binders. *Construction and Building Materials*, 187, 974-983.

- Environment, U., Scrivener, K. L., John, V. M., & Gartner, E. M. (2018). Eco-efficient cements: Potential economically viable solutions for a low-CO₂ cement-based materials industry. *Cement and concrete research*, 114, 2-26.
- Fernández-Jiménez, A., & Palomo, A. (2003). Characterisation of fly ashes. Potential reactivity as alkaline cements☆. *Fuel*, 82(18), 2259-2265.
- Fernández-Jiménez, A., Palomo, A., & Criado, M. (2005). Microstructure development of alkali-activated fly ash cement: a descriptive model. *Cement and concrete research*, 35(6), 1204-1209.
- Fernandez-Jimenez, A. M., Palomo, A., & Lopez-Hombrados, C. (2006). Engineering properties of alkali-activated fly ash concrete. *ACI Materials Journal*, 103(2), 106.
- García-Lodeiro, I., Palomo, A., Fernández-Jiménez, A., & Macphee, D. (2011). Compatibility studies between NASH and CASH gels. Study in the ternary diagram Na₂O–CaO–Al₂O₃–SiO₂–H₂O. *Cement and concrete research*, 41(9), 923-931.
- Gopinath, A., Bahurudeen, A., Appari, S., & Nanthagopalan, P. (2018). A circular framework for the valorisation of sugar industry wastes: Review on the industrial symbiosis between sugar, construction and energy industries. *Journal of cleaner production*, 203, 89-108.
- Habert, G., De Lacaillerie, J. D. E., & Roussel, N. (2011). An environmental evaluation of geopolymers based concrete production: reviewing current research trends. *Journal of cleaner production*, 19(11), 1229-1238.
- Hanifa, M., Sharma, U., Thapliyal, P., & Singh, L. (2025). Study on CASH to NASH gel conversion in fly ash-based alkali activated aggregates via accelerated carbonation: enhancing performance and inhibiting efflorescence. *Journal of Sustainable Cement-Based Materials*, 14(1), 178-197.
- Hardjito, D., Wallah, S. E., Sumajouw, D. M., & Rangan, B. V. (2004). On the development of fly ash-based geopolymer concrete. *Materials Journal*, 101(6), 467-472.
- Hardjito, D., Wallah, S. E., Sumajouw, D. M., & Rangan, B. V. (2005). Fly ash-based geopolymer concrete. *Australian Journal of Structural Engineering*, 6(1), 77-86.

- Khaled, K., & Singla, M. (2025). Predictive analysis of groundwater resources using random forest regression. *J. Artif. Intell. Metaheuristics*, 9(1), 11-19.
- Kong, D. L., & Sanjayan, J. G. (2010). Effect of elevated temperatures on geopolymers paste, mortar and concrete. *Cement and concrete research*, 40(2), 334-339.
- Krivenko, P., Garcia-Lodeiro, I., Kavalerova, E., Maltseva, O., & Fernández-Jiménez, A. (2014). A review on alkaline activation: new analytical perspectives. *Mater. De*, 64(1).
- Kumar, M., Seth, A., Singh, A. K., Rajput, M. S., & Sikandar, M. (2021). Remediation strategies for heavy metals contaminated ecosystem: A review. *Environmental and Sustainability Indicators*, 12, 100155.
- Kumari, S., Chintamani, B. G., & Gурpur, S. (2024). Antecedents for Circular Economy in Sugar Industrial Ecology in Emerging Economy. *International Journal of Sustainable Development & Planning*, 19(6).
- Kutchko, B. G., & Kim, A. G. (2006). Fly ash characterization by SEM-EDS. *Fuel*, 85(17-18), 2537-2544.
- Lee, W., & Van Deventer, J. (2002). The effect of ionic contaminants on the early-age properties of alkali-activated fly ash-based cements. *Cement and concrete research*, 32(4), 577-584.
- Lekshmi, S., Sudhakumar, J., & Thomas, S. (2022). Durability performance of geopolymers mortar containing high calcium fly ash and low-grade waste clay. *Asia Pacific Journal of Science and Technology*, 28(02), 1-13.
- Li, N., Shi, C., Zhang, Z., Wang, H., & Liu, Y. (2019). A review on mixture design methods for geopolymer concrete. *Composites Part B: Engineering*, 178, 107490.
- Liu, J., Doh, J.-H., Dinh, H. L., Ong, D. E., Zi, G., & You, I. (2022). Effect of Si/Al molar ratio on the strength behavior of geopolymer derived from various industrial waste: A current state of the art review. *Construction and Building Materials*, 329, 127134.
- Liu, J., Doh, J.-H., Ong, D. E., Wang, S., Yang, Y., Dinh, H. L., & Zi, G. (2023). Correlation between dissolubilities of Si, Al, and Fe from aluminosilicate precursor and strength of fly ash-based geopolymer. *Construction and Building Materials*, 393, 132107.

- McLellan, B. C., Williams, R. P., Lay, J., Van Riessen, A., & Corder, G. D. (2011). Costs and carbon emissions for geopolymer pastes in comparison to ordinary portland cement. *Journal of cleaner production*, *19*(9-10), 1080-1090.
- Miller, S. A., John, V. M., Pacca, S. A., & Horvath, A. (2018). Carbon dioxide reduction potential in the global cement industry by 2050. *Cement and concrete research*, *114*, 115-124.
- Mohana, R., & Bharathi, S. L. (2022). Sustainable utilization of pre-treated and nano fly ash powder for the development of durable geopolymer mortars. *Advanced Powder Technology*, *33*(8), 103696.
- Narani, S. S., & Siddiqua, S. (2024). Accelerated carbonation of alkali-activated blended blast furnace slag and wood fly ash: Carbon capture kinetics, chemical and mechanical evolutions. *Construction and Building Materials*, *411*, 134570.
- Nath, P., & Sarker, P. K. (2014). Effect of GGBFS on setting, workability and early strength properties of fly ash geopolymer concrete cured in ambient condition. *Construction and Building Materials*, *66*, 163-171.
- Oberschelp, C., Pfister, S., Raptis, C., & Hellweg, S. (2019). Global emission hotspots of coal power generation. *Nature Sustainability*, *2*(2), 113-121.
- Olivier, J. G., Schure, K., & Peters, J. (2017). Trends in global CO₂ and total greenhouse gas emissions. *PBL Netherlands Environmental Assessment Agency*, *5*(1).
- Ozcelikci, E., Kul, A., Gunal, M. F., Ozel, B. F., Yildirim, G., Ashour, A., & Sahmaran, M. (2023). A comprehensive study on the compressive strength, durability-related parameters and microstructure of geopolymer mortars based on mixed construction and demolition waste. *Journal of cleaner production*, *396*, 136522.
- Palomo, A., Grutzeck, M., & Blanco, M. (1999). Alkali-activated fly ashes: A cement for the future. *Cement and concrete research*, *29*(8), 1323-1329.
- Phair, J., & Van Deventer, J. (2001). Effect of silicate activator pH on the leaching and material characteristics of waste-based inorganic polymers. *Minerals Engineering*, *14*(3), 289-304.
- Provis, J. L. (2018). Alkali-activated materials. *Cement and concrete research*, *114*, 40-48.

- Qaidi, S. M., Tayeh, B. A., Ahmed, H. U., & Emad, W. (2022). RETRACTED: A review of the sustainable utilisation of red mud and fly ash for the production of geopolymer composites. In: Elsevier.
- Qiu, Y., Pan, H., Zhao, Q., Zhang, J., Zhang, Y., & Guo, W. (2022). Carbon dioxide-hardened sodium silicate-bonded sand regeneration using calcium carbide slag: The design and feasibility study. *Journal of Environmental Chemical Engineering*, 10(3), 107872.
- Rattanasak, U., & Chindaprasirt, P. (2009). Influence of NaOH solution on the synthesis of fly ash geopolymer. *Minerals Engineering*, 22(12), 1073-1078.
- Rostami, V., Shao, Y., Boyd, A. J., & He, Z. (2012). Microstructure of cement paste subject to early carbonation curing. *Cement and concrete research*, 42(1), 186-193.
- Samarakoon, M., Ranjith, P., Rathnaweera, T., & Perera, M. (2019). Recent advances in alkaline cement binders: A review. *Journal of cleaner production*, 227, 70-87.
- Senior, C. L., & Johnson, S. A. (2005). Impact of carbon-in-ash on mercury removal across particulate control devices in coal-fired power plants. *Energy & Fuels*, 19(3), 859-863.
- Škvára, F., Kopecký, L., Šmilauer, V., & Bittnar, Z. (2009). Material and structural characterization of alkali activated low-calcium brown coal fly ash. *Journal of hazardous materials*, 168(2-3), 711-720.
- Tayeh, B. A., Hakamy, A., Amin, M., Zeyad, A. M., & Agwa, I. S. (2022). Effect of air agent on mechanical properties and microstructure of lightweight geopolymer concrete under high temperature. *Case Studies in Construction Materials*, 16, e00951.
- Tayeh, B. A., Zeyad, A. M., Agwa, I. S., & Amin, M. (2021). Effect of elevated temperatures on mechanical properties of lightweight geopolymer concrete. *Case Studies in Construction Materials*, 15, e00673.
- Van der Merwe, E. M., Prinsloo, L. C., Mathebula, C. L., Swart, H., Coetsee, E., & Doucet, F. (2014). Surface and bulk characterization of an ultrafine South African coal fly ash with reference to polymer applications. *Applied Surface Science*, 317, 73-83.

- Wang, W., Fan, C., Wang, B., Zhang, X., & Liu, Z. (2023). Workability, rheology, and geopolymerization of fly ash geopolymer: Role of alkali content, modulus, and water–binder ratio. *Construction and Building Materials*, *367*, 130357.
- Xie, T., Visintin, P., Zhao, X., & Gravina, R. (2020). Mix design and mechanical properties of geopolymer and alkali activated concrete: Review of the state-of-the-art and the development of a new unified approach. *Construction and Building Materials*, *256*, 119380.
- Yang, Z., Wang, K., Zhang, D., Zhang, J., Jiao, Y., Fang, C., Tang, W., & Zhao, Z. (2024). Durability of geopolymer cementitious materials synergistically stimulated by Ca^{2+} and Na^{+} . *Case Studies in Construction Materials*, *21*, e03514.
- Yip, C. K., Lukey, G. C., Provis, J. L., & Van Deventer, J. S. (2008). Effect of calcium silicate sources on geopolymerisation. *Cement and concrete research*, *38*(4), 554-564.
- Zeyad, A. M., Bayagoob, K. H., Amin, M., Mostafa, S. A., & Agwa, I. S. (2024). Influence of nanomaterials on properties and durability of ultra-high-performance geopolymer concrete. *Reviews on Advanced Materials Science*, *63*(1), 20240071.
- Zeyad, A. M., Bayagoob, K. H., Amin, M., Tayeh, B. A., Mostafa, S. A., & Agwa, I. S. (2025). Effect of olive waste ash on the properties of high-strength geopolymer concrete. *Structural Concrete*, *26*(2), 1206-1225.
- Zeyad, A. M., Magbool, H. M., Mutnbak, M., Amin, M., & Agwa, I. S. (2025). Effect of steel fibers, polypropylene fibers, and silica fume on the properties of ultra-high-performance geopolymer concrete. *Archives of Civil and Mechanical Engineering*, *25*(4), 176.
- Zhang, D., Yang, Z., Kang, D., Fang, C., Jiao, Y., Wang, K., & Mi, S. (2023). Study on the mechanism of Ca^{2+} and Na^{+} interaction during the hydration of multi-source solid waste geopolymers. *Journal of Building Engineering*, *69*, 106177.