



ELSEVIER

Available online at www.sciencedirect.com

SCIENCE @ DIRECT®

Mathematics and Computers in Simulation 69 (2005) 282–289



MATHEMATICS
AND
COMPUTERS
IN SIMULATION

www.elsevier.com/locate/matcom

A new approach related with group analysis and hodograph type transformation for constructing exact solutions

A. Hematulin^{a,*}, S.V. Meleshko^b

^a *Nakhon Ratchasima Rajabhat University, School of Mathematics and Applied Statistics, Nakhon Ratchasima 30000, Thailand*

^b *Suranaree University of Technology, School of Mathematics, Nakhon Ratchasima 30000, Thailand*

Available online 26 April 2005

Abstract

The method suggested in the manuscript uses the idea of the hodograph transformation method, which exchanges the independent and dependent variables. Here a change of the independent variables into dependent variables is applied to first derivatives. For the derivatives one obtains a system of differential equations. Group analysis is applied to this system. New invariant solutions, which are not invariant for the original equations, are obtained. The approach is illustrated by the semi-linear wave equation. For example, for Pion Meson equation one obtains a solution, which is reduced to quadrature.

© 2005 IMACS. Published by Elsevier B.V. All rights reserved.

Keywords: Admitted Lie group; Invariant solution; Semi-linear wave equation; Pion Meson equation
