

บรรณานุกรม

- Chong, J., Baltz, R., Schmitt, C., Beffa, R., Fritig, B. and Saindrenan, P. (2002). Downregulation of a pathogen-responsive tobacco UDP-Glc:phenylpropanoid glucosyltransferase reduces scopoletin glucoside accumulation, enhances oxidative stress, and weakens virus resistance. The Plant Cell. 14, 1093-1107.
- Dykxhoorn, D. M., Novina, C. D., and Sharp, P. A. (2003). Killing the messenger: short RNAs that silence gene expression. Nat Rev Mol Cell Biol. 4, 457-467.
- Esen, A. and Bandaranayake, H. (1998). Insertional polymorphism in introns 4 and 10 of the maize β -glucosidase gene *glu1*. Genome. 41:(4), 597-604.
- Faure, D., Henrissat, B., Ptacek, D., Bekri, A.M. and Vanderleyden, J. (2001). The *celA* gene, encoding a glycosyl hydrolase family 3 β -glucosidase in *Azospirillum irakense*, is required for optimal growth on cellobiosides. Applied and Environmental Microbiology. 67:(5), 2380-2383.
- Fire, W. W. and Sun, L. (1998). Functional genomics double-stranded RNA poses puzzle. Nature. 391, 744-745.
- Hannon, G.J. (2002). RNA interference. Nature. 418, 244-251.
- Islam, S. M., Miyazaki, T., Tanno, F. and Itoh, K. (2005). Dissection of gene function by RNA silencing. Plant Biotechnology. 22, 443-446.
- Keri, E. S., Josephine, A. and MariaElena, A. (2004). Expression of β -glucosidase and its role in activating zeatin-O-glycoside during cold-stress recovery in *Zea mays* root tip. Plant Biology 2004. 24-28, Lake Buena Vista, FL USA.
- Lichner, Z., Silhavy, D. and Burgyán, J. (2003). Double-stranded RNA-binding protein could suppress RNA interference-mediated antiviral defences. Journal of Genetic Virology. 84, 975-980.

- Lin, T., He, X.W., Yang, L., Shou, H.X. and Wu, P. (2005). Identification and characterization of a novel water-deficit-suppressed gene *OsARD* encoding an acid-reductone-dioxygenase-like protein in rice. Gene. 360, 27-34.
- Luo, A.D., Liu, L., Tang, Z.S., Bai, X.Q., Cao, S.Y. and Chu, C.C. (2005). Down-regulation of *OsGRF1* gene in rice *rhd1* mutant results in reduced heading date. Journal of Integrative plant biology. 47:(6), 745-752.
- Macino, G., and Cogoni, C. and Romano, N. (1994). Suppression of gene expression by homologous transgenes. JGen M. 65, 205-209.
- Miki, D., Itoh, R. and Shimamoto, K. (2005). RNA silencing of single and multiple members in a gene family of rice. Plant Physiol. 138, 1903-1913.
- Mok, D.W. and Mok, M.C. (2001). Cytokinin metabolism and action. Plant Mol Biol. 52, 89-118.
- Napoli, C., Lemieux, C. and Jorgensen, R. (1990). Introduction of a chimeric chalcone synthase gene into petunia results in reversible co-suppression of homologous genes in trans. Plant Cell. 2:(4), 279-289.
- Nikus, J. and Lisbeth M. V. (1999). Tissue localization of β -glucosidase in rye, maize and wheat seedlings. Physiologia Plantarum. 107:(4), 373-381.
- Opassiri, R., Hua, Y., Wara-Aswapati, O., Akiyama, T., Svasti, J., Esen, A. Ketdat Cairns, JR. (2004). β -glucosidase, exo- β -glucanase and pyridoxine transglucosylase activities of rice *BGlu1*. Biochemical Journal. 379, 125-131.
- Opassiri, R., Pomthong, B., Onkoksoong, T., Akiyama, T., Esen, A. and Ketudat Cairns, JR. (2006). Analysis of rice glycosyl hydrolase family 1 and expression of *Os4bglu12* β -glucosidase. BMC Plant Biology. 6, 33.
- Prasad, K. and Vijayraghavan, U. (2003). Double-Stranded RNA Interference of a rice *PI/GLO* paralog, *OsMADS2*, uncovers its second-whorl-specific function in floral organ patterning. Genetics. 165, 2301-2305.

- Qian, H., Zhang, X., Xue, Q. (2004). Factors affecting the callus induction and GUS transient expression in indica rice Pei'ai64s. Pakistan Journal of Biology and Science. 7(4): 615-619.
- Richard, S., Saffman, E. E., Styhler, S., Rother, K., Li, W. and Lasko, P. (1999). Premature translation of *oskar* in oocytes lacking the RNA-binding protein Bicaudal-C. Mol Cell Biology. 18, 4855-4862.
- Stotz, H. U., Pittendrigh, R. B., Kroymann, J., Weniger, K., Fritsche, J., Bauke, A. and Mitchell-Olds, T. (2000). Induced plant defense responses against chewing insects. Ethylene signaling reduces resistance of *Arabidopsis* against Egyptian cotton worm but not diamondback moth. Plant Physiology. 124, 1007-1017
- Vasella, A., Davies, G. J. and Böhm, M. (2002). Glycosidase mechanisms. Chemical Biology. 6, 619-629.
- Wang, Z., Chen, C., Xu, Y., Jiang, R., Han, Y., Xu, Z. and Chong, K. (2004). A Practical vector for efficient knockdown of gene expression in rice (*Oryza sativa* L.). Plant Mol Bio Rep. 22, 409-417.
- Waterhouse, P., Graham, M. and Wang, M. B. (1998). Virus resistance and gene silencing in plants can be induced by simultaneous expression of sense and antisense RNA. Proc Natl Acad Sci USA. 95:(13), 959-964.
- Xiao, H., Wang, Y., Liu, D., Wang, W., Li, X., Zhao, X., Xu, J., Zhai, W. and Zhu, L. (2003). Functional analysis of the rice -P3 homologue OsMADS16 by RNA interference. Plant Mol Biol. 52:(5), 957-966.