อุฤทธิ์ เจริญอินทร์: การปลูกผลึก สารอนินทรีย์ สารอินทรีย์ และสารกึ่งอินทรีย์ แบบไม่ เป็นเชิงเส้น โดยวิธีสานครานรายานาน รามาชามี และการกำหนดลักษณะเฉพาะ (GROWTH OF SOME INORGANIC, ORGANIC AND SEMI-ORGANIC NONLINEAR OPTICAL CRYSTALS BY SANKARANARAYANAN-RAMASAMY METHOD AND THEIR CHARACTERIZATION) อาจารย์ที่ปรึกษา: รองศาสตราจารย์ คร.ประพันธ์ แม่นยำ. 168 หน้า.

ผลึกเคี่ยวของสารอนินทรีย์ กรคซัลฟามิค (Sulphamic acid) สารอินทรีย์ เอล อลานิเนียม มาเลต (L-alaninium maleate) เอล อาจีนีน มาเลต ใดใฮเดต (L-arginine maleate dihydrate) และ สารกึ่งอินทรีย์ เอล โพลีน ซิงค์ คลอไรด์ (L-proline zinc chloride) ปลูกขึ้น โดยวิธีการปลูกผลึก แบบ สานครานรายานาน รามาชามี และวิธีการปลูกผลึกแบบคั้งเคิม ผลึกที่ได้จากการทคลอง ถูก นำมาศึกษาสมบัติเฉพาะด้านต่างๆ โดยเทคนิคที่ใช้ในการศึกษาสมบัติเฉพาะของสาร การศึกษาการเลี้ยวเบนของรังสีเอกซ์แบบผลึกเคี่ยว การศึกษาการเลี้ยวเบนของรังสีเอกซ์ แบบความ เข้มสูง การศึกษาลักษณะการเกิดมลทินเมื่อพื้นผิวของผลึกถูกละลายโดยตัวทำละลาย การศึกษา สมบัติใดอิเล็กตริก การศึกษาสมบัติเพียโซอิเล็กตริก การศึกษาสมบัติทางความร้อน การศึกษาการ ส่องผ่านของแสง การศึกษาความแข็ง และการศึกษาพฤติกรรมการเกิดฮาโมนิคที่สอง และได้นำผล การศึกษามาวิเคราะห์และเปรียบเทียบ ถึงลักษณะของผลึกที่ได้จากการปลูกทั้งสองวิธี การศึกษา การเลี้ยวเบนของรังสีเอกซ์แบบผลึกเคี่ยว ข้อมลที่ได้สามารถยืนยันโครงสร้างของผลึกที่ได้จาก ทคลอง มีลักษณะเหมือนกับที่เคขมีการรายงานมาแล้ว ความสมบูรณ์ของผลึกได้รับการขึ้นยัน จาก การศึกษาเลี้ยวเบนของรังสีเอกซ์แบบความเข้มสูง จำนวนความหนาแน่นของมลทินในผลึก ถูก คำนวญจากการกระจายตัวของมลทินที่เกิดขึ้นหลังจากการละลายผิวหน้าของผลึก ค่าคงที่ไดอิเล็ก-ตริกและใดอิเล็กตริกลอส วัดอยู่ในรูปฟังก์ชั้นของอุณหภูมิ ที่อุณหภูมิในช่วง 40 ถึง 140 องศา เซลเซียส สัมประสิทธิประจ เพียโซอิเล็กตริก ของผลึกคำนวณจากแรงที่กระทำกับผลึก การทน ความร้อนของผลึกวัดจากการศึกษาสมบัติทางความร้อนของผลึก การส่องผ่านของแสงแสดงใน รูปแบบการบันทึกค่า UV-Vis-NIR ความแข็งของผลึกวิเคราะห์จากการทดสอบ microhardness การวัดฮาร์โมนิคที่สองของผลึกที่ความยาวคลื่นพื้นฐาน 1064 นาโนเมตร ได้นำมา เปรียบเทียบกับค่าฮาร์ โมนิคที่สองของผลึก KDP

สาขาวิชาฟิสิกส์	ลายมือนักศึกษา	
ปีการศึกษา 2553	ลายมืออาจารย์ที่ปรึกษา	

URIT CHAROEN-IN: GROWTH OF SOME INORGANIC, ORGANIC
AND SEMI-ORGANIC NONLINEAR OPTICAL CRYSTALS BY
SANKARANARAYANAN-RAMASAMY METHOD AND THEIR
CHARACTERIZATION. THESIS ADVISOR: ASSOC. PROF.
PRAPUN MANYUM, D.Phil. 168 PP.

GROWTH FROM SOLUTION/SINGLE GRYSTAL GROWTH/HIGH
RESOLUTION X-RAY DIFFRACTION/ DEFECT/OPTICAL MICROSCOPY
/DIELECTRIC MATERIALS

Single crystals of some inorganic, sulphamic acid (SA) organic, L-alaninium maleate (LAM), L-arginine maleate dihydrate (LAMD) and semiorganic, L-proline zinc chloride (LPZ) were successfully grown by Sankaranarayanan-Ramasamy (SR) method and conventional slow evaporation solution technique. The grown SA, LAM, LAMD and LPZ crystals were subjected to single crystal X-ray diffraction, high resolution X-ray diffraction (HRXRD), chemical etching, dielectric, piezoelectric, Thermo gravimetric-differential thermal analysis. **UV-Vis-NIR** microhardness and second harmonic generation (SHG) efficiency study and their results were discussed. Single crystal X-ray diffraction confirmed the lattice parameters of the grown crystals. Crystalline perfection was observed from HRXRD analysis. Etch pit density of the grown crystals were calculated and the distribution of structural defect was observed in chemical etching studies. The dielectric constant and loss measurements were made as function of temperature in the range of 40-140 degree celsius. Piezoelectric charge coefficients of the grown crystal have been determined. From thermo gravimetric-differential thermal analysis of the grown

crystals the thermal stability was investigated. The range and percentage of optical transmission were represented by recording UV-Vis-NIR analysis. Mechanical strength of the grown crystals was analyzed by Vickers microhardness. SHG measurements indicated that the SHG efficiency of the grown crystals at a fundamental wavelength of 1064 nm was compared with that of KDP crystal.

School of Physics

Student's Signature

Academic Year 2010

Advisor's Signature