อนุสรา แก้วการ: การสังเคราะห์เหล็กขนาดนาโนเมตรด้วยสารสกัดใบยูคาลิปตัสและ คลื่นอัลตราโซนิกสำหรับการบำบัดสารใกลโฟเซตในดินโดยใช้ปฏิกิริยาเสมือนเฟนตัน (SYNTHESIS OF IRON NANO-PARTICLES BY EUCALYPTUS LEAF EXTRACT AND ULTRASONIC WAVE IRRADIATION FOR GLYPHOSATE TREATMENT IN SOIL USING FENTON-LIKE REACTION) อาจารย์ที่ปรึกษา: อาจารย์ คร.อภิชน วัชเรนทร์วงศ์, 123 หน้า.

งานวิจัยนี้ทำการศึกษาการสังเคราะห์เห<mark>ลี</mark>กขนาดนาโนเมตรด้วยสารสกัดใบยูคาลิปตัสและ คลื่นอัลตราโซนิกเพื่อนำมาใช้ในการบำบัด<mark>สารไก</mark>ลโฟเซตในดินโดยใช้ปฏิกิริยาเสมือนเฟนตัน การทดลองแบ่งออกเป็น 2 ส่วนได้แก่ 1) ก<mark>ารศึกษาค</mark>ุณลักษณะสมบัติของเห**ล็กขนาดนาโนเมตร** ที่สังเคราะห์ขึ้น และ 2) การบำบัคสาร ใกล โฟเซต โคยใช้เหล็กขนาคนา โนเมตร ในกระบวนการ เสมือนเฟนตัน ภายหลังจากการสังเครา<mark>ะห์</mark>เหล็กขน<mark>าดน</mark>าโนเมตร ได้ทำการวิเคราะห์คุณลักษณะ สมบัติด้วยเทคนิกต่างๆ ได้แก่ XPS  $_{
m BET}$  XAS XRD  $_{
m FTIR}$   $_{
m FESEM}$  TEM และ  $_{
m pH}_{
m pzc}$  เหล็กขนาด นาโนเมตรที่สังเคราะห์ด้วยสารสกั<mark>ดใบ</mark>ยูคาลิปตัสร่วมกับค<mark>ลื่น</mark>อัลตราโซนิกกำลัง 1000 วัตต์ ความถึ่ 20 กิโลเฮิรตซ์ และใช้ความเข้มข้นของสารเหล็กเฟอร์รัส 0.2 โมลาร์ (Fe-NPs-EL-UL 1000 W) มีปริมาณเหล็กสูงที่สุด 2.61 <mark>เป</mark>อร์เซนต์ โดยเป็นผลจากการพิสู**จน์ค**้วยเทคนิก XPS ตัวอย่างนี้ถูก เลือกสำหรับใช้ในการบ<mark>ำบัต</mark>สาร<mark>ใกลโฟเซต จากการตร</mark>วจส<mark>อบ</mark>พื้นที่ผิวจำเพาะมีค่า 26.805 ตารางเมตรต่อกรัม ซึ่งพื้นที่<mark>ผิวจำเพ</mark>าะสูงกว่าการไม่ใช้คลื่นอ<mark>ัลตรา</mark>โซนิก เหล็กขนาคนาโนเมตร ที่สังเคราะห์ขึ้นมีเส้นผ่านศูนย์<mark>กลางเฉลี่ยประมาณ 60 นาโนเมตร</mark> จากการตรวจสอบโดยใช้เทคนิค FESEM และ TEM นอกจากนั้น FTIR บ่งชื่ว่าพบสาร polyphenol ซึ่งเป็นสารประกอบอินทรีย์ คาร์บอนอยู่บนพื้นผิวของเหล็กขนาดนาโนเมตร และผลจาก XAS ใด้แสดงว่าเหล็กมีลักษณะเป็น สารประกอบเชิงซ้อน Fe³+-polyphenol complexes การศึกษาการบำบัดสารใกลโฟเซตได้แบ่ง ออกเป็น การบำบัคสาร ใกล โฟเซตในน้ำ และการบำบัคสาร ใกล โฟเซตในคินในกระบวนการ เสมือนเฟนตัน ผลการศึกษาพบว่าในการบำบัคสารใกลโฟเซตโคยการใช้เหล็กร่วมกับ โซเคียมเปอร์ซัลเฟต (Fe 1 g/L + SPS 5 mM + GLY 20 ppm + pH 7) มีประสิทธิภาพในการบำบัด สูงสุดภายใน 60 นาที คิดเป็น 82.64 เปอร์เซนต์ อนุมูลอิสระเปอร์ซัลเฟตมีบทบาทสำคัญในการ กำจัดไกลโฟเซต ส่วนผลของการบำบัดสารไกลโฟเซตในดินอิ่มตัวด้วยน้ำ พบว่ามีประสิทธิภาพ ทั้งหมดในการบำบัด 74.97 เปอร์เซนต์

สาขาวิชา <u>วิศวกรรมสิ่งแวคล้อม</u> ปีการศึกษา 2562 ลายมือชื่อนักศึกษา <u>ดนุ</u>สา <u>แก้าตา</u> ลายมือชื่ออาจารย์ที่ปรึกษา <u>QQ 95</u> ANUSARA KAEOKAN: SYNTHESIS OF IRON NANO-PARTICLES
BY EUCALYPTUS LEAF EXTRACT AND ULTRASONIC WAVE
IRRADIATION FOR GLYPHOSATE TREATMENT IN SOIL
USING FENTON-LIKE REACTION. THESIS ADVISOR:
APICHON WATCHARENWONG, Ph.D., 123 PP.

GLYPHOSATE/ EUCALYPTUS LEAF EXTRACT/ ULTRASONIC WAVE/ IRON NANO-PARTICLES

This research was to study the synthesis of iron nanoparticles by eucalyptus leaf extract and ultrasonic wave radiation for glyphosate treatment in soil using a Fentonlike reaction. The experiment was divided into two parts as 1) the characterization study of the synthesized iron nanoparticles (Fe-NPs) and 2) the treatment of glyphosate using iron nanoparticle in the Fenton-like process. After the synthesis, the characteristic of iron nanoparticles was investigated using XPS, BET, XAS XRD, FTIR, FESEM, TEM, and pH<sub>pzc</sub>. Iron nanoparticles synthesized using eucalyptus leaf extract with ultrasonic waves 1000 W 20 kHz and using a 0.2 molar of ferrous iron (Fe-NPs-EL-UL 1000 W) had the highest iron content up to 2.61%, as proved by XPS. This sample was selected for the treatment of glyphosate. The specific surface area was 26.805 square meters per gram, which is higher than without using ultrasonic waves radiation. The synthesized iron nanoparticle had an average diameter of approximately 60 nm, as proved by FESEM and TEM. Besides, FTIR indicated the polyphenol, which is an organic carbon compound on the surface of the iron nanoparticles. XAS showed that iron was Fe<sup>3+</sup>-polyphenol complexes. The study of glyphosate treatment was divided into aqueous glyphosate treatment and soil glyphosate treatment in the Fenton-like process. The results found that

the combination of iron nanoparticles and SPS for the treatment of glyphosate (Fe 1 g/ L + SPS 5 mM + GLY 20 ppm + pH 7) had the highest glyphosate removal efficiency within 60 minutes, accounting for 82.64%. The persulfate free radical plays a crucial role in glyphosate removal. The treatment of glyphosate in saturated soil showed a total efficiency of 74.97%.



School of Environmental Engineering

Academic Year 2019

Advisor's Signature