

REFERENCES

REFERENCES

- Amatatongchai, M., Thimoonnee, S., Somnet, K., Chairam, S., Jarujamrus, P., Nacapricha, D., and Lieberzeit, P. A. (2023). Origami 3D-microfluidic paper-based analytical device for detecting carbaryl using mesoporous silica-platinum nanoparticles with a molecularly imprinted polymer shell. *Talanta*, 254, 124202.
- Chaudhary, D., and Sharma, S. (2017). An overview of ordered mesoporous material SBA-15: synthesis, functionalization and application in oxidation reactions. *Journal of Porous Materials*, 24, 741–749.
- Chen, J., Liu, Z., Fang, J., Wang, Y., Cao, Y., Xu, W., Ma, Y., Meng, X., and Wang, B. (2022). A turn-on fluorescence biosensor for sensitive detection of carbaryl using flavourzyme-stabilized gold nanoclusters. *LWT - Food Science and Technology*, 157, 113099.
- Costa, J. A. S., de Jesus, R. A., Santos, D. O., Mano, J. F., Romão, L. P. C., and Paranhos, C. M. (2020). Recent progresses in the adsorption of organic, inorganic, and gas compounds by MCM-41-based mesoporous materials. *Microporous and Mesoporous Materials*, 291, 109698.
- Deekamwong, K., and Wittayakun, J. (2017). Template removal by ion-exchange extraction from siliceous MCM-41 synthesized by microwave-assisted hydrothermal method. *Microporous and Mesoporous Materials*, 239, 54-59.
- Derbalah, A., Sunday, M., Kato, R., Takeda, K., and Sakugawa, H. (2020). Photoformation of reactive oxygen species and their potential to degrade highly toxic carbaryl and methomyl in river water. *Chemosphere*, 244, 125464.
- Fan, Y., Lai, K., Rasco, B. A., and Huang, Y. (2015). Determination of carbaryl pesticide in Fuji apples using surface-enhanced Raman spectroscopy coupled with multivariate analysis. *LWT - Food Science and Technology*, 60(1), 352-357.

- Farrokhzadeh, S., Razmi, H., and Jannat, B. (2019). Development of micellar solid-phase microextraction fiber based on CTAB-templated mesoporous silica electrochemically assisted self-assembled on wire: Application to chromatographic determination of polycyclic aromatic hydrocarbons. *Separation Science and Technology*, 54(1), 79-88.
- Gil García, M. D., Dahane, S., Arrabal-Campos, F. M., SocíasViciano, M. M., García, M. A., Fernández, I., and Martínez Galera, M. (2017). MCM-41 as novel solid phase sorbent for the pre-concentration of pesticides in environmental waters and determination by microflow liquid chromatography-quadrupole linear ion trap mass spectrometry. *Microchemical Journal*, 134, 181-190.
- Grün, M., Lauer, I., and Unger, K. K. (1997). The synthesis of micrometer- and submicrometer-size spheres of ordered mesoporous oxide MCM-41. *Advanced Materials*, 9(3), 254-257.
- Hoffmann, F., Cornelius, M., Morell, J., and Froba, M. (2006). Silica-based mesoporous organic-inorganic hybrid materials. *Angewandte Chemie International Edition*, 45(20), 3216-3251.
- Jiao, W., Ding, G., Wang, L., Liu, Y., and Zhan, T. (2022). Polyaniline functionalized CoAl-layered double hydroxide nanosheets as a platform for the electrochemical detection of carbaryl and isoprocarb. *Mikrochim Acta*, 189(2), 78.
- Kanyika-Mbewe, C., Thole, B., Makwinja, R., and Kaonga, C. C. (2020). Monitoring of carbaryl and cypermethrin concentrations in water and soil in Southern Malawi. *Environmental Monitoring and Assessment*, 192(9), 595.
- Kim, J. M., Kwak, J. H., Jun, S., and Ryoo, R. (1995). Ion exchange and thermal stability of MCM-41. *The Journal of Physical Chemistry*, 99(45), 16742-16747.
- Kunpatee, K., Kalcher, K., Chailapakul, O., Chaiyo, S., and Samphao, A. (2023). A paper chromatographic-based electrochemical analytical device for the separation and

- simultaneous detection of carbofuran and carbaryl pesticides. *Sensors and Actuators B: Chemical*, 377, 133116.
- Lee, M.-G., Patil, V., Na, Y.-C., Lee, D. S., Lim, S. H., and Yi, G.-R. (2018). Highly stable, rapid colorimetric detection of carbaryl pesticides by azo coupling reaction with chemical pre-treatment. *Sensors and Actuators B: Chemical*, 261, 489-496.
- Lei, C., Wang, Z., Nie, Z., Deng, H., Hu, H., Huang, Y., and Yao, S. (2015). Resurfaced fluorescent protein as a sensing platform for label-free detection of copper(II) ion and acetylcholinesterase activity. *Analytical Chemistry*, 87(3), 1974-1980.
- Li, H., Kang, T., Zhang, B., Zhang, J., and Ren, J. (2016). Influence of interlayer cations on structural properties of montmorillonites: A dispersion-corrected density functional theory study. *Computational Materials Science*, 117, 33-39.
- Lv, Y., Zhang, Y., Yang, Y., Li, J., Wang, J., Xiao, X., and Zhang, M. (2023). Strategy of in situ electrochemical regulation for highly enhanced nonenzymatic sensing of carbaryl. *Journal of analytical chemistry*, 95(8), 4015-4023.
- Martins, L., and Cardoso, D. (2007). Influence of surfactant chain length on basic catalytic properties of Si-MCM-41. *Microporous and Mesoporous Materials*, 106(1-3), 8-16.
- Massey, K. A., L., D., Engelen, V., and Warner, I. M. (1995). Determination of carbaryl as its primary metabolite, 1-naphthol, by reversed-phase high-performance liquid chromatography with fluorometric detection. *Talanta* 42, 1457-1463.
- Oliveira, M. R., Barboza, Y. T., Silva, T. S. L., Cecilia, J. A., Rodríguez-Castellón, E., Egues, S. M., and De Conto, J. F. (2024). One-pot synthesis and surfactant removal from MCM-41 using microwave irradiation. *Molecules*, 29(2). doi:10.3390/molecules29020460
- Raja, D. A., Rahim, S., Shah, M. R., Bhanger, M. I., and Malik, M. I. (2023). Silver nanoparticle based efficient colorimetric assay for carbaryl – An insecticide. *Journal of Molecular Liquids*, 372, 121200.
- Rujiralai, T., Cheewasedtham, W., Jayeoye, T. J., Kaewsara, S., and Plaisen, S. (2020). Hydrolyzed product mediated aggregation of l-cysteine-modified gold

- nanoparticles as a colorimetric probe for carbamate residues in chilis. *Analytical Letters*, 53(4), 574-588.
- Seejandee, P., Osakoo, N., Sereerattanakorn, P., Krukkratoke, P., Keawkumay, C., Pansakdanon, C., Wittayakun, J., Chanlek, N., Deekamwong, K., and Prayoonpokarach, S. (2024). Comparison of potassium catalysts on zeolite sodium A and X in transesterification of palm oil and active species specification. *Heliyon*, 10(16).
- Shahdost-Fard, F., Fahimi-Kashani, N., and Hormozi-Nezhad, M. R. (2021). A ratiometric fluorescence nanoprobe using CdTe QDs for fast detection of carbaryl insecticide in apple. *Talanta*, 221, 121467.
- Silva, D. P. S., Solano, J. R. S., Sousa, L. V., Silva, B. J. B., Quintela, P. H. L., and Silva, A. O. S. (2021). Modification of MCM-41 type structures by carbon deposition and acid washing for CO₂ adsorption. *Journal of Sol-Gel Science and Technology*, 97(2), 382-392.
- Silva, J. d. O. S., dos Santos, J. F., Granja, H. S., Almeida, W. S., Loeser, T. F. L., Freitas, L. S., Bergamini, M. F., Marcolino-Junior, L. H., and Sussuchi, E. M. (2024). Simultaneous determination of carbendazim and carbaryl pesticides in water bodies samples using a new voltammetric sensor based on Moringa oleifera biochar. *Chemosphere*, 347, 140707.
- WHO. (2008). Guidelines for Drinking-water Quality. Geneva: World Health Organization.
- Xu, M., Li, X., Liu, P., Liu, J., Han, X., Chai, G., Zhong, S., Yang, B., and Cui, L. (2025). A novel and visible ratiometric fluorescence determination of carbaryl based on red emissive carbon dots by a solvent-free method. *Chinese Chemical Letters*, 36(2).
- Yan, J., Guan, H., Yu, J., and Chi, D. (2013). Acetylcholinesterase biosensor based on assembly of multiwall carbon nanotubes onto liposome bioreactors for detection of organophosphates pesticides. *Pesticide Biochemistry and Physiology*, 105(3), 197-202.

- Yi, Y., Zhu, G., Liu, C., Huang, Y., Zhang, Y., Li, H., Zhao, J., and Yao, S. (2013). A label-free silicon quantum dots-based photoluminescence sensor for ultrasensitive detection of pesticides. *Analytical Chemistry*, 85(23), 11464-11470.
- Zapelini, I. W., Silva, L. L., and Cardoso, D. (2018). Effect of hydrothermal treatment on structural and catalytic properties of [CTA]-MCM-41 Silica. *Materials*, 11(5), 860.
- Zhang, C., Cui, H., Cai, J., Duan, Y., and Liu, Y. (2015). Development of fluorescence sensing material based on CdSe/ZnS quantum dots and molecularly imprinted polymer for the detection of carbaryl in rice and chinese cabbage. *Journal of Agricultural and Food Chemistry*, 63(20), 4966-4972.
- Zheng, Z., Zhou, Y., Li, X., Liu, S., and Tang, Z. (2011). Highly-sensitive organophosphorous pesticide biosensors based on nanostructured films of acetylcholinesterase and CdTe quantum dots. *Biosens Bioelectron*, 26(6), 3081-3085.