

REFERENCES

REFERENCES

- Abd Alsaheb, R. A., Aladdin, A., Othman, N., Malek, R. A., Leng, O., Aziz, R., & El Enshasy, H. (2015). Lactic acid applications in pharmaceutical and cosmeceutical industries. **Journal of Chemical and Pharmaceutical Research**, 2015, 729-735.
- Abdel-Rahman, M. A., Hassan, S. E.-D., Alrefaey, H. M. A., El-Belely, E. F., Elsakhawy, T., Fouda, A., Desouky, S. G., Khattab, S. M. R. (2021). Subsequent improvement of lactic acid production from beet molasses by *Enterococcus hirae* ds10 using different fermentation strategies. **Bioresource Technology Reports**, 13, 100617.
- Abdel-Rahman, M. A., Tashiro, Y., & Sonomoto, K. (2013). Recent advances in lactic acid production by microbial fermentation processes. **Biotechnol Adv**, 31(6), 877-902.
- Alrumman, S. A. (2016). Enzymatic saccharification and fermentation of cellulosic date palm wastes to glucose and lactic acid. **Brazilian Journal of Microbiology**, 47(1), 110-119.
- Ameen, S., & Caruso, G. (2017). **Lactic Acid in the Food Industry**.
- Arantes, V., & Saddler, J. N. (2010). Access to cellulose limits the efficiency of enzymatic hydrolysis: the role of amorphogenesis. **Biotechnology for Biofuels**, 3(1), 4.
- Arib, R. M. N., Sapuan, S., Megat Ahmad, M. M. H., M. Tahir, P., & Zaman, K. (2006). Mechanical properties of pineapple leaf fibre reinforced polypropylene composites. **Materials & Design**, 27, 391-396.
- Asgher, M., Ahmad, Z., & Iqbal, H. M. N. (2013). Alkali and enzymatic delignification of sugarcane bagasse to expose cellulose polymers for saccharification and bio-ethanol production. **Industrial Crops and Products**, 44, 488-495.
- Auras, R., Lim, L.-T., Selke, S., & Tsuji, H. (2010). Poly(Lactic Acid): Synthesis, Structures, Properties, Processing, and Applications. **Wiley**, 1-1.

- Baral, P., Pundir, A., Kumar, V., Kurmi, A. K., & Agrawal, D. (2020). Expeditious production of concentrated glucose-rich hydrolysate from sugarcane bagasse and its fermentation to lactic acid with high productivity. **Food and Bioproducts Processing**, 124, 72-81.
- Behera, S., Arora, R., Nandhagopal, N., & Kumar, S. (2014). Importance of chemical pretreatment for bioconversion of lignocellulosic biomass. **Renewable and Sustainable Energy Reviews**, 36, 91-106.
- Behl, M., Thakar, S., Ghai, H., Sakhuja, D., & Bhatt, A. K. (2023). Chapter 21 - Fundamentals of fermentation technology. **Basic Biotechniques for Bioprocess and Bioentrepreneurship**, 313-328. Academic Press.
- Bernardo, M. P., Coelho, L. F., Sass, D. C., & Contiero, J. (2016). l-(+)-Lactic acid production by *Lactobacillus rhamnosus* B103 from dairy industry waste. **Braz J Microbiol**, 47(3), 640-646.
- Betts, W., Dart, R. K., Ball, A., & Pedlar, S. (1991). Biosynthesis and Structure of Lignocellulose. In (pp. 139-155).
- Borrero-Lopez, A. M., Valencia, C., & Franco, J. M. (2022). Lignocellulosic Materials for the Production of Biofuels, Biochemicals and Biomaterials and Applications of Lignocellulose-Based Polyurethanes: A Review. **Polymers**, 14(5), 881.
- Bustamante, D., Tortajada, M., Ramón, D., & Rojas, A. (2020). Production of D-Lactic Acid by the Fermentation of Orange Peel Waste Hydrolysate by Lactic Acid Bacteria. **Fermentation**, 6(1), 1.
- Byresh, T. S., Malini, B., Kavitha, L., Sunil, C. K., Chidanand, D. V., & Venkatachalapathy, N. (2023). Study of prebiotic effect of pineapple crown powder on development of white finger millet vegan probiotic beverage. **Food and Humanity**, 1, 742-752.
- Chen, H., Chen, B., Su, Z., Wang, K., Wang, B., Wang, Y., Si, Z., Wu, Y., Cai, D., & Qin, P. (2020). Efficient lactic acid production from cassava bagasse by mixed culture of *Bacillus coagulans* and *Lactobacillus rhamnosus* using stepwise pH controlled simultaneous saccharification and co-fermentation. **Industrial Crops**

and Products, 146, 112175.

- Chen, S., Xiaoyu, Z., Deepak, S., Hongbo, Y., & and Yang, X. (2010). Biological pretreatment of lignocellulosics: potential, progress and challenges. **Biofuels**, 1(1), 177-199.
- Chen, X., Li, H., Sun, S., Cao, X., & Sun, R. (2018). Co-production of oligosaccharides and fermentable sugar from wheat straw by hydrothermal pretreatment combined with alkaline ethanol extraction. **Industrial Crops and Products**, 111, 78-85.
- Chen, Y., Knappe, D. R. U., & Barlaz, M. A. (2004). Effect of Cellulose/Hemicellulose and Lignin on the Bioavailability of Toluene Sorbed to Waste Paper. *Environmental Science & Technology*, 38(13), 3731-3736.
- Choi, K. R., Jiao, S., & Lee, S. Y. (2020). Metabolic engineering strategies toward production of biofuels. *Current Opinion in Chemical Biology*, 59, 1-14.
- Choquechua Mamani, D., Otero Nole, K. S., Chaparro Montoya, E. E., Mayta Huiza, D. A., Pastrana Alta, R. Y., & Aguilar Vitorino, H. (2020). Minimizing Organic Waste Generated by Pineapple Crown: A Simple Process to Obtain Cellulose for the Preparation of Recyclable Containers. **Recycling**, 5(4), 24.
- Coelho, L. F., Bolner de Lima, C. J., Bernardo, M. P., Alvarez, G. M., & Contiero, J. (2010). Improvement of L(+)-lactic acid production from cassava wastewater by *Lactobacillus rhamnosus* B 103. **J Sci Food Agric**, 90(11), 1944-1950.
- Congthai, W., Phosriran, C., Chou, S., Onsanoi, K., Gosalawit, C., Cheng, K.-C., & Jantama, K. (2025). Exploiting Mixed Waste Office Paper Containing Lignocellulosic Fibers for Alternatively Producing High-Value Succinic Acid by Metabolically Engineered *Escherichia coli* KJ122. **International Journal of Molecular Sciences**, 26(3), 982.
- Darby, A., Lertpiriyapong, K., Sarkar, U., Seneviratne, U., Park, D. S., Gamazon, E. R., Batchelder, C., Cheung, C., Buckley, E. M., Taylor, N. S., Shen, Z., Tannenbaum, S. R., Wishnok, J. S., & Fox, J. G. (2014). Cytotoxic and Pathogenic Properties of *Klebsiella oxytoca* Isolated from Laboratory Animals. **PLOS ONE**, 9(7), e100542.
- Daud, Z., Hatta, M., Kassi, A., & Mohd Aripin, A. (2014). Analysis of the Chemical

- Compositions and Fiber Morphology of Pineapple (*Ananas comosus*) Leaves in Malaysia. **Journal of Applied Sciences**, 14.
- Davison, B. H., Parks, J., Davis, M. F., & Donohoe, B. S. (2013). Plant Cell Walls: Basics of Structure, Chemistry, Accessibility and the Influence on Conversion. **Aqueous Pretreatment of Plant Biomass for Biological and Chemical Conversion to Fuels and Chemicals**, 23-38.
- Den, W., Sharma, V. K., Lee, M., Nadadur, G., & Varma, R. S. (2018). Lignocellulosic Biomass Transformations via Greener Oxidative Pretreatment Processes: Access to Energy and Value-Added Chemicals. **Frontiers in Chemistry**, 6.
- Dhar, P., Nickhil, C., Pandiselvam, R., & Deka, S. C. (2023). Pineapple waste-based-biorefinery for sustainable generation of value-added products. **Biomass Conversion and Biorefinery**.
- Dusselier, M., Wouwe, P., Dewaele, A., Makshina, E., & Sels, B. (2013). Lactic acid as a platform chemical in the biobased economy: The role of chemocatalysis. **Energy Environ. Sci.**, 6, 1415-1442.
- Feng, X., Jiang, L., Han, X., Liu, X., Zhao, Z., Liu, H., Xian, M., & Zhao, G. (2017). Production of d-lactate from glucose using *Klebsiella pneumoniae* mutants. **Microbial Cell Factories**, 16(1), 209.
- Garcia-Cubero, M. T., González-Benito, G., Indacochea, I., Coca, M., & Bolado, S. (2009). Effect of ozonolysis pretreatment on enzymatic digestibility of wheat and rye straw. **Bioresource technology**, 100(4), 1608-1613.
- Gavila, L., Constantí, M., & Medina, F. (2015). d-Lactic acid production from cellulose: dilute acid treatment of cellulose assisted by microwave followed by microbial fermentation. **Cellulose**, 22(5), 3089-3098.
- Gosalawit, C., Kory, S., Phosriran, C., & Jantama, K. (2024). Techno-economical valorization of sugarcane bagasse for efficiently producing optically pure D(-)-lactate approaching the theoretical maximum yield in low-cost salt medium by metabolically engineered *Klebsiella oxytoca*. **Bioresource technology**, 407, 131145.

- Grewal, J., & Khare, S. K. (2018). One-pot bioprocess for lactic acid production from lignocellulosic agro-wastes by using ionic liquid stable *Lactobacillus brevis*. **Bioresource technology**, 251, 268-273. doi: 10.1016/j.biortech.2017.12.056
- Hama, S., Mizuno, S., Kihara, M., Tanaka, T., Ogino, C., Noda, H., & Kondo, A. (2015). Production of d-lactic acid from hardwood pulp by mechanical milling followed by simultaneous saccharification and fermentation using metabolically engineered *Lactobacillus plantarum*. **Bioresource technology**, 187, 167-172.
- Han, L., Feng, J., Zhang, S., Ma, Z., Wang, Y., & Zhang, X. (2012). Alkali pretreated of wheat straw and its enzymatic hydrolysis. **Braz J Microbiol**, 43(1), 53-61.
- He, N., Chen, M., Qiu, Z., Fang, C., Liden, G., Liu, X., Zhang, Bin., & Bao, J. (2023). Simultaneous and rate-coordinated conversion of lignocellulose derived glucose, xylose, arabinose, mannose, and galactose into D-lactic acid production facilitates D-lactide synthesis. **Bioresource technology**, 377, 128950.
- Hikal, W., Mahmoud, A., Said-Al Ahl, H., Bratovcic, A., Tkachenko, K., Kacaniova, M. and Rodriguez, R. (2021) Pineapple (*Ananas comosus* L. Merr.), Waste Streams, Characterisation and Valorisation: An Overview. **Open Journal of Ecology**, 11, 610-634.
- Himmel, M. E., Adney, W. S., Baker, J. O., Elander, R., McMillan, J. D., Nieves, R. A., Seehan, J. J., Thomas, S. R., Vinzant, T. B., & Zhang, M. (1997). Advanced Bioethanol Production Technologies: A Perspective. **Fuels and Chemicals from Biomass**, 666, 2-45. American Chemical Society.
- Hoyos, P., Hernaiz, M. J., & Alcantara, A. R. (2017). 3.28 - Biocatalyzed Production of Fine Chemicals. **Comprehensive Biotechnology (Third Edition)**, 334-373. Oxford: Pergamon.
- In, S., Khunnonkwao, P., Wong, N., Phosiran, C., Jantama, S. S., & Jantama, K. (2020). Combining metabolic engineering and evolutionary adaptation in *Klebsiella oxytoca* KMS004 to significantly improve optically pure D-(–)-lactic acid yield and specific productivity in low nutrient medium. **Applied Microbiology and**

- Biotechnology**, 104(22), 9565-9579.
- Isikgor, F. H., & Becer, C. R. (2015). Lignocellulosic biomass: a sustainable platform for the production of bio-based chemicals and polymers. **Polymer Chemistry**, 6(25), 4497-4559.
- Jaichakan, P., Nakphaichit, M., Rungchang, S., Weerawatanakorn, M., Phongthai, S., & Klangpetch, W. (2021). Two-stage processing for xylooligosaccharide recovery from rice by-products and evaluation of products: Promotion of lactic acid-producing bacterial growth and food application in a high-pressure process. **Food Research International**, 147, 110529.
- Jain, V. K., Divol, B., Prior, B. A., & Bauer, F. F. (2012). Effect of alternative NAD⁺-regenerating pathways on the formation of primary and secondary aroma compounds in a *Saccharomyces cerevisiae* glycerol-defective mutant. **Appl Microbiol Biotechnol**, 93(1), 131-141.
- Jantama, K., Haupt, M. J., Svoronos, S. A., Zhang, X., Moore, J. C., Shanmugam, K. T., & Ingram, L. O. (2008). Combining metabolic engineering and metabolic evolution to develop nonrecombinant strains of *Escherichia coli* C that produce succinate and malate. **Biotechnol Bioeng**, 99(5), 1140-1153.
- Jantama, K., Polyiam, P., Khunnonkwao, P., Chan, S., Sangproo, M., Khor, K., Jantama, S. S., & Kanchanatawee, S. (2015). Efficient reduction of the formation of by-products and improvement of production yield of 2,3-butanediol by a combined deletion of alcohol dehydrogenase, acetate kinase-phosphotransacetylase, and lactate dehydrogenase genes in metabolically engineered *Klebsiella oxytoca* in mineral salts medium. **Metab Eng**, 30, 16-26.
- Jonsson, L. J., & Martin, C. (2016). Pretreatment of lignocellulose: Formation of inhibitory by-products and strategies for minimizing their effects. **Bioresour technology**, 199, 103-112.
- Kacaribu, A. A., & Darwin. (2024). Biotechnological lactic acid production from low-cost renewable sources via anaerobic microbial processes. **BioTechnologia (Pozn)**, 105(2), 179-194.

- Karnaouri, A., Asimakopoulou, G., Kalogiannis, K. G., Lappas, A., & Topakas, E. (2020). Efficient d-lactic acid production by *Lactobacillus delbrueckii* subsp. bulgaricus through conversion of organosolv pretreated lignocellulosic biomass. **Biomass and Bioenergy**, 140, 105672.
- Khan, M. F. S., Akbar, M., Xu, Z., & Wang, H. (2021). A review on the role of pretreatment technologies in the hydrolysis of lignocellulosic biomass of corn stover. **Biomass and Bioenergy**, 155, 106276.
- Khunnonkwao, P., Phosiran, C., In, S., Kory, S., & Jantama, K. (2023). Valorization of empty oil-palm fruit bunch waste for an efficient improvement of succinic acid production by metabolically engineered *Escherichia coli*. **Biomass Conversion and Biorefinery**.
- Kim, J. H., Block, D. E., & Mills, D. A. (2010). Simultaneous consumption of pentose and hexose sugars: an optimal microbial phenotype for efficient fermentation of lignocellulosic biomass. **Appl Microbiol Biotechnol**, 88(5), 1077-1085.
- Kim, J. S., Lee, Y. Y., & Kim, T. H. (2016). A review on alkaline pretreatment technology for bioconversion of lignocellulosic biomass. **Bioresource technology**, 199, 42-48.
- Kim, T. H., Taylor, F., & Hicks, K. B. (2008). Bioethanol production from barley hull using SAA (soaking in aqueous ammonia) pretreatment. **Bioresource technology**, 99(13), 5694-5702.
- Kinnarinen, T., & Häkkinen, A. (2014). Influence of enzyme loading on enzymatic hydrolysis of cardboard waste and size distribution of the resulting fiber residue. **Bioresource technology**, 159, 136-142.
- Klongklaew, A., Unban, K., Kalaimurugan, D., Kanpiengjai, A., Azaizeh, H., Schroedter, L., Schroedter, R., Venus, J., & Khanongnuch, C. (2023). Bioconversion of Dilute Acid Pretreated Corn Stover to L-Lactic Acid Using Co-Culture of Furfural Tolerant *Enterococcus mundtii* WX1 and *Lactobacillus rhamnosus* SCJ9. **Fermentation**, 9(2), 112.
- Koo, J.-R., Park, H.-M., Kim, S.-K., & Yun, H.-S. (2019). Lactic Acid Fermentation from

- Coffee Ground Waste Hydrolysate by *Lactobacillus rhamnosus*. **Journal of Renewable Materials**, 7(4), 365-372.
- Kumar, P., Barrett, D. M., Delwiche, M. J., & Stroeve, P. (2009). Methods for Pretreatment of Lignocellulosic Biomass for Efficient Hydrolysis and Biofuel Production. **Industrial & Engineering Chemistry Research**, 48(8), 3713-3729.
- Kumar, V., Yadav, S. K., Kumar, J., & Ahluwalia, V. (2020). A critical review on current strategies and trends employed for removal of inhibitors and toxic materials generated during biomass pretreatment. **Bioresource technology**, 299, 122633.
- Li, D., Jing, M., Dai, X., Chen, Z., Ma, C., & Chen, J. (2022). Current status of pineapple breeding, industrial development, and genetics in China. **Euphytica**, 218(6), 85.
- Li, Y., Bhagwat, S. S., Cortes-Peña, Y. R., Ki, D., Rao, C. V., Jin, Y.-S., & Guest, J. S. (2021). Sustainable Lactic Acid Production from Lignocellulosic Biomass. **ACS Sustainable Chemistry & Engineering**, 9(3), 1341-1351.
- Lin, S. K. C., Du, C., Koutinas, A., Wang, R., & Webb, C. (2008). Substrate and product inhibition kinetics in succinic acid production by *Actinobacillus succinogenes*. **Biochemical Engineering Journal**, 41(2), 128-135.
- Linton, S. M. (2020). Review: The structure and function of cellulase (endo- β -1,4-glucanase) and hemicellulase (β -1,3-glucanase and endo- β -1,4-mannase) enzymes in invertebrates that consume materials ranging from microbes, algae to leaf litter. **Comparative Biochemistry and Physiology Part B: Biochemistry and Molecular Biology**, 240, 110354.
- Liu, S., Zhang, M., Hong, D., Fang, Z., Xiao, Y., Fang, W., & Zhang, X. (2023). Improving the cellobiose hydrolysis activity of glucose-stimulating β -glucosidase Bgl2A. **Enzyme and Microbial Technology**, 169, 110289.
- Loow, Y.-L., Wu, T. Y., Md. Jahim, J., Mohammad, A. W., & Teoh, W. H. (2016). Typical conversion of lignocellulosic biomass into reducing sugars using dilute acid hydrolysis and alkaline pretreatment. **Cellulose**, 23(3), 1491-1520.
- Lu, P., & Hsieh, Y.-L. (2012). Preparation and characterization of cellulose nanocrystals from rice straw. **Carbohydrate Polymers**, 87(1), 564-573.

- Martinez, A., Grabar, T. B., Shanmugam, K. T., Yomano, L. P., York, S. W., & Ingram, L. O. (2007). Low salt medium for lactate and ethanol production by recombinant *Escherichia coli* B. **Biotechnol Lett**, 29(3), 397-404.
- Maurya, D. P., Singla, A., & Negi, S. (2015). An overview of key pretreatment processes for biological conversion of lignocellulosic biomass to bioethanol. **3 Biotech**, 5(5), 597-609.
- Meneses, N. G. T., Martins, S., Teixeira, J. A., & Mussatto, S. I. (2013). Influence of extraction solvents on the recovery of antioxidant phenolic compounds from brewer's spent grains. **Separation and Purification Technology**, 108, 152-158.
- Mikulski, D., & Kłosowski, G. (2018). Efficiency of dilute sulfuric acid pretreatment of distillery stillage in the production of cellulosic ethanol. **Bioresource technology**, 268, 424-433.
- Millett, M. A., Baker, A. J., & Satter, L. D. (1976). Physical and chemical pretreatments for enhancing cellulose saccharification. **Biotechnol Bioeng Symp**(6), 125-153.
- Mohamed, H., Hassane, A., Atta, O., & Song, Y. (2021). Deep learning strategies for active secondary metabolites biosynthesis from fungi: Harnessing artificial manipulation and application. **Biocatalysis and Agricultural Biotechnology**, 38, 102195.
- Mohd Ali, M., Hashim, N., Abd Aziz, S., & Lasekan, O. (2020). Pineapple (*Ananas comosus*): A comprehensive review of nutritional values, volatile compounds, health benefits, and potential food products. **Food Res Int**, 137, 109675.
- Mora-Villalobos, J. A., Montero-Zamora, J., Barboza, N., Rojas-Garbanzo, C., Usaga, J., Redondo-Solano, M., Schroedter, L., Olszewska-Widdrat, A., & López-Gómez, J. P. (2020). Multi-Product Lactic Acid Bacteria Fermentations: A Review. **Fermentation**, 6(1), 23.
- Mosier, N., Wyman, C., Dale, B., Elander, R., Lee, Y. Y., Holtzapple, M., & Ladisch, M. (2005). Features of promising technologies for pretreatment of lignocellulosic biomass. **Bioresource technology**, 96(6), 673-686.
- Narayanan, N., Roychoudhury, P., & Srivastava, A. (2004). L(+)-Lactic acid fermentation

- and its product polymerization. **Electronic Journal of Biotechnology** (ISSN: 0717-3458) Vol 7 Num 2, 7.
- Nashiruddin, N. I., Mansor, A. F., Rahman, R. A., Ilias, R. M., & Yussof, H. W. (2020). Process parameter optimization of pretreated pineapple leaves fiber for enhancement of sugar recovery. **Industrial Crops and Products**, 152, 112514.
- Nguyen, T. Y., Cai, C. M., Kumar, R., & Wyman, C. E. (2017). Overcoming factors limiting high-solids fermentation of lignocellulosic biomass to ethanol. **Proceedings of the National Academy of Sciences**, 114(44), 11673-11678.
- Nuraida, L. (2015). A review: Health promoting lactic acid bacteria in traditional Indonesian fermented foods. **Food Science and Human Wellness**, 4(2), 47-55.
- Ojo, A. O., & de Smidt, O. (2023). Lactic Acid: A Comprehensive Review of Production to Purification. **Processes**, 11(3), 688.
- Oliva, J. M., Saez, F., Ballesteros, I., Gonzalez, A., Negro, M. J., Manzanares, P., & Ballesteros, M. (2003). Effect of lignocellulosic degradation compounds from steam explosion pretreatment on ethanol fermentation by thermotolerant yeast *Kluyveromyces marxianus*. **Appl Biochem Biotechnol**, 105 -108, 141-153.
- Oonkhanond, B., Jonglertjunya, W., Srimarut, N., Bunpachart, P., Tantinukul, S., Nasongkla, N., & Sakdaronnarong, C. (2017). Lactic acid production from sugarcane bagasse by an integrated system of lignocellulose fractionation, saccharification and fermentation, and ex-situ nanofiltration. **Journal of Environmental Chemical Engineering**, 5.
- Ouyang, S., Zou, L., Qiao, H., Shi, J., Zheng, Z., & Ouyang, J. (2020). One-pot process for lactic acid production from wheat straw by an adapted *Bacillus coagulans* and identification of genes related to hydrolysate-tolerance. **Bioresour technology**, 315, 123855.
- Pan, X., Xie, D., Gilkes, N., Gregg, D. J., & Saddler, J. N. (2005). Strategies to enhance the enzymatic hydrolysis of pretreated softwood with high residual lignin content. **Appl Biochem Biotechnol**, 121-124, 1069-1079.

- Panagiota, F.-P., Efterpi, C., & Eleftherios, B. (2013). Lactic Acid Bacteria as Source of Functional Ingredients. In K. Marcelino (Ed.), **Lactic Acid Bacteria** (pp. Ch. 25). Rijeka: IntechOpen.
- Patel, A. K., Singhania, R. R., Sim, S. J., & Pandey, A. (2019). Thermostable cellulases: Current status and perspectives. **Bioresource technology**, 279, 385-392.
- Patel, R., Dhar, P., Babaei-Ghazvini, A., Nikkhah Dafchahi, M., & Acharya, B. (2023). Transforming lignin into renewable fuels, chemicals, and materials: A review. **Bioresource Technology Reports**, 22, 101463.
- Phosriran, C., Wong, N., & Jantama, K. (2024). An efficient production of bio-succinate in a novel metabolically engineered *Klebsiella oxytoca* by rational metabolic engineering and evolutionary adaptation. **Bioresource technology**, 393, 130045.
- Prado, K. S., & Spinace, M. A. S. (2019). Isolation and characterization of cellulose nanocrystals from pineapple crown waste and their potential uses. **International Journal of Biological Macromolecules**, 122, 410-416.
- Pratt, P. L., Bryce, J. H., & Stewart, G. G. (2003). The Effects of Osmotic Pressure and Ethanol on Yeast Viability and Morphology. **Journal of the Institute of Brewing**, 109(3), 218-228.
- Rajpurohit, H., & Eiteman, M. A. (2022). Nutrient-Limited Operational Strategies for the Microbial Production of Biochemicals. **Microorganisms**, 10(11), 2226.
- Rapado, P., Faba, L., & Ordóñez, S. (2021). Influence of delignification and reaction conditions in the aqueous phase transformation of lignocellulosic biomass to platform molecules. **Bioresource technology**, 321, 124500.
- Rawoof, S. A. A., Kumar, P. S., Vo, D.-V. N., Devaraj, K., Mani, Y., Devaraj, T., & Subramanian, S. (2021). Production of optically pure lactic acid by microbial fermentation: a review. **Environmental Chemistry Letters**, 19(1), 539-556.
- Razali, N., & Abdullah, A. Z. (2017). Production of lactic acid from glycerol via chemical conversion using solid catalyst: A review. **Applied Catalysis A: General**, 543, 234-246.

- Reddy, K. O., Maheswari, C. U., Dhlamini, M. S., Mothudi, B. M., Kommula, V. P., Zhang, J., Zhang, J., & Rajulu, A. V. (2018). Extraction and characterization of cellulose single fibers from native african napier grass. **Carbohydrate Polymers**, 188, 85-91.
- Roda, A., & Lambri, M. (2019). Food uses of pineapple waste and by-products: a review. **International Journal of Food Science & Technology**, 54(4), 1009-1017.
- Rodrigues, C., Vandenberghe, L. P. S., Woiciechowski, A. L., de Oliveira, J., Letti, L. A. J., & Soccol, C. R. (2017). 24 - Production and Application of Lactic Acid. **Current Developments in Biotechnology and Bioengineering**, 543-556: Elsevier.
- Rojas, M. J., Siqueira, P. F., Miranda, L. C., Tardioli, P. W., & Giordano, R. L. C. (2014). Sequential proteolysis and cellulolytic hydrolysis of soybean hulls for oligopeptides and ethanol production. **Industrial Crops and Products**, 61, 202-210.
- Saha, B. C., Iten, L. B., Cotta, M. A., & Wu, Y. V. (2005). Dilute acid pretreatment, enzymatic saccharification, and fermentation of rice hulls to ethanol. **Biotechnol Prog**, 21(3), 816-822.
- Saini, R., Chen, C.-W., Patel, A. K., Saini, J. K., Dong, C.-D., & Singhanian, R. R. (2022). Valorization of Pineapple Leaves Waste for the Production of Bioethanol. **Bioengineering**, 9(10), 557.
- Sanchez, C. (2009). Lignocellulosic residues: Biodegradation and bioconversion by fungi. **Biotechnology Advances**, 27(2), 185-194.
- Sangproo, M., Polyiam, P., Jantama, S. S., Kanchanatawee, S., & Jantama, K. (2012). Metabolic engineering of *Klebsiella oxytoca* M5a1 to produce optically pure d-lactate in mineral salts medium. **Bioresource technology**, 119, 191-198.
- Sawisit, A., Jampatesh, S., Jantama, S. S., & Jantama, K. (2018). Optimization of sodium hydroxide pretreatment and enzyme loading for efficient hydrolysis of rice straw to improve succinate production by metabolically engineered *Escherichia coli* KJ122 under simultaneous saccharification and fermentation. **Bioresource technology**, 260, 348-356.

- Sen, S., & Roychoudhury, P. K. (2013). Development of optimal medium for production of commercially important monoclonal antibody 520C9 by hybridoma cell. **Cytotechnology**, 65(2), 233-252.
- Sethupathi, M., Khumalo, M. V., Skosana, S. J., & Muniyasamy, S. (2024). Recent developments of pineapple leaf fiber (PALF) utilization in the polymer composites—A Review. **Separations**, 11(8), 245.
- Shi, J., Chinn, M. S., & Sharma-Shivappa, R. R. (2008). Microbial pretreatment of cotton stalks by solid state cultivation of *Phanerochaete chrysosporium*. **Bioresource technology**, 99(14), 6556-6564.
- Shukla, A., Kumar, D., Girdhar, M., Kumar, A., Goyal, A., Malik, T., & Mohan, A. (2023). Strategies of pretreatment of feedstocks for optimized bioethanol production: distinct and integrated approaches. **Biotechnology for Biofuels and Bioproducts**, 16(1), 44.
- Singh, S., Madlala, A. M., & Prior, B. A. (2003). *Thermomyces lanuginosus*: properties of strains and their hemicellulases. **FEMS Microbiology Reviews**, 27(1), 3-16.
- Sluiter, A. (2012). Determination of structural carbohydrates and lignin in biomass: laboratory analytical procedure (LAP): Issue Date, April 2008, Revision Date: August 2012 (Version 08-03-2012): **National Renewable Energy Laboratory**.
- Sorensen, H. M., Rochfort, K. D., Maye, S., MacLeod, G., Brabazon, D., Loscher, C., & Freeland, B. (2022). Exopolysaccharides of Lactic Acid Bacteria: Production, Purification and Health Benefits towards Functional Food. **Nutrients**, 14(14), 2938.
- Sorensen, H. M., Rochfort, K. D., Maye, S., MacLeod, G., Loscher, C., Brabazon, D., & Freeland, B. (2023). Bioactive Ingredients from Dairy-Based Lactic Acid Bacterial Fermentations for Functional Food Production and Their Health Effects. **Nutrients**, 15(22), 4754.
- Srivastava, N., Srivastava, M., Mishra, P. K., Gupta, V. K., Molina, G., Rodriguez-Couto, S., Manikanta, A., & Ramteke, P. W. (2018). Applications of fungal cellulases in biofuel production: Advances and limitations. **Renewable and Sustainable**

Energy Reviews, 82, 2379-2386.

- Sun, D., Lv, Z.-W., Rao, J., Tian, R., Sun, S.-N., & Peng, F. (2022). Effects of hydrothermal pretreatment on the dissolution and structural evolution of hemicelluloses and lignin: A review. **Carbohydrate Polymers**, 281, 119050.
- Sun, F., & Chen, H. (2008). Organosolv pretreatment by crude glycerol from oleochemicals industry for enzymatic hydrolysis of wheat straw. **Bioresource technology**, 99(13), 5474-5479.
- Sun, R., Kang, J., Wang, X., Xiu, B., Ping, W., & Ge, J. (2022). Enhancement of 2,3-Butanediol Production by *Klebsiella pneumoniae*: Emphasis on the Mediation of sRNA-SgrS on the Carbohydrate Utilization. **Fermentation**, 8(8), 359.
- Sun, Y., & Cheng, J. (2002). Hydrolysis of lignocellulosic materials for ethanol production: a review. **Bioresource technology**, 83(1), 1-11.
- Tang, Y., Wang, X., Li, Y., Lei, M., Du, Y., Kennedy, J. F., & Knill, C. J. (2010). Production and characterisation of novel injectable chitosan/methylcellulose/salt blend hydrogels with potential application as tissue engineering scaffolds. **Carbohydrate Polymers**, 82(3), 833-841.
- Thapa, L. P., Lee, S. J., Park, C., & Kim, S. W. (2017). Production of L-lactic acid from metabolically engineered strain of *Enterobacter aerogenes* ATCC 29007. **Enzyme and Microbial Technology**, 102, 1-8.
- Thongchul, N., Navankasattusas, S., & Yang, S. T. (2010). Production of lactic acid and ethanol by *Rhizopus oryzae* integrated with cassava pulp hydrolysis. **Bioprocess Biosyst Eng**, 33(3), 407-416.
- Ufodike, C. O., Eze, V. O., Ahmed, M. F., Oluwalowo, A., Park, J. G., Okoli, O. I., & Wang, H. (2020). Evaluation of the inter-particle interference of cellulose and lignin in lignocellulosic materials. **International Journal of Biological Macromolecules**, 147, 762-767.
- Unrean, P., & Khajeeram, S. (2016). Optimization and techno-economic assessment of high-solid fed-batch saccharification and ethanol fermentation by *Scheffersomyces stipitis* and *Saccharomyces cerevisiae* consortium.

Renewable Energy, 99, 1062-1072.

- Utrilla, J., Gosset, G., & Martinez, A. (2009). ATP limitation in a pyruvate formate lyase mutant of *Escherichia coli* MG1655 increases glycolytic flux to d-lactate. **Journal of Industrial Microbiology & Biotechnology**, 36, 1057-1062.
- Utrilla, J., Vargas-Tah, A., Trujillo-Martinez, B., Gosset, G., & Martinez, A. (2016). Production of d-lactate from sugarcane bagasse and corn stover hydrolysates using metabolic engineered *Escherichia coli* strains. **Bioresource technology**, 220, 208-214.
- Vasic, K., Knez, Z., & Leitgeb, M. (2021). Bioethanol Production by Enzymatic Hydrolysis from Different Lignocellulosic Sources. **Molecules**, 26(3).
- Vishnu Prasad, J., Sahoo, T. K., Naveen, S., & Jayaraman, G. (2020). Evolutionary engineering of *Lactobacillus bulgaricus* reduces enzyme usage and enhances conversion of lignocellulosics to D-lactic acid by simultaneous saccharification and fermentation. **Biotechnology for Biofuels**, 13(1), 171.
- Wan, C., & Li, Y. (2010). Microbial pretreatment of corn stover with *Ceriporiopsis subvermispota* for enzymatic hydrolysis and ethanol production. **Bioresource technology**, 101(16), 6398-6403.
- Wang, L., Fan, D., Chen, W., & Terentjev, E. M. (2015). Bacterial growth, detachment and cell size control on polyethylene terephthalate surfaces. **Scientific Reports**, 5(1), 15159.
- Wee, Y.-J., Kim, J.-N., & Ryu, H.-W. (2006). Biotechnological production of lactic acid and its recent applications Food Technol. **Food Technology and Biotechnology**, 44.
- Wei, N., Quarterman, J., Kim, S. R., Cate, J. H. D., & Jin, Y.-S. (2013). Enhanced biofuel production through coupled acetic acid and xylose consumption by engineered yeast. **Nature Communications**, 4(1), 2580.
- Wu, W., Li, P., Huang, L., Wei, Y., Li, J., Zhang, L., & Jin, Y. (2023). The Role of Lignin Structure on Cellulase Adsorption and Enzymatic Hydrolysis. **Biomass**, 3(1), 96-107.

- Wu, Y., Gao, X., Wu, J., Zhou, T., Nguyen, T. T., & Wang, Y. (2023). Biodegradable Polylactic Acid and Its Composites: Characteristics, Processing, and Sustainable Applications in Sports. **Polymers**, 15(14), 3096.
- Yaashikaa, P. R., Senthil Kumar, P., & Varjani, S. (2022). Valorization of agro-industrial wastes for biorefinery process and circular bioeconomy: A critical review. **Bioresource technology**, 343, 126126.
- Yang, Y., Jalalah, M., Alsareii, S., Harraz, F., Thakur, N., Zheng, Y., Alalawy, A. I., Koutb, M., & Salama, E.-S. (2024). Potential of oleaginous microbes for lipid accumulation and renewable energy generation. **World Journal of Microbiology and Biotechnology**, 40, 337.
- Yankov, D. (2022). Fermentative Lactic Acid Production From Lignocellulosic Feedstocks: From Source to Purified Product. **Frontiers in Chemistry**, 10.
- Yuan, Y., Jiang, B., Chen, H., Wu, W., Wu, S., Jin, Y., & Xiao, H. (2021). Recent advances in understanding the effects of lignin structural characteristics on enzymatic hydrolysis. **Biotechnology for Biofuels**, 14(1), 205.
- Zhang, L., Li, X., Yong, Q., Yang, S. T., Ouyang, J., & Yu, S. (2016). Impacts of lignocellulose-derived inhibitors on L-lactic acid fermentation by *Rhizopus oryzae*. **Bioresource technology**, 203, 173-180.
- Zhang, X., Jantama, K., Shanmugam, K. T., & Ingram, L. O. (2009). Reengineering *Escherichia coli* for Succinate Production in Mineral Salts Medium. **Appl Environ Microbiol**, 75(24), 7807-7813.
- Zhang, Y., & Vadlani, P. V. (2013). D-Lactic acid biosynthesis from biomass-derived sugars via *Lactobacillus delbrueckii* fermentation. **Bioprocess Biosyst Eng**, 36(12), 1897-1904.
- Zhang, Y., Vadlani, P. V., Kumar, A., Hardwidge, P. R., Govind, R., Tanaka, T., & Kondo, A. (2016). Enhanced D-lactic acid production from renewable resources using engineered *Lactobacillus plantarum*. **Appl Microbiol Biotechnol**, 100(1), 279-288.
- Zhao, B., Wang, L., Li, F., Hua, D., Ma, C., Ma, Y., & Xu, P. (2010). Kinetics of D-lactic acid

production by *Sporolactobacillus* sp. strain CASD using repeated batch fermentation. **Bioresource technology**, 101(16), 6499-6505.

Zhou, Y., Domínguez, J. M., Cao, N., Du, J., & Tsao, G. T. (1999). Optimization of L-lactic acid production from glucose by *Rhizopus oryzae* ATCC 52311. **Appl Biochem Biotechnol**, 77-79, 401-407.

Zhu, W., Sun, H., Zhang, Y., Wang, N., Li, Y., Liu, S., Gao, M., Wang, Y., & Wang, Q. (2023). Improving lactic acid yield of hemicellulose from garden garbage through pretreatment of a high solid loading coupled with semi-hydrolysis using low enzyme loading. **Bioresource technology**, 384, 129330.