

REFERENCES

- Abdel-Wahab, A., Aziz, R. L. A., Helmy, N. A., & Ibrahim, S. S. (2018). The impact of using newborn bovine serum as a fetal calf serum substitute in the in vitro bovine embryo production system. *Porto Biomedical Journal*, *3*(2), e3.
- Abe, T., Kawahara-Miki, R., Hara, T., Noguchi, T., Hayashi, T., Shirasuna, K., Kuwayama, T., & Iwata, H. (2017). Modification of mitochondrial function, cytoplasmic lipid content and cryosensitivity of bovine embryos by resveratrol. *Journal of Reproduction and Development*, *63*(5), 455–461.
- Adamkova, K., Yi, Y. J., Petr, J., Zalmanova, T., Hoskova, K., Jelinkova, P., Moravec, J., Kralickova, M., Sutovsky, M., Sutovsky, P., & Nevoral, J. (2017). SIRT1-dependent modulation of methylation and acetylation of histone H3 on lysine 9 (H3K9) in the zygotic pronuclei improves porcine embryo development. *Journal of Animal Science and Biotechnology*, *8*, 1-12.
- Agarwal, A., Gupta, S., & Sharma, R. K. (2005). Role of oxidative stress in female reproduction. *Reproductive biology and endocrinology*, *3*, 1-21.
- Ali, A. A., Bilodeau, J. F., & Sirard, M. A. (2003). Antioxidant requirements for bovine oocytes varies during in vitro maturation, fertilization and development. *Theriogenology*, *59*(3-4), 939-949.
- Ali, A., & Sirard, M. A. (2002). Effect of the absence or presence of various protein supplements on further development of bovine oocytes during in vitro maturation. *Biology of reproduction*, *66*(4), 901-905.
- Almeida, L., Vaz-da-Silva, M., Falcão, A., Soares, E., Costa, R., Loureiro, A. I., Fernandes-Lopes, C., Rocha, J., Nunes, T., & Wright, L. (2009). Pharmacokinetic and safety

profile of trans-resveratrol in a rising multiple-dose study in healthy volunteers. *Molecular Nutrition & Food Research*, 53(S1), S7–S15.

Amin, A., Gad, A., Salilew-Wondim, D., Prastowo, S., Held, E., Hoelker, M., Rings, F., Tholen, E., Neuhoff, C., & Looft, C. (2014). Bovine embryo survival under oxidative-stress conditions is associated with activity of the NRF2-mediated oxidative-stress-response pathway. *Molecular Reproduction and Development*, 81(6), 497–513.

Arav, A., Zeron, Y., Leslie, S. B., Behboodi, E., Anderson, G. B., & Crowe, J. H. (1996). Phase transition temperature and chilling sensitivity of bovine oocytes. *Cryobiology*, 33(6), 589-599.

Argyle, C. E., Harper, J. C., & Davies, M. C. (2016). Oocyte cryopreservation: Where are we now?. *Human Reproduction Update*, 22(4), 440-449.

Arredondo, A. J. G., Ávila, D. E. Z., Velásquez, U. C., Degollado, G. M., Sánchez, J. F. D. L. T., Reynozo, S. P., & Vega, J. R. C. (2021). Effects of supplementation with heat shock cognate 17 KDA protein (HSC70) on in vitro bovine embryo viability.

Baur, J. A., & Sinclair, D. A. (2006). Therapeutic potential of resveratrol: the in vivo evidence. *Nature reviews Drug discovery*, 5(6), 493-506.

Berg, D. K., Smith, C. S., Pearton, D. J., Wells, D. N., Broadhurst, R., Donnison, M., & Pfeffer, P. L. (2011). Trophectoderm lineage determination in cattle. *Developmental cell*, 20(2), 244-255.

Biggers, J. D., Summers, M. C., & McGinnis, L. K. (1997). Polyvinyl alcohol and amino acids as substitutes for bovine serum albumin in culture media for mouse preimplantation embryos. *Human reproduction update*, 3(2), 125-135.

Brackett, B. G., Bousquet, D., Boice, M. L., Donawick, W. J., Evans, J. F., & Dressel, M. A. (1982). Normal development following in vitro fertilization in the cow. *Biology of reproduction*, 27(1), 147-158.

- Brison, D. R., & Schultz, R. M. (1997). Apoptosis during mouse blastocyst formation: evidence for a role for survival factors including transforming growth factor α . *Biology of reproduction*, *56*(5), 1088-1096.
- Bó, G. A., & Mapletoft, R. J. (2018). Evaluation and classification of bovine embryos. *Animal Reproduction (AR)*, *10*(3), 344-348.
- Burns, J., Yokota, T., Ashihara, H., Lean, M. E., & Crozier, A. (2002). Plant foods and herbal sources of resveratrol. *Journal of agricultural and food chemistry*, *50*(11), 3337-3340.
- Chinen, S., Yamanaka, T., Hirabayashi, M., & Hochi, S. (2020). Rescue of vitrified-warmed bovine mature oocytes by short-term recovery culture with resveratrol. *Cryobiology*, *97*, 185-190.
- Combelles, C. M. H., Gupta, S., & Agarwal, A. (2009). Could oxidative stress influence the in-vitro maturation of oocytes?. *Reproductive BioMedicine Online*, *18*(6), 864-880.
- Das, S., & Das, D. K. (2007). Anti-inflammatory responses of resveratrol. *Inflammation & Allergy-Drug Targets (Formerly Current Drug Targets-Inflammation & Allergy)(Discontinued)*, *6*(3), 168-173.
- Dinnyés, A., Dai, Y., Jiang, S., & Yang, X. (2000). High developmental rates of vitrified bovine oocytes following parthenogenetic activation, in vitro fertilization, and somatic cell nuclear transfer. *Biology of reproduction*, *63*(2), 513-518.
- Dochi, O., Yamamoto, Y., Saga, H., Yoshiba, N., Kano, N., Maeda, J., Miyata, K., Yamauchi, A., Tominaga, K., & Oda, Y. (1998). Direct transfer of bovine embryos frozen-thawed in the presence of propylene glycol or ethylene glycol under on-farm conditions in an integrated embryo transfer program. *Theriogenology*, *49*(5), 1051-1058.
- Dumollard, R., Duchen, M., & Carroll, J. (2007). The role of mitochondrial function in the oocyte and embryo. *Current topics in developmental biology*, *77*, 21-49.

- de la Lastra, C. A., & Villegas, I. (2007). Resveratrol as an antioxidant and pro-oxidant agent: Mechanisms and clinical implications. *Biochemical Society Transactions*, *35*(5), 1156-1160.
- dos Santos Silva, R. L., de Sousa Barberino, R., & de Matos, M. H. T. (2023). Impact of antioxidant supplementation during in vitro culture of ovarian preantral follicles: A review. *Theriogenology*, *207*, 110-122.
- Eyestone, W. H., & First, N. L. (1989). Co-culture of early cattle embryos to the blastocyst stage with oviducal tissue or in conditioned medium. *Reproduction*, *85*(2), 715-720.
- Farin, P. W., Crosier, A. E., & Farin, C. E. (2001). Influence of in vitro systems on embryo survival and fetal development in cattle. *Theriogenology*, *55*(1), 151-170.
- Feuchard, V. L. D. S., Oliveira, C. S., Saraiva, N. Z., Quintão, C. C. R., & Oliveira, L. Z. (2025). Reactive oxygen species attenuation improves the quality of vitrified-warmed bovine embryos. *Animal Reproduction*, *22*(1), e20240035.
- Gambini, J., Inglés, M., Olaso, G., Lopez-Grueso, R., Bonet-Costa, V., Gimeno-Mallench, L., Mas-Bargues, C., Abdelaziz, K., Gomez-Cabrera, M., & Vina, J. (2015). Properties of resveratrol: In vitro and in vivo studies about metabolism, bioavailability, and biological effects in animal models and humans. *Oxidative medicine and cellular longevity*, *2015*(1), 837042.
- Gardner, D. K., & Lane, M. (1993). Amino acids and ammonium regulate mouse embryo development in culture. *Biology of reproduction*, *48*(2), 377-385.
- Gaviria, S. M., Herrera, A. L., Betancur, G. R., Urrego, R., & Zuluaga, J. J. E. (2019). Supplementation with resveratrol during culture improves the quality of in vitro produced bovine embryos. *Livestock Science*, *221*, 139-143.
- Gaviria, S. M., Herrera, A. L., Urrego, R., Betancur, G. R., & Zuluaga, J. J. E. (2019). Effect of resveratrol on vitrified in vitro produced bovine embryos: Recovering the initial quality. *Cryobiology*, *89*, 42-50.

- Giroto, A. B., Fontes, P. K., Franchi, F. F., dos Santos, P. H., Razza, E. M., Nogueira, M. F. G., Maioli, M. A., Nogueira, G. P., Nunes, G. B., Mingoti, G. Z., Mareco, E. A., & Castilho, A. C. S. (2019). Use of pregnancy-associated plasma protein-A during oocyte in vitro maturation increases IGF-1 and affects the transcriptional profile of cumulus cells and embryos from Nelore cows. *Molecular Reproduction and Development*, *86*(11), 1694-1704.
- Givens, S. D., & Stringfellow, D. (2010). Manual of the International Embryo Transfer Society (IETS). *Champaign, IL*.
- Goto, Y., Noda, Y., Mori, T., & Nakano, M. (1993). Increased generation of reactive oxygen species in embryos cultured in vitro. *Free Radical Biology and Medicine*, *15*(1), 69-75.
- Goud, A. P., Goud, P. T., Diamond, M. P., Gonik, B., & Abu-Soud, H. M. (2008). Reactive oxygen species and oocyte aging: role of superoxide, hydrogen peroxide, and hypochlorous acid. *Free Radical Biology and Medicine*, *44*(7), 1295-1304.
- Guerin, P., El Moutassim, S., & Menezo, Y. (2001). Oxidative stress and protection against reactive oxygen species in the pre-implantation embryo and its surroundings. *Human Reproduction Update*, *7*(2), 175-189.
- Gupta, S., Choi, A., Hope, Y. Y., Czerniak, S. M., Holick, E. A., Paoletta, L. J., Agarwal, A., & Combelles, C. M. (2011). Fluctuations in total antioxidant capacity, catalase activity and hydrogen peroxide levels of follicular fluid during bovine folliculogenesis. *Reproduction, Fertility and Development*, *23*(5), 673-680.
- Gutiérrez-adán, A., Rizos, D., Fair, T., Moreira, P. N., Pintado, B., Fuente, J. de la, Boland, M., & Lonergan, P. (2004). Effect of speed of development on mRNA expression pattern in early bovine embryos cultured in vivo or in vitro. *Molecular Reproduction and Development: Incorporating Gamete Research*, *68*(4), 441-448.

- Gómez, E., Caamaño, J. N., Bermejo-Álvarez, P., Díez, C., Muñoz, M., Martín, D., Carrocera, S., & Gutiérrez-Adán, A. (2009). Gene expression in early expanded parthenogenetic and in vitro fertilized bovine blastocysts. *Journal of Reproduction and Development*, *55*(6), 607–614.
- Hara, T., Kin, A., Aoki, S., Nakamura, S., Shirasuna, K., Kuwayama, T., & Iwata, H. (2018). Resveratrol enhances the clearance of mitochondrial damage by vitrification and improves the development of vitrified-warmed bovine embryos. *PLoS one*, *13*(10), e0204571.
- Hayashi, T., Ueda, S., Mori, M., Baba, T., Abe, T., & Iwata, H. (2018). Influence of resveratrol pretreatment on thawed bovine embryo quality and mitochondrial DNA copy number. *Theriogenology*, *106*, 271-278.
- Huang, L. H., Shiao, N. H., Hsuuw, Y. D., & Chan, W. H. (2007). Protective effects of resveratrol on ethanol-induced apoptosis in embryonic stem cells and disruption of embryonic development in mouse blastocysts. *Toxicology*, *242*(1-3), 109-122.
- Itami, N., Shirasuna, K., Kuwayama, T., & Iwata, H. (2015). Resveratrol improves the quality of pig oocytes derived from early antral follicles through sirtuin 1 activation. *Theriogenology*, *83*(8), 1360–1367.
- Kaidi, S., Donnay, I., Van Langendonck, A., Dessy, F., & Massip, A. (1998). Comparison of two co-culture systems to assess the survival of in vitro produced bovine blastocysts after vitrification. *Animal Reproduction Science*, *52*(1), 39–50.
- Keane, J. A., & Ealy, A. D. (2024). An overview of reactive oxygen species damage occurring during in vitro bovine oocyte and embryo development and the efficacy of antioxidant use to limit these adverse effects. *Animals*, *14*(2), 330.
- Kim, D. H., Yi, J. K., Ha, J. J., Oh, D. Y., Kim, D. Y., & Lee, Y. S. (2020). Change in plasma sirtuin 1 level by injection into uterus of resveratrol in Korean cattle. *Animal Reproduction*, *17*(1), e20190090.

- Kues, W., Sudheer, S., Herrmann, D., Carnwath, J., Havlicek, V., Besenfelder, U., Lehrach, H., Adjaye, J., & Niemann, H. (2008). Genome-wide expression profiling reveals distinct clusters of transcriptional regulation during bovine preimplantation development in vivo. *Proceedings of the National Academy of Sciences*, *105*(50), 19768–19773.
- Kuwayama, M. (2007). Highly efficient vitrification for cryopreservation of human oocytes and embryos: the Cryotop method. *Theriogenology*, *67*(1), 73-80.
- Lane, M., & Gardner, D. K. (2000). Lactate Regulates Pyruvate Uptake and Metabolism in the Preimplantation Mouse Embryo. *Biology of reproduction*, *62*(1), 16-22.
- Lee, K., Wang, C., Chaille, J. M., & Machaty, Z. (2010). Effect of resveratrol on the development of porcine embryos produced in vitro. *Journal of Reproduction and Development*, *56*(3), 330-335.
- Leese, H. J. (2002). Quiet please, do not disturb: a hypothesis of embryo metabolism and viability. *Bioessays*, *24*(9), 845-849.
- Leibo, S. P. (2008). Cryopreservation of oocytes and embryos: optimization by theoretical versus empirical analysis. *Theriogenology*, *69*(1), 37-47.
- Leibo, S. P., & Mazur, P. (1971). The role of cooling rates in low-temperature preservation. *Cryobiology*, *8*(5), 447-452.
- Li, J., Liu, L., Weng, J., Yin, T. L., Yang, J., & Feng, H. L. (2021). Biological roles of L-carnitine in oocyte and early embryo development. *Molecular Reproduction and Development*, *88*(10), 673-685.
- Li, Y., Xie, S., & Zheng, X. (2016). Efficient estimation of integrated volatility incorporating trading information. *Journal of Econometrics*, *195*(1), 33-50.
- Lindner, G. M., & Wright Jr, R. W. (1983). Bovine embryo morphology and evaluation. *Theriogenology*, *20*(4), 407-416.

- Lonergan, P., & Fair, T. (2008). In vitro-produced bovine embryos—dealing with the warts. *Theriogenology*, *69*(1), 17-22.
- Lonergan, P., Carolan, C., & Mermillod, P. (1994). Development of bovine embryos in vitro following oocyte maturation under defined conditions. *Reproduction Nutrition Development*, *34*(4), 329-339.
- Lonergan, P., Monaghan, P., Rizos, D., Boland, M. P., & Gordon, I. (1994). Effect of follicle size on bovine oocyte quality and developmental competence following maturation, fertilization, and culture in vitro. *Molecular reproduction and development*, *37*(1), 48-53.
- Lonergan, P., Rizos, D., Gutiérrez-Adán, A., Moreira, P. M., Pintado, B., De la Fuente, J., & Boland, M. P. (2003). Temporal divergence in the pattern of messenger RNA expression in bovine embryos cultured from the zygote to blastocyst stage in vitro or in vivo. *Biology of reproduction*, *69*(4), 1424-1431.
- Lonergan, P., Rizos, D., Kanka, J., Nemcova, L., Mbaye, A., Kingston, M., Wade, M., Duffy, P., & Boland, M. (2003). Temporal sensitivity of bovine embryos to culture environment after fertilization and the implications for blastocyst quality. *REPRODUCTION-CAMBRIDGE-*, *126*(3), 337-346.
- Lorenzo, P. L., Illera, M. J., Illera, J. C., & Illera, M. (1995). Role of EGF, IGF-I, sera and cumulus cells on maturation in vitro of bovine oocytes. *Theriogenology*, *44*(1), 109-118.
- Lu, K. H., Gordon, I., Gallagher, M., & McGovern, H. (1987). Pregnancy established in cattle by transfer of embryos fertilised in vitro. *Veterinary Record*, *121*, 591-592.
- Marques, A., Antunes, G., Santos, P., Chaveiro, A., & Moreira da Silva, F. (2007). Effect of α -tocopherol on in vitro culture of bovine embryos. *Canadian Journal of Animal Science*, *87*(4), 539-542.

- Massip, A., Mermillod, P., & Dinnyes, A. (1995). Morphology and biochemistry of in vitro produced bovine embryos: implications for their cryopreservation. *Human Reproduction*, *10*(11), 3004-3011.
- Mehlmann, L. M. (2005). Stops and starts in mammalian oocytes: recent advances in understanding the regulation of meiotic arrest and oocyte maturation. *Reproduction*, *130*(6), 791-799.
- Mesalam, A., Lee, K.-L., Khan, I., Chowdhury, M., Zhang, S., Song, S.-H., Joo, M.-D., Lee, J.-H., Jin, J.-I., & Kong, I.-K. (2019). A combination of bovine serum albumin with insulin–transferrin–sodium selenite and/or epidermal growth factor as alternatives to fetal bovine serum in culture medium improves bovine embryo quality and trophoblast invasion by induction of matrix metalloproteinases. *Reproduction, Fertility and Development*, *31*(2), 333–346
- Morado, S. A., Cetica, P. D., Beconi, M. T., & Dalvit, G. C. (2009). Reactive oxygen species in bovine oocyte maturation in vitro. *Reproduction, Fertility and Development*, *21*(4), 608–614.
- Mori, M., Hayashi, T., Isozaki, Y., Takenouchi, N., & Sakatani, M. (2015). Heat shock decreases the embryonic quality of frozen-thawed bovine blastocysts produced in vitro. *Journal of Reproduction and Development*, *61*(5), 423–429.
- Nabenishi, H., Ohta, H., Nishimoto, T., Morita, T., Ashizawa, K., & Tsuzuki, Y. (2012). The effects of cysteine addition during in vitro maturation on the developmental competence, ROS, GSH and apoptosis level of bovine oocytes exposed to heat stress. *Zygote*, *20*(3), 249-259.
- Palhares, R., Prata, V., Leite, A., Nunes, P., Leo, A., Ladeira, M., Silva, E., & Borges, A. (2022). Dynamics of nuclear and cytoplasm maturation of bovine oocytes cultivated in vitro in medium supplemented with fulerol. *Arquivo Brasileiro de Medicina Veterinária e Zootecnia*, *74*(06), 961–968.

- Parrish, J. J., Susko-Parrish, J. L., Leibfried-Rutledge, M. L., Critser, E. S., Eyestone, W. H., & First, N. L. (1986). Bovine in vitro fertilization with frozen-thawed semen. *Theriogenology*, *25*(4), 591-600.
- Pedro, P. B., Yokoyama, E., Zhu, S. E., Yoshida, N., Valdez, D. M., Tanaka, M., ... & Edashige, K. (2005). Permeability of mouse oocytes and embryos at various developmental stages to five cryoprotectants. *Journal of Reproduction and Development*, *51*(2), 235-246.
- Pezzuto, J. M. (2018). Resveratrol: twenty years of growth, development and controversy. *Biomolecules & therapeutics*, *27*(1), 1.
- Pinyopummintr, T., & Bavister, B. D. (1991). In vitro-matured/in vitro-fertilized bovine oocytes can develop into morulae/blastocysts in chemically defined, protein-free culture media. *Biology of reproduction*, *45*(5), 736-742.
- Pinyopummintr, T., & Bavister, B. D. (1994). Development of bovine embryos in a cell-free culture medium: effects of type of serum, timing of its inclusion and heat inactivation. *Theriogenology*, *41*(6), 1241-1249.
- Piras, A. R., Ariu, F., Falchi, L., Zedda, M. T., Pau, S., Schianchi, E., Paramio, M., & Bogliolo, L. (2020). Resveratrol treatment during maturation enhances developmental competence of oocytes after prolonged ovary storage at 4 C in the domestic cat model. *Theriogenology*, *144*, 152–157.
- Piras, A. R., Menéndez-Blanco, I., Soto-Heras, S., Catalá, M. G., Izquierdo, D., Bogliolo, L., & Paramio, M. T. (2019). Resveratrol supplementation during in vitro maturation improves embryo development of prepubertal goat oocytes selected by brilliant cresyl blue staining. *Journal of Reproduction and Development*, *65*(2), 113-120.
- Polge, C., Smith, A. U., & Parkes, A. S. (1949). Revival of spermatozoa after vitrification and dehydration at low temperatures. *Nature*, *164*(4172), 666-666.

- Puangjit, N. (2019). The effect of resveratrol in culture medium and vitrification solution on developmental competence and gene expression of mouse blastocysts. *MS. Thesis, Suranaree University of Technology, Nakhon Ratchasima, Thailand.*
- Rall, W. F., & Fahy, G. M. (1985). Ice-free cryopreservation of mouse embryos at -196 C by vitrification. *Nature*, *313*(6003), 573-575.
- Reik, W., Dean, W., & Walter, J. (2001). Epigenetic reprogramming in mammalian development. *Science*, *293*(5532), 1089-1093.
- Ren, Z., He, H., Zuo, Z., Xu, Z., Wei, Z., & Deng, J. (2019). The role of different SIRT1-mediated signaling pathways in toxic injury. *Cellular & molecular biology letters*, *24*, 1-10.
- Renaud, S. D., & de Lorgeril, M. (1992). Wine, alcohol, platelets, and the French paradox for coronary heart disease. *The Lancet*, *339*(8808), 1523-1526.
- Rizos, D., Lonergan, P., Boland, M. P., Arroyo-Garcia, R., Pintado, B., Fuente, J. D. L., & Gutiérrez-Adán, A. (2002). Analysis of differential messenger RNA expression between bovine blastocysts produced in different culture systems: implications for blastocyst quality. *Biology of reproduction*, *66*(3), 589-595.
- Rizos, D., Ward, F., Duffy, P. A. T., Boland, M. P., & Lonergan, P. (2002). Consequences of bovine oocyte maturation, fertilization or early embryo development in vitro versus in vivo: implications for blastocyst yield and blastocyst quality. *Molecular reproduction and development*, *61*(2), 234-248.
- Rosenkrans Jr, C. F., Zeng, G. Q., McNamara, G. T., Schoff, P. K., & First, N. L. (1993). Development of bovine embryos in vitro as affected by energy substrates. *Biology of reproduction*, *49*(3), 459-462.
- Saber, Y. H., Ibrahim, S., Mahmoud, K. G. M., Ahmed, W. M., Ragab, R. S., & Seida, A. A. (2024). Expression profile of viability and stress response genes as a result of resveratrol supplementation in vitrified and in vitro produced cattle embryos. *Molecular Biology Reports*, *51*(1), 692.

- Salehi, B., Mishra, A., Nigam, M., Sener, B., Kilic, M., Sharifi-Rad, M., Fokou, P., Martins, N., & Sharifi-Rad, J. (2018). Resveratrol: A double-edged sword in health benefits. *Biomedicines*, *6*(3), 91.
- Salzano, A., Albero, G., Zullo, G., Neglia, G., Abdel-Wahab, A., Bifulco, G., Zicarelli, L., & Gasparrini, B. (2014). Effect of resveratrol supplementation during culture on the quality and cryotolerance of bovine in vitro produced embryos. *Animal Reproduction Science*, *151*(3–4), 91–96.
- Seidel Jr, G. E. (2006). Modifying oocytes and embryos to improve their cryopreservation. *Theriogenology*, *65*(1), 228-235.
- Sheehan, C. B., Lane, M., & Gardner, D. K. (2006). The CryoLoop facilitates re-vitrification of embryos at four successive stages of development without impairing embryo growth. *Human Reproduction*, *21*(11), 2978-2984.
- Silva, A. R. N., Marques, T. C., Santos, E. C. S., Diesel, T. O., Macedo, I. M., Teixeira, R. C., Martins, C. F., Alves, B. G., & Gambarini, M. L. (2021). Resveratrol-supplemented holding or re-culture media improves viability of fresh or vitrified-warmed in vitro-derived bovine embryos. *Research, Society and Development*, *10*(14), e367101422097–e367101422097.
- Sirard, M. A., Florman, H. M., Leibfried-Rutledge, M. L., Barnes, F. L., Sims, M. L., & First, N. L. (1989). Timing of nuclear progression and protein synthesis necessary for meiotic maturation of bovine oocytes. *Biology of reproduction*, *40*(6), 1257-1263.
- Somfai, T., Ozawa, M., Noguchi, J., Kaneko, H., Kuriani Karja, N. W., Farhudin, M., Dinnyés, A., Nagai, T., & Kikuchi, K. (2007). Developmental competence of in vitro-fertilized porcine oocytes after in vitro maturation and solid surface vitrification: Effect of cryopreservation on oocyte antioxidative system and cell cycle stage. *Cryobiology*, *55*(2), 115-126

- Sovernigo, T. C., Adona, P. R., Monzani, P. S., Guemra, S., Barros, F. D. A., Lopes, F. G., & Leal, C. L. V. (2017). Effects of supplementation of medium with different antioxidants during in vitro maturation of bovine oocytes on subsequent embryo production. *Reproduction in Domestic Animals*, *52*(4), 561-569.
- Steeves, T. E., & Gardner, D. K. (1999). Temporal and differential effects of amino acids on bovine embryo development in culture. *Biology of Reproduction*, *61*(3), 731-740.
- Succu, S., Gadau, S. D., Serra, E., Zinellu, A., Carru, C., Porcu, C., Naitana, S., Berlinguer, F., & Leoni, G. G. (2018). A recovery time after warming restores mitochondrial function and improves developmental competence of vitrified ovine oocytes. *Theriogenology*, *110*, 18-26.
- Sudano, M. J., Paschoal, D. M., Rascado, T. S., Magalhães, L. C., Crocomo, L. F., Souza, C. E. A., & Machado, R. (2011). Lipid content and apoptosis of in vitro-produced bovine embryos as determinants of susceptibility to vitrification. *Theriogenology*, *75*(7), 1211-1220.
- Takahashi, M. (2012). Oxidative stress and redox regulation on in vitro development of mammalian embryos. *Journal of Reproduction and Development*, *58*(1), 1-9.
- Takahashi, Y., & First, N. L. (1992). In vitro development of bovine one-cell embryos: influence of glucose, lactate, pyruvate, amino acids and vitamins. *Theriogenology*, *37*(5), 963-978.
- Takeo, S., Sato, D., Kimura, K., Monji, Y., Kuwayama, T., Kawahara-Miki, R., & Iwata, H. (2014). Resveratrol improves the mitochondrial function and fertilization outcome of bovine oocytes. *Journal of Reproduction and Development*, *60*(2), 92-99.
- Tamura, H., Takasaki, A., Taketani, T., Tanabe, M., Kizuka, F., Lee, L., Tamura, I., Maekawa, R., Asada, H., & Yamagata, Y. (2013). Melatonin as a free radical scavenger in the ovarian follicle. *Endocrine Journal*, *60*(1), 1-13.

- Tan, W., Proudfoot, C., Lillico, S. G., & Whitelaw, C. B. A. (2016). Gene targeting, genome editing: from Dolly to editors. *Transgenic research*, 25, 273-287.
- Thompson, J. G., Gardner, D. K., Anne Pugh, P., McMillan, W. H., & Robin Tervit, H. (1995). Lamb birth weight is affected by culture system utilized during in vitro pre-elongation development of ovine embryos. *Biology of reproduction*, 53(6), 1385-1391.
- Vajta, G., & Kuwayama, M. (2006). Improving cryopreservation systems. *Theriogenology*, 65(1), 236-244.
- Vajta, G., Holm, P., Kuwayama, M., Booth, P. J., Jacobsen, H., Greve, T., & Callesen, H. (1998). Open-pulled straw (OPS) vitrification: a new way to reduce cryoinjuries of bovine ova and embryos. *Molecular Reproduction and Development: Incorporating Gamete Research*, 51(1), 53-58.
- Van Blerkom, J. (2004). Mitochondria in human oogenesis and preimplantation embryogenesis: engines of metabolism, ionic regulation and developmental competence. *Reproduction*, 128(3), 269-280.
- Van der Valk, J., Brunner, D., De Smet, K., Svenningsen, Å. F., Honegger, P., Knudsen, L. E., ... & Gstraunthaler, G. (2010). Optimization of chemically defined cell culture media—replacing fetal bovine serum in mammalian in vitro methods. *Toxicology in vitro*, 24(4), 1053-1063.
- Walle, T. (2011). Bioavailability of resveratrol. *Annals of the new York Academy of Sciences*, 1215(1), 9-15.
- Wang, F., Tian, X., Zhang, L., He, C., Ji, P., Li, Y., Tan, D., & Liu, G. (2014). Beneficial effect of resveratrol on bovine oocyte maturation and subsequent embryonic development after in vitro fertilization. *Fertility and Sterility*, 101(2), 577-586.
- Willadsen, S. M., Polge, C., Rowson, L. E. A., & Moor, R. M. (1976). Deep freezing of sheep embryos. *Reproduction*, 46(1), 151-154.

- Wilmut, I., & Rowson, L. E. A. (1973). Experiments on the low-temperature preservation of cow embryos.
- Woods, E. J., Benson, J. D., Agca, Y., & Critser, J. K. (2004). Fundamental cryobiology of reproductive cells and tissues. *Cryobiology*, *48*(2), 146–156.
- Wowk, B. (2010). Thermodynamic aspects of vitrification. *Cryobiology*, *60*(1), 11-22.
- Wrenzycki, C., Herrmann, D., Keskinetepe, L., Martins Jr, A., Sirisathien, S., Brackett, B., & Niemann, H. (2001). Effects of culture system and protein supplementation on mRNA expression in pre-implantation bovine embryos. *Human Reproduction*, *16*(5), 893-901.
- Yodruk, T., Parnpai, R., Hirao, Y., & Somfai, T. (2021). Effect of vitrification at different meiotic stages on epigenetic characteristics of bovine oocytes and subsequently developing embryos. *Animal Science Journal*, *92*(1), e13596.
- Yuan, L., Zhang, Y., Xia, J., Liu, B., Zhang, Q., Liu, J., Luo, L., Peng, Z., Song, Z., & Zhu, R. (2015). Resveratrol induces cell cycle arrest via a p53-independent pathway in A549 cells. *Molecular Medicine Reports*, *11*(4), 2459–2464.
- Zarbakhsh, S. (2021). Effect of antioxidants on preimplantation embryo development in vitro: a review. *Zygote*, *29*(3), 179-193.
- Zhang, L., Denniston, R. S., & Godke, R. A. (1992). A simple method for in vitro maturation, in vitro fertilization, and co-culture of bovine oocytes. *Journal of tissue culture methods*, *14*, 107-112.