

REFERENCES

REFERENCES

- Abdelkareem, M. A., Elsaid, K., Wilberforce, T., Kamil, M., Sayed, E. T., and Olabi, A. (2021). Environmental aspects of fuel cells: A review. *Science of The Total Environment*, 752, 141803.
- Afyon, S., Krumeich, F., Mensing, C., Borgschulte, A., and Nesper, R. (2014). New high capacity cathode materials for rechargeable Li-ion batteries: vanadate-borate glasses. *Scientific reports*, 4(1), 7113.
- Armer, C. F., Lübke, M., Johnson, I., McColl, K., Cora, F., Yeoh, J. S., . . . Lowe, A. (2018). Enhanced electrochemical performance of electrospun V_2O_5 fibres doped with redox-inactive metals. *Journal of Solid State Electrochemistry*, 22, 3703-3716.
- Borisov, S. V., and Podberezskaya, N. (2012). X-ray diffraction analysis: A brief history and achievements of the first century. *Journal of Structural Chemistry*, 53, 1-3.
- Bragg, W., and Thomson, J. (1914). *Mr Bragg, Diffraction of Short Electromagnetic Waves, etc.* 43. Paper presented at the Proceedings of the Cambridge Philosophical Society: Mathematical and physical sciences.
- Cahill, J. T., and Graeve, O. A. (2019). Hexaborides: a review of structure, synthesis and processing. *Journal of Materials Research and Technology*, 8(6), 6321-6335.
- Cheah, Y. L., Aravindan, V., and Madhavi, S. (2013). Synthesis and enhanced lithium storage properties of electrospun V_2O_5 nanofibers in full-cell assembly with a spinel $Li_4Ti_5O_{12}$ anode. *ACS Applied Materials and Interfaces*, 5(8), 3475-3480.
- Choudhary, Y. S., Jothi, L., and Nageswaran, G. (2017). Electrochemical characterization. In *Spectroscopic Methods for Nanomaterials Characterization* (pp. 19-54): Elsevier.
- Christen, T., and Carlen, M. W. (2000). Theory of Ragone plots. *Journal of power sources*, 91(2), 210-216.
- Daengsakul, S., Kidkhunthod, P., Soisang, O., Kuenoon, T., Bootchanont, A., and Maensiri, S. (2015). The effect of Gd doping in $La_{1-x}Gd_xSr_yMnO_3$ compound

- on nanocrystalline structure by X-ray Absorption Spectroscopy (XAS) technique. *Microelectronic Engineering*, 146, 38-42.
- Epp, J. (2016). X-ray diffraction (XRD) techniques for materials characterization. In *Materials characterization using nondestructive evaluation (NDE) methods* (pp. 81-124): Elsevier.
- Fracchia, M., Ghigna, P., Vertova, A., Rondinini, S., and Minguzzi, A. (2018). Time-resolved X-ray absorption spectroscopy in (photo) electrochemistry. *Surfaces*, 1(1), 138-150.
- González, A., Goikolea, E., Barrena, J. A., and Mysyk, R. (2016). Review on supercapacitors: Technologies and materials. *Renewable and Sustainable Energy Reviews*, 58, 1189-1206.
- Hannan, M., Hoque, M. M., Mohamed, A., and Ayob, A. (2017). Review of energy storage systems for electric vehicle applications: Issues and challenges. *Renewable and Sustainable Energy Reviews*, 69, 771-789.
- He, H., Sun, D., Tang, Y., Wang, H., and Shao, M. (2019). Understanding and improving the initial Coulombic efficiency of high-capacity anode materials for practical sodium ion batteries. *Energy Storage Materials*, 23, 233-251.
- Kajihara, K. (2013). Recent advances in sol-gel synthesis of monolithic silica and silica-based glasses. *Journal of Asian Ceramic Societies*, 1(2), 121-133. doi:10.1016/j.jascer.2013.04.002
- Karmakar, B. (2017). *Functional glasses and glass-ceramics: processing, properties and applications*: Butterworth-Heinemann.
- Kayyar, A., Huang, J., Samiee, M., and Luo, J. (2012). Construction and testing of coin cells of lithium ion batteries. *JoVE (Journal of Visualized Experiments)*(66), e4104.
- Khajonrit, J., Montreeuppathum, A., Kidkhunthod, P., Chanlek, N., Poo-arporn, Y., Pinitsoontorn, S., and Maensiri, S. (2018). New transparent materials for applications as supercapacitors: manganese-lithium-borate glasses. *Journal of Alloys and Compounds*, 763, 199-208.

- Kim, T., Choi, W., Shin, H.-C., Choi, J.-Y., Kim, J. M., Park, M.-S., and Yoon, W.-S. (2020). Applications of voltammetry in lithium ion battery research. *Journal of Electrochemical Science and Technology*, 11(1), 14-25.
- Kitaigorodsky, A. (2012). *Molecular crystals and molecules* (Vol. 29): Elsevier.
- Kubota, K., Dahbi, M., Hosaka, T., Kumakura, S., and Komaba, S. (2018). Towards K-ion and Na-ion batteries as “beyond Li-ion”. *The chemical record*, 18(4), 459-479.
- Li, C., Yuan, W., Li, C., Wang, H., Wang, L., Liu, Y., and Zhang, N. (2021). Boosting $\text{Li}_3\text{V}_2(\text{PO}_4)_3$ cathode stability using a concentrated aqueous electrolyte for high-voltage zinc batteries. *Chemical Communications*, 57(35), 4319-4322.
- Liu, S., Tong, Z., Zhao, J., Liu, X., Ma, X., Chi, C., . . . Li, Y. (2016). Rational selection of amorphous or crystalline V_2O_5 cathode for sodium-ion batteries. *Physical Chemistry Chemical Physics*, 18(36), 25645-25654.
- Mansour, A., Smith, P., Baker, W., Balasubramanian, M., and McBreen, J. (2002). In situ XAS investigation of the oxidation state and local structure of vanadium in discharged and charged V_2O_5 aerogel cathodes. *Electrochimica Acta*, 47(19), 3151-3161.
- McCurdy, R. J. (1999). Successful implementation methods of atmospheric CVD on a glass manufacturing line. *Thin Solid Films*, 351(1-2), 66-72.
- Nunes, C., Mahendrasingam, A., and Suryanarayanan, R. (2005). Quantification of crystallinity in substantially amorphous materials by synchrotron X-ray powder diffractometry. *Pharmaceutical research*, 22, 1942-1953.
- Palanisamy, K., Um, J. H., Jeong, M., and Yoon, W.-S. (2016). Porous V_2O_5 /RGO/CNT hierarchical architecture as a cathode material: Emphasis on the contribution of surface lithium storage. *Scientific reports*, 6(1), 31275.
- Potyrailo, R. A., and Maier, W. F. (2006). *Combinatorial and high-throughput discovery and optimization of catalysts and materials*: CRC Press.
- Ravel, B., and Newville, M. (2005). ATHENA, ARTEMIS, HEPHAESTUS: data analysis for X-ray absorption spectroscopy using IFEFFIT. *Journal of synchrotron radiation*, 12(4), 537-541.

- Rousse, G., Baptiste, B., and Lelong, G. (2014). Crystal structures of $\text{Li}_6\text{B}_4\text{O}_9$ and $\text{Li}_3\text{B}_{11}\text{O}_{18}$ and application of the dimensional reduction formalism to lithium borates. *Inorganic Chemistry*, 53(12), 6034-6041.
- Saetova, N., Raskovalov, A., Antonov, B., Denisova, T., and Zhuravlev, N. (2020). Structural features of $\text{Li}_2\text{O}-\text{V}_2\text{O}_5-\text{B}_2\text{O}_3$ glasses: Experiment and molecular dynamics simulation. *Journal of Non-Crystalline Solids*, 545, 120253.
- Saetova, N., Raskovalov, A., Antonov, B., Yaroslavtseva, T., Reznitskikh, O., Zabolotskaya, E., . . . Telyatnikova, A. (2018). Conductivity and spectroscopic studies of $\text{Li}_2\text{OV}_2\text{O}_5\text{-B}_2\text{O}_3$ glasses. *Ionics*, 24, 1929-1938.
- Sagadevan, S., Marlinda, A., Chowdhury, Z. Z., Wahab, Y. B. A., Hamizi, N. A., Shahid, M., . . . Johan, M. R. (2021). Fundamental electrochemical energy storage systems. In *Advances in Supercapacitor and Supercapattery* (pp. 27-43): Elsevier.
- Sayers, D. E., Stern, E. A., and Lytle, F. W. (1971). New technique for investigating noncrystalline structures: Fourier analysis of the extended x-ray—absorption fine structure. *Physical review letters*, 27(18), 1204.
- Schwartz, L. H., and Cohen, J. B. (2013). *Diffraction from materials*: Springer Science and Business Media.
- Sharma, P., and Bhatti, T. (2010). A review on electrochemical double-layer capacitors. *Energy conversion and management*, 51(12), 2901-2912.
- Sheldrick, G. (1998). SHELX-97, Release 97-2. In: Univ. Göttingen, Germany.
- Siroj, S., Padchasri, J., Montreeuppathum, A., Lomon, J., Chanlek, N., Poo-arporn, Y., . . . Kidkhunthod, P. (2023). New glass cathode materials for Li-ion battery: Ni-Co doping in Li-BO based glass. *Materials Science for Energy Technologies*.
- Siroj, S., Padchasri, J., Montreeuppathum, A., Lomon, J., Chanlek, N., Poo-Arporn, Y., . . . Kidkhunthod, P. (2022). Enhancement of V_2O_5 Li-ion cathode stability by Ni/Co doped Li-borate-based glass. *RSC advances*, 12(40), 26111-26115.
- Siroj, S., Padchasri, J., Montreeuppathum, A., Sonsupap, S., Maensiri, S., Kheawhom, S., and Kidkhunthod, P. (2024). Glass-Sulfur Composite Cathodes: A New Strategy for Improving the Performance of Lithium-Sulfur Batteries. *Materials Research Bulletin*, 112919.

- Spieß, L., Behnken, H., Genzel, C., Schwarzer, R., and Teichert, G. (2009). *Moderne röntgenbeugung* (Vol. 2): Springer.
- Stan, G. E., Montazerian, M., Shearer, A., Stuart, B. W., Bairo, F., Mauro, J. C., and Ferreira, J. M. (2023). Critical advances in the field of magnetron sputtered bioactive glass thin-films: An analytical review. *Applied Surface Science*, 158760.
- Swiderska-Mocek, A., and Naparstek, D. (2016). Physical and electrochemical properties of lithium bis (oxalate) borate—organic mixed electrolytes in Li-ion batteries. *Electrochimica Acta*, 204, 69-77.
- Varshneya, A. K. (2013). *Fundamentals of inorganic glasses*: Elsevier.
- Wang, H., Isobe, J., Matsumura, D., and Yoshikawa, H. (2018). In situ X-ray absorption fine structure studies of amorphous and crystalline polyoxovanadate cluster cathodes for lithium batteries. *Journal of Solid State Electrochemistry*, 22, 2067-2071.
- Wang, H., Isobe, J., Shimizu, T., Matsumura, D., Ina, T., and Yoshikawa, H. (2017). Preparation of γ - LiV_2O_5 from polyoxovanadate cluster $\text{Li}_7[\text{V}_{15}\text{O}_{36}(\text{CO}_3)]$ as a high-performance cathode material and its reaction mechanism revealed by operando XAFS. *Journal of power sources*, 360, 150-156.
- Wang, P.-P., Chen, J., Xu, C.-Y., Wang, Y.-Q., and Zhen, L. (2017). Vertical aligned V_2O_5 nanoneedle arrays grown on Ti substrate as binder-free cathode for lithium-ion batteries. *Ionics*, 23, 2961-2967.
- Weber, A. Z., Mench, M. M., Meyers, J. P., Ross, P. N., Gostick, J. T., and Liu, Q. (2011). Redox flow batteries: a review. *Journal of applied electrochemistry*, 41, 1137-1164.
- Wei, Z., Wang, D., Yang, X., Wang, C., Chen, G., and Du, F. (2018). From crystalline to amorphous: an effective avenue to engineer high-performance electrode materials for sodium-ion batteries. *Advanced Materials Interfaces*, 5(19), 1800639.
- Xiao, Y., Miara, L. J., Wang, Y., and Ceder, G. (2019). Computational screening of cathode coatings for solid-state batteries. *Joule*, 3(5), 1252-1275.

- Yamada, A., Iwane, N., Harada, Y., Nishimura, S. i., Koyama, Y., and Tanaka, I. (2010). Lithium iron borates as high-capacity battery electrodes. *Advanced Materials*, 22(32), 3583-3587.
- Yang, S.-H., Xue, H., and Guo, S.-P. (2021). Borates as promising electrode materials for rechargeable batteries. *Coordination Chemistry Reviews*, 427, 213551.
- Yano, J., and Yachandra, V. K. (2009). X-ray absorption spectroscopy. *Photosynthesis research*, 102, 241-254.
- Zeng, X., Kuang, Q., Fan, Q., Dong, Y., Zhao, Y., Chen, S., and Liu, S. (2020). Synthesis, structure, and electrochemical performance of V_3BO_6 nanocomposite: A new vanadium borate as high-rate anode for Li-ion batteries. *Electrochimica Acta*, 335, 135661.
- Zhao, E.-L., Zhao, S.-X., Wu, X., Li, J.-W., Yu, L.-Q., Nan, C.-W., and Cao, G. (2019). Electrochemical performance of $Li_2O-V_2O_5-SiO_2-B_2O_3$ glass as cathode material for lithium ion batteries. *Journal of Materiomics*, 5(4), 663-669.
- Zhou, D., Pang, L.-X., Wang, D.-W., Qi, Z.-M., and Reaney, I. M. (2018). High quality factor, ultralow sintering temperature $Li_6B_4O_9$ microwave dielectric ceramics with ultralow density for antenna substrates. *ACS sustainable chemistry and engineering*, 6(8), 11138-11143.