

CONTENTS

	Page
ABSTRACT IN THAI.....I	I
ABSTRACT IN ENGLISH.....II	II
ACKNOWLEDGEMENT.....III	III
CONTENTS.....IV	IV
LIST OF TABLES.....VI	VI
LIST OF FIGURES.....VII	VII
CHAPTER	
I INTRODUCTION 1	1
1.1 Significance of the study.....1	1
1.2 Photocatalysis.....3	3
1.3 Photocatalyst.....6	6
1.4 Perovskite material.....7	7
1.5 Sol-Gel method.....9	9
1.5.1 The basic steps in the Sol-Gel process.....9	9
1.5.2 The key advantages of the Sol-Gel method.....9	9
1.6 Doping photocatalyst.....10	10
1.7 Reference.....11	11
II LITERATURE REVIEWS..... 15	15
2.1 $\text{Pb}_2\text{Nb}_2\text{O}_9$ photocatalyst.....15	15
2.2 Modified $\text{Pb}_2\text{Nb}_2\text{O}_9$ photocatalysts.....17	17
2.3 Modified photocatalyst by Ce-doping.....19	19
2.4 References.....23	23
III EXPERIMENTAL SECTION..... 25	25
3.1 Materials and reagents.....25	25
3.2 Sample preparation.....25	25
3.3 Characterizations.....26	26

CONTENTS (Continued)

		Page
	3.3.1 X-ray diffraction (XRD) and structure refinement.....	26
	3.3.2 Scanning electron microscopy (SEM) and Energy dispersive X-ray spectroscopy (EDX).....	26
	3.3.3 X-ray photoelectron spectroscopy (XPS).....	27
	3.3.4 UV-Visible spectrophotometer.....	27
	3.3.5 Photoluminescence (PL).....	28
	3.3.6 X-ray adsorption spectroscopy (XAS).....	29
	3.4 Photocatalytic test.....	30
	3.5 Computational details.....	31
	3.6 References.....	31
IV	RESULTS AND DISCUSSION.....	33
	4.1 Crystal structure.....	33
	4.1.1 Different preparation method of $\text{PbBi}_2\text{Nb}_2\text{O}_9$	33
	4.1.2 Sol-Gel method by various calcination temperature.....	36
	4.2 Ce-doped.....	37
	4.2.1 Crystal structure of Ce-doped obtained samples.....	37
	4.2.2 Morphology and surface area.....	43
	4.2.3 Electronic band structure and band gap energy.....	46
	4.2.4 Chemical state.....	49
	4.3 Photocatalytic activity.....	53
	4.4 References.....	63
V	CONCLUTIONS.....	68
	CURRICULLUM VITAE.....	70

LIST OF TABLES

Table	Page
4.1 Cell Parameters, Cell Volumes (V), and degree of distortion in terms of the orthorhombicity ratio $((a - b) / (a + b))$	39
4.2 Assignment of Raman active modes of $\text{PbBi}_{2-x}\text{Ce}_x\text{Nb}_2\text{O}_9$	40
4.3 TRPL fitted data of $\text{PbBi}_{2-x}\text{Ce}_x\text{Nb}_2\text{O}_9$ ($x=0.00$ and $x=0.02$).....	57
4.4 Band parameters estimated by the calculation of work function (ϕ) and the measurement of UV-vis absorption and XPS valence band spectroscopy.....	61

LIST OF FIGURES

Figure	Page
1.1 Photocatalytic degradation process (a), e^- and h^+ recombination (b).....	4
1.2 Perovskite structure illustrated for ABO_3	7
2.1 Schematic structure of $PbBi_2Nb_2O_9$	15
2.2 Mechanism for the photocatalytic reduction of 4-NA to PPD by Nanocrystalline $PbBi_2Nb_2O_9$	17
2.3 XRD patterns of as-prepared PBNO and PBFNO samples by solid-state reaction.....	18
2.4 The mechanism of methyl orange dye degradation over 0.1% Ce-doped TiO_2 under UV light irradiation.....	20
2.5 Band edge positions of (a) Pristine ZrO_2 and $MgZrO_3$ (b) Band alignment in case of $Ce^{4+/3+}$: $MgZrO_3$ NCs.....	21
2.6 Mechanistic diagram of TC degradation by BCFO-7.....	22
3.1 XANES and EXAFS region within XAS.....	29
4.1 XRD patterns of $PbBi_2Nb_2O_9$ at different preparation methods Sol-gel (a), Hydrothermal (b) and Molten salt (c).....	34
4.2 SEM images of $PbBi_2Nb_2O_9$ at different preparation methods Sol-gel (a), Hydrothermal (b) and Molten salt (c).....	35
4.3 Photocatalytic degradation of $PbBi_2Nb_2O_9$ at different preparation methods.....	35
4.4 XRD patterns of $PbBi_2Nb_2O_9$ at temperatures of 650°C, 700°C, 750°C and 800°C.....	37
4.5 XRD patterns (a) and their close-up (b) of $PbBi_2Nb_2O_9$ ($x = 0.00, 0.05, 0.20$, and 0.50).....	39
4.6 The fitted FT-Raman of $PbBi_{2-x}Ce_xNb_2O_9$ ($x = 0.00, 0.05, 0.20$, and 0.50).....	40
4.7 The FT-Raman spectra (a), the calculated Nb–O bond lengths (b) and FT-IR spectra (c) of $PbBi_{2-x}Ce_xNb_2O_9$ ($x = 0.00, 0.05, 0.20$, and 0.50).....	43
4.8 SEM (a and d), HRTEM (b and e), SAED pattern (c and f) of $PbBi_2Nb_2O_9$ and $PbBi_{1.8}Ce_{0.2}Nb_2O_9$, and EDS of $PbBi_{1.8}Ce_{0.2}Nb_2O_9$ (g1-g6).....	45

LIST OF FIGURES (Continued)

Figure	Page
4.9 Nitrogen adsorption-desorption isotherm and surface area of $\text{PbBi}_{2-x}\text{Ce}_x\text{Nb}_2\text{O}_9$	46
4.10 UV-vis absorption spectra (a) and Kubelka–Munk plot (b) of $\text{PbBi}_{2-x}\text{Ce}_x\text{Nb}_2\text{O}_9$ ($x = 0.00, 0.05, 0.20$, and 0.50). The density of state (DOS) of (c) pure and (d) Ce-doped $\text{PbBi}_2\text{Nb}_2\text{O}_9$. The colour of obtained photocatalysts (e).....	48
4.11 Projected electronic density of states (PDOS) of s and p orbital of Pb and Ce and crystal orbital Hamilton populations (COHP) for Pb-O and $\text{Pb}_{\text{Bi}}\text{-O}$ of (a) pure and (b) Ce-doped $\text{PbBi}_2\text{Nb}_2\text{O}_9$	49
4.12 XPS spectrum: (a) survey spectra, and high-resolution spectrum of (b) Ce 3d, (c) Bi 4f, (d) Pb 4f, (e) Nb 3d, and (f) O 1s of $\text{PbBi}_{2-x}\text{Ce}_x\text{Nb}_2\text{O}_9$ ($x = 0.00$, and 0.20).....	51
4.13 XANES spectrum: (a) Pb (L_3 -edge), (b) Bi (L_3 -edge), (c) Nb (L_3 -edge) and (d) Ce (L_3 -edge) of $\text{PbBi}_{2-x}\text{Ce}_x\text{Nb}_2\text{O}_9$ ($x = 0.00, 0.05, 0.20$, and 0.50).....	52
4.14 Photolysis and photocatalytic activity of $\text{PbBi}_2\text{Nb}_2\text{O}_9$ between pH7 and 12 (a), The photocatalytic activities (b) and the percentages of MB degradation and the rate constants of the apparent pseudo first order reaction (c) at pH12 of $\text{PbBi}_{2-x}\text{Ce}_x\text{Nb}_2\text{O}_9$. Cycling experiment of the photocatalytic degradation MB on $\text{PbBi}_{1.8}\text{Ce}_{0.2}\text{Nb}_2\text{O}_9$ (d).....	54
4.15 PL spectra of $\text{PbBi}_{2-x}\text{Ce}_x\text{Nb}_2\text{O}_9$ (a) and TRPL spectra of $\text{PbBi}_2\text{Nb}_2\text{O}_9$ and $\text{PbBi}_{1.80}\text{Ce}_{0.20}\text{Nb}_2\text{O}_9$ (b).....	57
4.16 Inhibition of MB photocatalytic degradation over $\text{PbBi}_{1.8}\text{Ce}_{0.2}\text{Nb}_2\text{O}_9$ in the presence of different scavengers and argon atmosphere relative to the degradation without scavengers and under air atmosphere.....	58
4.17 XPS at valence band of (a) $\text{PbBi}_2\text{Nb}_2\text{O}_9$ and (b) $\text{PbBi}_{1.8}\text{Ce}_{0.2}\text{Nb}_2\text{O}_9$. Diagram of the band energy (c) of $\text{PbBi}_2\text{Nb}_2\text{O}_9$ and $\text{PbBi}_{1.8}\text{Ce}_{0.2}\text{Nb}_2\text{O}_9$	61
4.18 Proposed schematic band structures and mechanism of MB photo-degradation over the $\text{PbBi}_{1.8}\text{Ce}_{0.2}\text{Nb}_2\text{O}_9$ photocatalyst.....	63