

REFERENCES

- Agresti, A. (2015). *Foundations of linear and generalized linear models*. Wiley.
- Anderson, D. L., & J. E. Bowen. (1990). *Sugarcane nutrition*. Atlanta, GA: Potash and Phosphate Institute.
- Basu, S., Ramegowda, V., Kumar, A., & Pereira, A. (2016). Plant adaptation to drought stress. *F1000Research*, 5, 1554.
- Begum, K., Sikder, A. H. F., Khanom, S., Hossain, M. F., & Parveen, Z. (2016). Nutrient uptake by plants from different land types of Madhupur soils. *Bangladesh Journal of Scientific Research*, 28(2), 113–121.
- Begum, M. K., Alam, M. R., Islam, M. S., & Arefin, M. S. (2012, February 11). Effect of Water stress on physiological characters and juice quality of sugarcane. *An International Journal of Sugar Crops and Related Industries*, 14(2), 161–167.
- Berding, N., & Hurney, A. P. (2005). Flowering and lodging, physiological-based traits affecting cane and sugar yield. *Field Crops Research*, 92(2–3), 261–275.
- Bhale, V. M. G. (1943). Effect of growth regulators and cultural treatment on productivity of ratoon cane. *Indian Sugar*, 44(8), 645–651.
- Blake, G.R. & Hartge, K.H. (1986). *Bulk density*. In: Klute, A., Ed., *Methods of soil analysis, part 1 physical and mineralogical methods*, 2nd Edition, Agronomy Monograph 9, American Society of Agronomy-Soil Science Society of America, Madison, 363-382.
- Blum, A. (2005). Drought resistance, water-use efficiency, and yield potential are they compatible, dissonant, or mutually exclusive?. *Australian Journal of Agricultural Research*, 56(11), 1159.
- Bouyoucos, G. J. (1962). Hydrometer method improved for making particle size analyses of soils 1. *Agronomy Journal*, 54(5), 464–465.
- Bray, R. H., & Kurtz, L. T. (1945). Determination of total organic and available forms of phosphorus in soils. *Soil Science*, 59(1), 39–46.

- Campos-M, M., & Campos-C, R. (2017). Applications of quartering method in soils and foods. *International Journal of Engineering Research and Applications*, 7(1), 35–39.
- Chadha, A., Florentine, S. K., Chauhan, B. S., Long, B., & Jayasundera, M. (2019). Influence of soil moisture regimes on growth, photosynthetic capacity, leaf biochemistry and reproductive capabilities of the invasive agronomic weed; *Lactuca serriola*. *a peer-reviewed open access scientific journal*, 14(6), e0218191.
- Chumphu, S., Jongrunklang, N., & Songsri, P. (2019). Association of physiological responses and root distribution patterns of ratooning ability and yield of the second Ratoon cane in sugarcane elite clones. *Agronomy*, 9(4), 200.
- David, D. J. (1960). The application of atomic absorption to chemical analysis. A review. *The Analyst*, 85(1016), 779.
- Eswaran, S. (Ed.). (2017). *DRIP IRRIGATION-full paper*.
- FAO. (unpublished). *CHAPTER 3: Crop water needs* [Dataset]. <https://www.fao.org/3/S2022E/s2022e07.htm#TopOfPage>
- Faye, A., Sine, B., Chopart, J. L., Grondin, A., Lucas, M., Diedhiou, A. G., Gantet, P., Cournac, L., Min, D., Audebert, A., Kane, A., & Laplaze, L. (2019). Development of a model estimating root length density from root impacts on a soil profile in pearl millet (*Pennisetum glaucum* (L.) R. Br). Application to measure root system response to water stress in field conditions. *Peer-reviewed open access scientific journal*, 14(7)
- Ferraris, R. & Chapman, L.S. (1991). *Effect of moisture regime on early development of ratoon buds*. Proceedings of Australian Society Sugar Technology, 172–178.
- Figueroa-Rodríguez, K. A., Hernández-Rosas, F., Figueroa-Sandoval, B., Velasco Velasco, J., & Aguilar Rivera, N. (2019). What has been the focus of sugarcane research? A bibliometric overview. *International Journal of Environmental Research and Public Health*, 16(18), 3326.
- Gentile, A., Dias, L. I., Mattos, R. S., Ferreira, T. H., & Menossi, M. (2015). MicroRNAs and drought responses in sugarcane. *Frontiers in Plant Science*, 6.
- Gomathi, R., Rao, P. N. G., Rakkiyappan, P., Sundara, B. P., & Shiyamala, S. (2013). Physiological studies on ratoonability of sugarcane varieties under tropical Indian condition. *American Journal of Plant Sciences*, 04(02), 274–281.

- Hassan, M. U., Fiaz, N., Mudassir, M. A., & Yasin, M. (2017). Exploring the ratooning potential of sugarcane (*Saccharum officinarum* L.) genotypes under varying harvesting times of plant crop. *Pakistan Journal of Agricultural Research*, 30(3).
- Hatfield, J. L., & Dold, C. (2019). Water-use efficiency: Advances and challenges in a changing climate. *Frontiers in Plant Science*, 10.
- Higashide, T., Ibuki, T., Kasahara, Y., Sumikawa, O., Sakoda, T., & Kinoshita, T. (2007). Cultivation of tomato (*Lycopersicon esculentum*) in a sloped greenhouse by a fertigation system suitable for use on sloping land. *Horticultural Research (Japan)*, 6(1), 91-95.
- Hogarth, D. M., & Berding, N. B. (2006). Breeding for a better industry: Conventional breeding sugarcane international. *Sugarcane International*, 24(2), 26–31.
- Htoon, W., Kaewpradit, W., Vorasoot, N., Toomsan, B., Akkasaeng, C., Puppala, N., Wongkaew, S., & Jogloy, S. (2019). Relationships between nutrient uptake and nitrogen fixation with aflatoxin contamination in peanut under terminal drought. *Agronomy*, 9(8), 419.
- Jangpromma, N., Songsri, P., Thammasiri, S., & Jaisil, P. (2010). Rapid assessment of chlorophyll content in sugarcane using a SPAD chlorophyll meter across different water stress conditions. *Asian Journal of Plant Sciences*, 9(6), 368-374.
- Jangpromma, N., Thammasirirak, S., Jaisil, P., & Songsri, P. (2012). Effects of drought and recovery from drought stress on above ground and root growth, and water use efficiency in sugarcane (*Saccharum officinarum* L.). *Australian Journal of Crop Science*, 6(8), 1298-1304.
- Johnston, A., & Bruulsema, T. (2014). 4R Nutrient stewardship for improved nutrient use efficiency. *Procedia Engineering*, 83, 365-370.
- Kafkafi, U. and Tarchitzky, J. (2011) *Fertigation: A tool for efficient fertilizer and water management*. International Fertilizer Industry Association, Paris.
- Kawakami, J., Iwama, K., & Jitsuyama, Y. (2006). Soil water stress and the growth and yield of potato plants grown from microtubers and conventional seed tubers. *Field Crops Research*, 95(1), 89-96.

- Khonghintaisong, J., Songsri, P., Toomsan, B., & Jongrunklang, N. (2017). Rooting and physiological trait responses to early drought stress of sugarcane cultivars. *An International Journal of Sugar Crops and Related Industries*, 20(4), 396-406.
- Kolange, A.K., Pilane, M.S., Munde, M.S., and Bhoi, P.G. (2001). Effect of fertilizer levels on yield and quality of new sugar-cane genotype. *Indian Sugar*, 50(11): 375-378.
- Kombali, G., Sheshadri, T., Thimmegowda, M., & Basavaraja, P. (2016). Performance of sugarcane under varied levels of irrigation and nutrients through subsurface drip fertigation. *Mysore Journal of Agricultural Sciences*, 50(2), 290-293.
- Kooyers, N. J. (2015). The evolution of drought escape and avoidance in natural herbaceous populations. *Plant Science*, 234, 155-162.
- Kumar, S., Singh, S., Yadav, S. P., Srivastav, M., Singh, I., & Sharma, B. (2017). Effect of cultural operations and fertilizer application in ratoon for enhancing the sugarcane ratoon cane productivity. *Agrica*, 6(1), 62.
- Luanmanee, S., Kongtien, D., Chongchuaklang, K., & Wandee, W. (2021). Effect of supplemental water and fertilizer rates on yield of three sugarcane cultivars grown on clay soil at Nakhon Sawan province. *Thai Agricultural Research Journal*, 39(3), 232-247.
- McCray, J. M., Ezenwa, I. V., Ronald, W. R., & Timothy, A. L. (unpublished). *Sugarcane plant nutrient diagnosis* [Dataset]
http://www.nutricaoeplantas.agr.br/site/downloads/unesp_jaboticabal/omissao_cana4.pdf
- Milligan, S. B., Gravois, K. A., Bischoff, K. P., & Martin, F. A. (1990). Crop effects on broad-sense heritabilities and genetic variances of sugarcane yield components. *Crop Science*, 30(2), 344.
- Namwongsa, J., Jongrunklang, N., & Songsri, P. (2018). *Genotypic variation in root distribution changes and physiological responses of sugarcane induced by drought stress* [Unpublished manuscript].
- Niaz, S., Ali, M. A., Ali, S., & Awan, S. (2009). Comparative water use efficiency of drip and furrow irrigation systems for off-season vegetables under plastic tunnel in rainfed areas. *Life Sciences International Journal*, 2, 952-955.

- Office of Cane and Sugar Board. (2019). *Report of sugarcane planting situation of the production year 2019/2020*. Information and Communication Technology Group.
- Office of the Cane and Sugar Board. (2018). *Report on sugarcane production in Thailand for the production year 2017/18*. Information and Communication Technology Group.
- Olaoye, G. (2008). Estimate of ratooning ability in sugarcane (*saccharum officinarum* L) under conditions of low-available soil moisture in a savanna ecology of Nigeria. *Moor Journal of Agricultural Research*, 6(1).
- Onwueme, C., & Sinha, T. D. (1999). *CTA-Field crop production in tropical Africa*. Wageningen, Netherlands.
- Pawar, D., Sachin, D., & Surve, U. s. (2013). Growth, yield, and water use in sugarcane (*Saccharum officinarum*) under drip fertigation. *Indian Journal of Agronomy*, 58(2), 16-21.
- Pereira, L., Paredes, P., & Jovanovic, N. (2020). Soil water balance models for determining crop water and irrigation requirements and irrigation scheduling focusing on the FAO56 method and the dual Kc approach. *Agricultural Water Management*, 241.
- Pierre, J. S., Rae, A. L., & Bonnett, G. D. (2014). Abiotic limits for germination of sugarcane seed in relation to environmental spread. *Tropical Plant Biology*, 7(3-4), 100-110.
- Pissolato, M. D., Cruz, L. P. D., Silveira, N. M., Machado, E. C., & Ribeiro, R. V. (2021). Sugarcane regrowth is dependent on root system size: an approach using young plants grown in nutrient solution. *Bragantia*, 80.
- Qin, W., CaiWen, W., Jun, Z., PeiFang, Z., Kun, Y., XueKuan, C., Li, Y., & QianChun, Z. (2017). Research on ratoon ability of sugarcane: I. Relationship between ratooning ability and morphological characteristics of ratoon stools. *Southwest China Journal of Agricultural Sciences*, 30(5), 989-993.
- Qin W., Wu C.W., Yao L., Chen X.K., Zhao P.F., Zeng Q.Q. (2014). Relationship between ratoon ability and the change of endogenous hormone in sugarcane at sprouting stage. *Acta Botanica Boreali-Occidentalia Sinica.*, 34(1), 143-149

- Quaggio, J. A., Mattos, D., & Cantarella, H. (2006). Fruit yield and quality of sweet oranges affected by nitrogen, phosphorus and potassium fertilization in tropical soils. *Fruits*, 61(5), 293-302.
- Radhamani, R., Kannan, R., & Rakkiyappan, P. (2015). Leaf chlorophyll meter readings as an indicator for sugarcane yield under iron deficient typical haplustert. *An International Journal of Sugar Crops and Related Industries*, 18(1), 61-66.
- Richardson, A. D., Duigan, S. P., & Berlyn, G. P. (2002). An evaluation of noninvasive methods to estimate foliar chlorophyll content. *New Phytologist*, 153(1), 185-194.
- Royal Irrigation Department. (unpublished). *Crop Coefficient; Kc* [Dataset]. http://water.rid.go.th/hwm/cropwater/CWRdata/Kc/kc_th.pdf
- Sangnark, A., & Noomhorm, A. (2004). Effect of dietary fiber from sugarcane bagasse and sucrose ester on dough and bread properties. *LWT - Food Science and Technology*, 37(7), 697-704.
- Sathiyaraj, M., & priya, S. (2017). Irrigation regimes and fertigation levels on sugarcane under subsurface drip fertigation. *International Journal of Current Microbiology and Applied Sciences*, 6(11), 3674-3684.
- Sehtiya H.L., Dendsay J.P.S. (1992). Sugarcane ratooning ability I. study on morphology of stubbles. *Indian Sugar*, 42, 751-754.
- Shaw M.E.A. (1989). An index to measure sugar cane ratoon performance. *Sugar Azucar*. 84, 22-23.
- Shrivastava, A., Srivastava, T., Srivastava, K., Varucha , M., Srivastava, S., & Vinay, S. (2016). *Climate change induced abiotic stresses affecting sugarcane and their mitigation* (1st ed.). ICAR-IISR, Lucknow.
- Shedeed, S., Zaghloul, S., & Yassen, A. azim. (2009). Effect of method and rate of fertilizer application under drip irrigation on yield and nutrient uptake by tomato. *Ozean journal of applied sciences*, 2.
- Singh, P., Rai, R. K., Suman, A., Srivastava, T. K., Singh, K. P., Arya, N., & Yadav, R. L. (2014). Soil-root interface changes in sugarcane plant and ratoon crops under subtropical conditions: Implications for dry-matter accumulation. *Communications in Soil Science and Plant Analysis*, 46(4), 454-475.

- Sinworn, S. (2014). *Effect of Drip irrigation systems fertigation and soil fertilization on growth and yield of Cassava*. [MS Thesis, Kasetsart University], Bangkok.
- Smith DM, Inman-Bamber NG, Thorburn PJ (2005) Growth and function of the sugarcane root system. *Field Crop Research*, 92, 169-183.
- Songsri P., Jogloy S., Holbrook CC, Kesmla T., Vorasoot N., Akkasaeng C., & Patanothai A. (2009) Association of root, specific leaf area and SPAD chlorophyll meter reading to water use efficiency of peanut under different available soil water. *Agricultural water management*, 96, 790-798.
- The American River Water Education Center. (unpublished). *Water facts - Worldwide water supply* [Dataset]. <https://www.usbr.gov/mp/arwec/water-facts-wwwater-sup.html>
- Thongaram, D., Tangkosakul, W., Jiracheewee, N., and Nuntagij, I. (2002). *Design and technology of irrigation for plant*. Mitkaset Marketing and Advertising Press, Bangkok, Thailand.
- Thong-ob, T. (2013). *Effects of soil moisture content on root distribution and physiological traits of cassava*. [Master's Thesis, Suranaree University of Technology], Nakhon Ratchasima. <http://sutir.sut.ac.th:8080/jspui/handle/123456789/8747>
- Tippayawat, A., Ponragdee, W., & Sansayawichai, T. (2012). Characteristics of Thai sugarcane (*Saccharum* spp. hybrids) cultivars and potential for utilization. *Khon Kaen Agriculture Journal (Thailand)*, 53-59.
- Trimble, S. (2022, September 21). *The importance of leaf area index (LAI) in environmental and crop research*. CID Bio-Science. <https://cid inc.com/blog/the-importance-of-leaf-area-index-in-environmental-and-crop-research>
- United States Department of Agriculture. (2022). *Sugar: World markets and trade*. <https://apps.fas.usda.gov/psdonline/circulars/sugar.pdf>
- Uribe, R. A. M., Gava, G. J. D. C., Saad, J. C. C., & Kölln, O. T. (2013). Ratoon sugarcane yield integrated drip-irrigation and nitrogen fertilization. *Engenharia Agrícola*, 33(6), 1124-1133.
- Walkley, A. (1947). A critical examination of a rapid method for determining organic carbon in soils: Effect of variations in digestion conditions and of inorganic soil constituents. *Soil Science*, 63, 251-264.

- Wasaya, A., Zhang, X., Fang, Q., & Yan, Z. (2018). Root phenotyping for drought tolerance: A review. *Agronomy*, 8(11), 241.
- Wiangnon, C., Puangbut, D., Jongrunklang, N., & Songsri, P. (2021). Root traits and root distribution patterns in advance sugarcane clones under early drought stress conditions. *Khon Kaen Agriculture Journal (Thailand)*, 3(49), 609–621.
- Wiedenfeld, B., & Enciso, J. (2008). Sugarcane responses to irrigation and nitrogen in semiarid south Texas. *Agronomy Journal*, 100(3), 665-671.
- Wonprasaid, S., & Girdthai, T. (2014). *Management for ratoon yield improvement of sugarcane in the northeast*. Institute of Agricultural Technology, School of Crop Production Technology, Suranaree University of Technology.
- Xie, X. (2018). *Fertigation for cassava production under drip irrigation system*. [Doctoral dissertation, Suranaree University of Technology], Nakhon Ratchasima <http://sutir.sut.ac.th:8080/jspui/handle/123456789/8426>
- Xu, F., Wang, Z., Lu, G., Zeng, R., & Que, Y. (2021). Sugarcane ratooning ability: Research status, Shortcomings, and Prospects. *Biology*, 10(10), 1052.
- Yadav, R.L., Kumar, R., & Verma, R.S. (1991). Effect of planting technique and planting density on yield of late planted sugarcane in north central India. *Experimental agriculture*, 27(3), 281-286.
- Yadav, R. L., & Prasad, S. R. (1988). Moisture use characteristics of sugarcane genotypes under different available soil moisture regimes in alluvial entisols. *The Journal of Agricultural Science*, 110(1), 5-11.
- Zotarelli, L., Scholberg, J. M., Dukes, M. D., & Muñoz-Carpena, R. (2008). Fertilizer residence time affects nitrogen uptake efficiency and growth of sweet corn. *Journal of Environmental Quality*, 37(3), 1271-1278.